

Table 1.6C (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	362	325	220	190	267	261
18	23	17	16	11	16	13
19	17	24	9	15	14	18
20	22	24	12	13	18	20
21	26	24	13	17	23	17
22	23	17	14	8	17	15
23	22	19	13	12	18	15
24	22	20	13	10	15	17
25	20	20	11	13	16	15
26-29	84	90	47	55	70	70
30-34	107	95	62	61	85	69
35-39	92	95	54	52	75	81
40-44	100	103	61	50	81	87
45-49	116	106	81	60	81	88
50-54	140	153	81	101	115	119
55-59	151	108	63	53	133	91
60-64	106	111	86	81	61	76
65 or Older	106	67	83	29	58	57

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.6D (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	0.16	0.14	0.20	0.17	0.23	0.22
18	0.46	0.36	0.61	0.44	0.73	0.59
19	0.39	0.53	0.39	0.68	0.66	0.81
20	0.46	0.52	0.48	0.59	0.81	0.85
21	0.59	0.52	0.59	0.74	1.01	0.73
22	0.53	0.38	0.64	0.37	0.80	0.70
23	0.53	0.47	0.61	0.64	0.85	0.70
24	0.52	0.48	0.63	0.45	0.73	0.84
25	0.49	0.48	0.57	0.65	0.77	0.73
26-29	0.50	0.51	0.55	0.64	0.84	0.80
30-34	0.53	0.48	0.62	0.63	0.81	0.67
35-39	0.47	0.48	0.56	0.53	0.74	0.79
40-44	0.48	0.49	0.60	0.52	0.76	0.78
45-49	0.51	0.47	0.74	0.55	0.69	0.78
50-54	0.63	0.65	0.75	0.89	0.97	0.97
55-59	0.77	0.56	0.69	0.57	1.26	0.92
60-64	0.64	0.60	1.04	0.91	0.72	0.80
65 or Older	0.27	0.17	0.49	0.17	0.26	0.25

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.6P (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	0.3417		0.5832		0.4023	
18	0.0723		0.4068		0.0801	
19	0.0983		0.4222		0.1595	
20	0.2691		0.1352		0.8838	
21	0.8076		0.4698		0.4071	
22	0.0251		0.0099		0.3373	
23	0.5823		0.4380		0.1524	
24	0.9437		0.3045		0.3479	
25	0.7927		0.6308		0.9937	
26-29	0.1704		0.1978		0.4738	
30-34	0.1601		0.7047		0.1262	
35-39	0.3932		0.8974		0.3272	
40-44	0.6810		0.2280		0.8459	
45-49	0.2324		0.0873		0.9796	
50-54	0.2408		0.0166		0.6995	
55-59	0.1330		0.4471		0.1930	
60-64	0.9232		0.8364		0.9194	
65 or Older	0.2015		0.0599		0.9352	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.7C (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	362	325	59	59	224	213	263	224
GENDER								
Male	220	190	35	35	143	122	158	140
Female	267	261	48	46	165	172	200	174
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	330	309	51	54	208	199	236	218
White	296	284	46	46	182	196	220	197
Black or African American	98	84	21	19	88	61	40	55
American Indian or Alaska Native	28	45	5	3	*	15	*	*
Native Hawaiian or Other Pacific Islander	*	*	2	*	*	*	*	*
Asian	60	60	9	16	47	32	*	*
Two or More Races	69	36	15	14	20	15	*	29
Hispanic or Latino	126	99	29	24	78	76	96	51
CURRENT EMPLOYMENT								
Full-Time	212	185	32	32	156	142	131	109
Part-Time	109	131	37	32	77	96	65	78
Unemployed	99	77	24	23	69	60	69	42
Other ¹	228	223	30	34	121	123	193	183

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.7D (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.16	0.14	0.17	0.17	0.23	0.22	0.27	0.22
GENDER								
Male	0.20	0.17	0.20	0.20	0.29	0.25	0.35	0.30
Female	0.23	0.22	0.29	0.27	0.33	0.34	0.39	0.32
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.17	0.16	0.19	0.20	0.25	0.25	0.27	0.24
White	0.19	0.18	0.21	0.22	0.28	0.31	0.30	0.26
Black or African American	0.36	0.31	0.42	0.39	0.69	0.50	0.42	0.55
American Indian or Alaska Native	2.51	3.34	2.53	1.43	*	3.04	*	*
Native Hawaiian or Other Pacific Islander	*	*	1.34	*	*	*	*	*
Asian	0.59	0.52	0.60	0.85	0.89	0.54	*	*
Two or More Races	2.47	1.08	2.47	1.79	1.88	1.21	*	2.21
Hispanic or Latino	0.39	0.29	0.44	0.33	0.46	0.42	1.15	0.57
CURRENT EMPLOYMENT								
Full-Time	0.18	0.16	0.25	0.25	0.23	0.21	0.36	0.29
Part-Time	0.32	0.40	0.38	0.33	0.62	0.81	0.56	0.68
Unemployed	0.65	0.55	0.51	0.50	0.98	0.98	1.89	1.27
Other ¹	0.33	0.32	0.38	0.40	0.82	0.81	0.42	0.38

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.7P (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.3417		0.5766		0.6155		0.5383	
GENDER								
Male	0.5832		0.9385		0.2932		0.8236	
Female	0.4023		0.3909		0.9028		0.3310	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6641		0.8866		0.9549		0.6882	
White	0.6355		0.6686		0.0904		0.4905	
Black or African American	0.0299		0.4696		0.0060		0.5301	
American Indian or Alaska Native	0.6890		0.4266		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.6789		0.1572		0.1288		*	
Two or More Races	0.2981		0.2120		0.1340		*	
Hispanic or Latino	0.1361		0.1456		0.3259		0.4668	
CURRENT EMPLOYMENT								
Full-Time	0.1113		0.8235		0.2729		0.2449	
Part-Time	0.3043		0.9105		0.1967		0.8025	
Unemployed	0.3241		0.8109		0.5088		0.4301	
Other ¹	0.8233		0.2489		0.8259		0.9214	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.8C (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	362	325	59	59	224	213	263	224
GEOGRAPHIC REGION								
Northeast	131	126	28	19	88	83	90	81
Midwest	153	127	22	23	90	88	122	85
South	213	188	35	36	133	121	145	137
West	187	184	34	37	117	127	142	122
COUNTY TYPE								
Large Metro	266	239	48	44	173	161	181	162
Small Metro	174	191	36	42	120	127	122	129
250K – 1 Mil. Pop.	153	157	30	34	103	112	106	100
< 250K Pop.	81	103	19	24	62	60	59	80
Nonmetro	172	125	19	17	81	88	143	79
Urbanized	117	81	9	11	61	59	95	53
Less Urbanized	95	85	15	10	52	64	78	56
Completely Rural	84	29	8	7	16	21	*	18
POVERTY LEVEL¹								
Less Than 100%	165	182	30	39	97	110	127	130
100-199%	158	148	33	28	102	106	114	97
200% or More	262	231	42	39	173	157	190	159
GOVERNMENT ASSISTANCE²								
Yes	193	210	34	28	127	136	144	149
No	299	257	51	57	184	183	213	169
HEALTH INSURANCE³								
Private	254	217	44	50	165	154	178	134
Medicaid/CHIP ⁴	153	159	24	20	86	106	126	117
Other ⁵	184	160	19	16	92	69	158	147
No Coverage	148	143	32	29	111	107	94	89

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.8D (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.16	0.14	0.17	0.17	0.23	0.22	0.27	0.22
GEOGRAPHIC REGION								
Northeast	0.31	0.30	0.46	0.32	0.49	0.47	0.49	0.43
Midwest	0.30	0.25	0.29	0.32	0.43	0.43	0.56	0.38
South	0.25	0.22	0.28	0.28	0.37	0.33	0.41	0.37
West	0.35	0.34	0.42	0.45	0.50	0.54	0.66	0.55
COUNTY TYPE								
Large Metro	0.21	0.19	0.25	0.23	0.31	0.29	0.36	0.31
Small Metro	0.24	0.25	0.30	0.34	0.40	0.38	0.41	0.41
250K – 1 Mil. Pop.	0.33	0.30	0.41	0.46	0.51	0.49	0.54	0.46
< 250K Pop.	0.33	0.41	0.41	0.47	0.61	0.60	0.59	0.79
Nonmetro	0.45	0.33	0.39	0.34	0.53	0.61	0.79	0.45
Urbanized	0.72	0.52	0.43	0.51	0.89	0.95	1.29	0.77
Less Urbanized	0.52	0.46	0.64	0.44	0.73	0.88	0.90	0.63
Completely Rural	2.24	0.74	1.97	1.56	1.27	1.59	*	0.85
POVERTY LEVEL¹								
Less Than 100%	0.53	0.53	0.34	0.39	0.73	0.72	1.45	1.41
100-199%	0.33	0.31	0.38	0.32	0.48	0.51	0.62	0.52
200% or More	0.17	0.15	0.25	0.24	0.26	0.24	0.27	0.22
GOVERNMENT ASSISTANCE²								
Yes	0.46	0.44	0.43	0.31	0.64	0.63	1.00	0.93
No	0.16	0.13	0.18	0.21	0.23	0.23	0.26	0.20
HEALTH INSURANCE³								
Private	0.17	0.14	0.23	0.25	0.25	0.23	0.26	0.19
Medicaid/CHIP ⁴	0.69	0.65	0.46	0.37	0.88	0.98	1.74	1.47
Other ⁵	0.34	0.29	0.81	0.67	1.30	1.04	0.34	0.31
No Coverage	0.38	0.37	0.33	0.32	0.52	0.48	1.14	1.13

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.8P (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.3417		0.5766		0.6155		0.5383	
GEOGRAPHIC REGION								
Northeast	0.2244		0.0898		0.1636		0.9497	
Midwest	0.3523		0.2067		0.5334		0.0520	
South	0.7893		0.7963		0.9888		0.8205	
West	0.9240		0.7355		0.7345		0.5588	
COUNTY TYPE								
Large Metro	0.0975		0.2004		0.0510		0.9017	
Small Metro	0.4967		0.3951		0.7070		0.5826	
250K – 1 Mil. Pop.	0.5926		0.7393		0.8855		0.7037	
< 250K Pop.	0.0188		0.0298		0.3106		0.1224	
Nonmetro	0.7542		0.6715		0.0482		0.0771	
Urbanized	0.6737		0.1355		0.6089		0.2548	
Less Urbanized	0.5018		0.1707		0.0357		0.5279	
Completely Rural	0.2985		0.4432		0.3695		*	
POVERTY LEVEL¹								
Less Than 100%	0.4351		0.7768		0.9791		0.3957	
100-199%	0.8100		0.1818		0.6908		0.7996	
200% or More	0.0375		0.8539		0.1639		0.1786	
GOVERNMENT ASSISTANCE²								
Yes	0.8449		0.0034		0.6379		0.6104	
No	0.0737		0.3176		0.1561		0.1807	
HEALTH INSURANCE³								
Private	0.0097		0.8805		0.2161		0.0094	
Medicaid/CHIP ⁴	0.4295		0.4907		0.2044		0.9500	
Other ⁵	0.1811		0.3541		0.0436		0.8426	
No Coverage	0.6317		0.6390		0.8868		0.3314	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.