

Table 1.9C (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	155	144	42	37	125	110	76	85
GENDER								
Male	104	88	26	23	89	65	44	54
Female	116	113	34	28	89	89	62	65
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	147	140	35	35	119	104	76	83
White	127	134	30	30	103	102	69	77
Black or African American	64	31	12	11	57	23	26	18
American Indian or Alaska Native	18	25	*	*	7	*	*	*
Native Hawaiian or Other Pacific Islander	2	*	*	*	*	*	*	*
Asian	8	11	5	11	6	*	*	*
Two or More Races	17	16	11	3	13	5	*	*
Hispanic or Latino	41	41	22	15	34	32	6	19
CURRENT EMPLOYMENT								
Full-Time	95	66	20	17	88	58	30	25
Part-Time	54	72	28	20	42	60	20	33
Unemployed	60	49	15	15	39	38	*	26
Other ¹	91	90	21	23	71	55	51	68

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.9D (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.07	0.06	0.12	0.11	0.13	0.11	0.08	0.09
GENDER								
Male	0.09	0.08	0.15	0.13	0.18	0.14	0.10	0.12
Female	0.10	0.09	0.20	0.16	0.18	0.18	0.12	0.12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.07	0.07	0.13	0.13	0.15	0.13	0.09	0.09
White	0.08	0.09	0.15	0.15	0.16	0.17	0.09	0.10
Black or African American	0.24	0.12	0.25	0.24	0.46	0.19	0.27	0.18
American Indian or Alaska Native	1.64	1.88	*	*	1.49	*	*	*
Native Hawaiian or Other Pacific Islander	0.37	*	*	*	*	*	*	*
Asian	0.08	0.10	0.37	0.59	0.11	*	*	*
Two or More Races	0.65	0.49	1.93	0.35	1.25	0.41	*	*
Hispanic or Latino	0.13	0.12	0.33	0.21	0.20	0.18	0.08	0.22
CURRENT EMPLOYMENT								
Full-Time	0.08	0.06	0.16	0.14	0.13	0.09	0.08	0.07
Part-Time	0.16	0.22	0.28	0.22	0.35	0.51	0.17	0.29
Unemployed	0.40	0.36	0.33	0.34	0.57	0.64	*	0.80
Other ¹	0.14	0.13	0.27	0.28	0.50	0.38	0.11	0.14

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.9P (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.1494		0.4182		0.0358		0.3049	
GENDER								
Male	0.2810		0.9623		0.0474		0.2663	
Female	0.3351		0.2639		0.2781		0.6584	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1564		0.9270		0.0302		0.4062	
White	0.6195		0.9460		0.2612		0.3245	
Black or African American	0.0258		0.9244		0.0357		0.3645	
American Indian or Alaska Native	0.8294		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.7887		0.3686		*		*	
Two or More Races	0.1381		0.0766		0.0666		*	
Hispanic or Latino	0.8324		0.1448		0.9664		0.2199	
CURRENT EMPLOYMENT								
Full-Time	0.0053		0.2752		0.0111		0.5683	
Part-Time	0.7023		0.2668		0.5208		0.4379	
Unemployed	0.4748		0.1205		0.8155		*	
Other ¹	0.6795		0.7582		0.1066		0.2207	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.10C (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	155	144	42	37	125	110	76	85
GEOGRAPHIC REGION								
Northeast	53	44	22	12	45	35	14	20
Midwest	77	64	13	15	48	42	59	46
South	95	86	22	21	79	68	36	50
West	79	83	24	24	70	64	29	44
COUNTY TYPE								
Large Metro	111	106	32	29	93	81	47	62
Small Metro	83	94	25	24	69	70	36	57
250K – 1 Mil. Pop.	67	77	21	21	62	60	8	44
< 250K Pop.	49	49	13	12	31	35	35	32
Nonmetro	69	35	13	9	49	30	47	15
Urbanized	44	21	6	7	40	18	17	9
Less Urbanized	51	25	9	5	26	21	43	11
Completely Rural	16	11	7	1	11	10	*	4
POVERTY LEVEL¹								
Less Than 100%	75	77	20	24	61	61	36	44
100-199%	72	63	24	16	52	46	43	38
200% or More	112	103	29	26	95	79	52	60
GOVERNMENT ASSISTANCE²								
Yes	100	85	24	15	82	64	50	54
No	114	117	35	35	93	91	57	64
HEALTH INSURANCE³								
Private	101	96	28	32	83	75	52	48
Medicaid/CHIP ⁴	67	74	18	12	57	51	28	52
Other ⁵	59	67	16	9	46	33	33	58
No Coverage	85	67	22	16	70	57	43	33

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.10D (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.07	0.06	0.12	0.11	0.13	0.11	0.08	0.09
GEOGRAPHIC REGION								
Northeast	0.13	0.10	0.37	0.20	0.25	0.20	0.07	0.11
Midwest	0.15	0.13	0.17	0.20	0.23	0.20	0.27	0.21
South	0.11	0.10	0.18	0.17	0.22	0.19	0.10	0.14
West	0.15	0.15	0.29	0.30	0.30	0.27	0.13	0.20
COUNTY TYPE								
Large Metro	0.09	0.09	0.17	0.15	0.17	0.15	0.09	0.12
Small Metro	0.12	0.13	0.22	0.21	0.23	0.23	0.12	0.18
250K – 1 Mil. Pop.	0.14	0.15	0.29	0.29	0.30	0.28	0.04	0.20
< 250K Pop.	0.21	0.21	0.30	0.27	0.32	0.37	0.36	0.33
Nonmetro	0.19	0.10	0.27	0.18	0.34	0.21	0.27	0.09
Urbanized	0.28	0.14	0.26	0.30	0.66	0.30	0.23	0.14
Less Urbanized	0.29	0.15	0.40	0.23	0.37	0.32	0.51	0.13
Completely Rural	0.46	0.28	1.95	0.20	0.90	0.75	*	0.19
POVERTY LEVEL¹								
Less Than 100%	0.25	0.23	0.22	0.25	0.47	0.41	0.42	0.50
100-199%	0.15	0.13	0.28	0.18	0.25	0.23	0.23	0.20
200% or More	0.07	0.07	0.18	0.17	0.14	0.12	0.07	0.08
GOVERNMENT ASSISTANCE²								
Yes	0.24	0.19	0.31	0.18	0.43	0.30	0.36	0.34
No	0.06	0.06	0.13	0.13	0.12	0.12	0.07	0.08
HEALTH INSURANCE³								
Private	0.07	0.06	0.15	0.16	0.13	0.12	0.08	0.07
Medicaid/CHIP ⁴	0.31	0.31	0.34	0.23	0.61	0.49	0.40	0.68
Other ⁵	0.11	0.12	0.67	0.42	0.67	0.50	0.07	0.12
No Coverage	0.22	0.18	0.23	0.19	0.33	0.26	0.52	0.42

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.10P (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.1494		0.4182		0.0358		0.3049	
GEOGRAPHIC REGION								
Northeast	0.1109		0.0295		0.1556		0.2159	
Midwest	0.4855		0.4127		0.3905		0.7239	
South	0.6085		0.9619		0.2645		0.3577	
West	0.6459		0.8377		0.3150		0.2766	
COUNTY TYPE								
Large Metro	0.1364		0.5079		0.0497		0.5235	
Small Metro	0.5352		0.9206		0.8063		0.0953	
250K – 1 Mil. Pop.	0.7972		0.7038		0.4932		0.0087	
< 250K Pop.	0.4513		0.3968		0.4600		0.9747	
Nonmetro	0.0398		0.1643		0.1155		0.3582	
Urbanized	0.1290		0.3522		0.0735		0.7207	
Less Urbanized	0.2200		0.1039		0.6925		0.4276	
Completely Rural	0.4679		0.0927		0.8889		*	
POVERTY LEVEL¹								
Less Than 100%	0.6586		0.6965		0.8018		0.4054	
100-199%	0.3822		0.0244		0.3746		0.4137	
200% or More	0.0404		0.9840		0.0134		0.7708	
GOVERNMENT ASSISTANCE²								
Yes	0.1282		0.0262		0.0528		0.4002	
No	0.3449		0.7073		0.1374		0.5728	
HEALTH INSURANCE³								
Private	0.1123		0.3996		0.0696		0.5429	
Medicaid/CHIP ⁴	0.7191		0.5006		0.4646		0.0851	
Other ⁵	0.7658		0.1113		0.0395		0.0528	
No Coverage	0.3049		0.0924		0.3388		0.7599	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.