

**Table 2.10A Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Numbers in Thousands, 2010 and 2011**

<b>Dependence or Abuse</b>	<b>Total<sup>1</sup> (2010)</b>	<b>Total<sup>1</sup> (2011)</b>	<b>MDE (2010)</b>	<b>MDE (2011)</b>	<b>No MDE (2010)</b>	<b>No MDE (2011)</b>
<b>DEPENDENCE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	620	631	152	153	441	455
Marijuana	462	470	86	96	359	354
Illicit Drugs Other Than Marijuana <sup>3</sup>	242	224	84	89	143	125
Alcohol	407	359	104	84	287	262
Both Illicit Drugs and Alcohol <sup>3</sup>	138	117	42	39	91	75
Illicit Drugs or Alcohol <sup>3</sup>	889	874	213	199	637	642
<b>DEPENDENCE OR ABUSE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	1,154	1,157	273	247	835	876
Marijuana	868	879	154	158	674	695
Illicit Drugs Other Than Marijuana <sup>3</sup>	471	437	163	143	286	279
Alcohol	1,109 <sup>a</sup>	947	235	224	834 <sup>a</sup>	700
Both Illicit Drugs and Alcohol <sup>3</sup>	477 <sup>a</sup>	386	128	104	326	269
Illicit Drugs or Alcohol <sup>3</sup>	1,786	1,718	380	367	1,343	1,307

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

<sup>2</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.10B Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Percentages, 2010 and 2011**

<b>Dependence or Abuse</b>	<b>Total<sup>1</sup> (2010)</b>	<b>Total<sup>1</sup> (2011)</b>	<b>MDE (2010)</b>	<b>MDE (2011)</b>	<b>No MDE (2010)</b>	<b>No MDE (2011)</b>
<b>DEPENDENCE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	2.5	2.5	8.0	7.6	2.0	2.0
Marijuana	1.9	1.9	4.5	4.8	1.6	1.6
Illicit Drugs Other Than Marijuana <sup>3</sup>	1.0	0.9	4.4	4.4	0.7	0.6
Alcohol	1.7	1.4	5.4	4.2	1.3	1.2
Both Illicit Drugs and Alcohol <sup>3</sup>	0.6	0.5	2.2	1.9	0.4	0.3
Illicit Drugs or Alcohol <sup>3</sup>	3.6	3.5	11.2	9.9	2.9	2.9
<b>DEPENDENCE OR ABUSE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	4.7	4.6	14.3	12.3	3.8	3.9
Marijuana	3.6	3.5	8.1	7.9	3.1	3.1
Illicit Drugs Other Than Marijuana <sup>3</sup>	1.9	1.7	8.5	7.1	1.3	1.2
Alcohol	4.6 <sup>b</sup>	3.8	12.3	11.2	3.8 <sup>b</sup>	3.1
Both Illicit Drugs and Alcohol <sup>3</sup>	2.0 <sup>a</sup>	1.5	6.7	5.2	1.5	1.2
Illicit Drugs or Alcohol <sup>3</sup>	7.3	6.9	19.9	18.2	6.1	5.8

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

<sup>2</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.