

**Table 2.13C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004-2011**

Demographic Characteristic	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL</b>	62	63	60	63	60	59	57	58
<b>AGE</b>								
12-13	29	27	27	25	27	26	25	24
14-15	37	40	34	36	37	39	34	38
16-17	48	42	45	44	44	41	41	45
<b>GENDER</b>								
Male	32	32	32	33	30	32	30	32
Female	51	52	50	51	50	46	45	49
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	56	56	51	57	54	53	51	50
White	53	53	45	53	49	48	49	46
Black or African American	26	27	22	26	25	27	22	22
American Indian or Alaska Native	3	3	3	2	5	3	2	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	1	*
Asian	17	12	21	15	19	14	12	17
Two or More Races	10	7	12	7	10	6	9	12
Hispanic or Latino	28	29	29	26	27	26	27	32

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2004-2011.

**Table 2.13D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004-2011**

<b>Demographic Characteristic</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>
<b>TOTAL</b>	0.25	0.25	0.24	0.25	0.25	0.24	0.24	0.24
<b>AGE</b>								
12-13	0.33	0.33	0.34	0.32	0.35	0.34	0.32	0.30
14-15	0.42	0.44	0.38	0.41	0.42	0.44	0.42	0.44
16-17	0.54	0.47	0.48	0.49	0.48	0.45	0.46	0.48
<b>GENDER</b>								
Male	0.25	0.25	0.25	0.26	0.24	0.26	0.25	0.26
Female	0.42	0.42	0.41	0.43	0.42	0.39	0.39	0.41
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.27	0.27	0.25	0.28	0.28	0.27	0.27	0.26
White	0.31	0.32	0.27	0.33	0.31	0.31	0.33	0.31
Black or African American	0.63	0.64	0.52	0.63	0.62	0.71	0.59	0.59
American Indian or Alaska Native	2.03	1.44	2.44	1.60	2.89	2.03	1.77	3.68
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	1.07	*
Asian	1.64	1.17	1.98	1.42	1.80	1.39	1.11	1.33
Two or More Races	2.15	1.62	2.54	1.59	1.84	1.24	1.69	1.60
Hispanic or Latino	0.67	0.68	0.65	0.58	0.58	0.56	0.56	0.61

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2004-2011.

**Table 2.13P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2011 Versus 2004-2010**

<b>Demographic Characteristic</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>
<b>TOTAL</b>	0.0401	0.1118	0.3235	0.7884	0.8480	0.6826	0.5120	
<b>AGE</b>								
12-13	0.0026	0.0144	0.0778	0.6917	0.0805	0.2931	0.6318	
14-15	0.3433	0.1475	0.2546	0.8156	0.8582	0.6748	0.4876	
16-17	0.3921	0.8429	0.1489	0.7924	0.4527	0.0583	0.1009	
<b>GENDER</b>								
Male	0.1767	0.8530	0.3825	0.8126	0.5456	0.6847	0.6706	
Female	0.1107	0.0398	0.5544	0.6486	0.5229	0.4334	0.6434	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.0930	0.2578	0.2612	0.8345	0.6013	0.8177	0.5530	
White	0.1352	0.2172	0.2994	0.8088	0.6543	0.6129	0.9889	
Black or African American	0.3914	0.4255	0.4895	0.3501	0.8939	0.3047	0.8359	
American Indian or Alaska Native	0.3972	0.1610	0.6385	0.0989	0.7855	0.3722	0.3367	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	
Asian	0.7286	0.3773	0.9801	0.6191	0.9646	1.0000	0.2310	
Two or More Races	0.7026	0.9528	0.4409	0.7423	0.5681	0.1777	0.5927	
Hispanic or Latino	0.2562	0.2312	0.9237	0.2667	0.5125	0.6463	0.7706	

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2004-2011.