

## LIST OF TABLES

### Table

1.1C	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010
1.1D	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010
1.1P	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.2C	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.2D	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.2P	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.3C	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.3D	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.3P	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.4C	(REVISED)	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.4D	(REVISED)	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.4P	(REVISED)	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.5C	(REVISED)	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.5D	(REVISED)	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.5P	(REVISED)	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.6C	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010
1.6D	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010
1.6P	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.7C	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.7D	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.7P	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.8C	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.8D	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.8P	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.9C	(REVISED)	Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.9D	(REVISED)	Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.9P	(REVISED)	Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.10C	(REVISED)	Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.10D	(REVISED)	Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.10P	(REVISED)	Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.11C	(REVISED)	Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.11D	(REVISED)	Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.11P	(REVISED)	Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.12C	(REVISED)	Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.12D	(REVISED)	Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.12P	(REVISED)	Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.13C	(REVISED)	Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.13D	(REVISED)	Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.13P	(REVISED)	Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.14C	(REVISED)	Tobacco Product and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.14D	(REVISED)	Tobacco Product and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.14P	(REVISED)	Tobacco Product and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.15C	(REVISED)	Any Mental Illness and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Numbers in Thousands, 2009 and 2010
1.15D	(REVISED)	Any Mental Illness and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Percentages, 2009 and 2010
1.15P	(REVISED)	Any Mental Illness and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Dependence or Abuse Status: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.16C	(REVISED)	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.16D	(REVISED)	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.16P	(REVISED)	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.17C	(REVISED)	Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
1.17D	(REVISED)	Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2009 and 2010
1.17P	(REVISED)	Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.18C	(REVISED)	Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
1.18D	(REVISED)	Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2009 and 2010
1.18P	(REVISED)	Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.19C	(REVISED)	Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
1.19D	(REVISED)	Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2009 and 2010
1.19P	(REVISED)	Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.20C	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.20D	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.20P	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.21C	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.21D	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.21P	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.22C	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.22D	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.22P	(REVISED)	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.23C	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.23D	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.23P	(REVISED)	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.24C	(REVISED)	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.24D	(REVISED)	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.24P	(REVISED)	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.25C	(REVISED)	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.25D	(REVISED)	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.25P	(REVISED)	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.26C	(REVISED)	Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.26D	(REVISED)	Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
1.26P	(REVISED)	Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.27C	(REVISED)	Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.27D	(REVISED)	Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
1.27P	(REVISED)	Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.28C	(REVISED)	Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.28D	(REVISED)	Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
1.28P	(REVISED)	Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.29C	(REVISED)	Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.29D	(REVISED)	Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.29P	(REVISED)	Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.30C	(REVISED)	Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.30D	(REVISED)	Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.30P	(REVISED)	Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.31C	(REVISED)	Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.31D	(REVISED)	Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.31P	(REVISED)	Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.32C	(REVISED)	Type and Location of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.32D	(REVISED)	Type and Location of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.32P	(REVISED)	Type and Location of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.33C	(REVISED)	Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010
1.33D	(REVISED)	Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010
1.33P	(REVISED)	Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.34C		Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
1.34D		Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010
1.34P		Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

- 1.35C Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
- 1.35D Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010
- 1.35P Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 1.36C Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
- 1.36D Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010
- 1.36P Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 1.37C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
- 1.37D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
- 1.37P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 1.38C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
- 1.38D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
- 1.38P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 1.39C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
- 1.39D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
- 1.39P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.40C	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.40D	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.40P	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.41C	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.41D	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.41P	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.42C	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.42D	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.42P	(REVISED)	Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.43C		Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2009 and 2010
1.43D		Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2009 and 2010
1.43P		Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.44C	(REVISED)	Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2009 and 2010
1.44D	(REVISED)	Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2009 and 2010
1.44P	(REVISED)	Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.45C	(REVISED)	Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2009 and 2010
1.45D	(REVISED)	Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2009 and 2010
1.45P	(REVISED)	Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.46C		Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010
1.46D		Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010
1.46P		Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.47C		Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.47D		Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
1.47P		Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.48C		Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.48D		Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
1.48P		Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.49C	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010
1.49D	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010
1.49P	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Persons Aged 18 to 22, by College Enrollment Status: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.50C	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010
1.50D	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010
1.50P	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Males Aged 18 to 22, by College Enrollment Status: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.51C	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010
1.51D	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010
1.51P	(REVISED)	Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Females Aged 18 to 22, by College Enrollment Status: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.52C		Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010
1.52D		Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010
1.52P		Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.53C		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
1.53D		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: Standard Errors of Percentages, 2009 and 2010
1.53P		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.54C		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.54D		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.54P		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.55C		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.55D		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
1.55P		Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

1.56C	Substance Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2009 and 2010
1.56D	Substance Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2009 and 2010
1.56P	Substance Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.57C	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2009 and 2010
1.57D	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2009 and 2010
1.57P	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.58C	Type of Professional Seen among Persons Aged 18 or Older with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Medical Doctor or Other Professional about Depression in the Past Year: Standard Errors of Numbers in Thousands, 2009 and 2010
1.58D	Type of Professional Seen among Persons Aged 18 or Older with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Medical Doctor or Other Professional about Depression in the Past Year: Standard Errors of Percentages, 2009 and 2010
1.58P	Type of Professional Seen among Persons Aged 18 or Older with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Medical Doctor or Other Professional about Depression in the Past Year: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.59C	Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.59D	Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
1.59P	Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.60C	Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010
1.60D	Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010
1.60P	Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.61C	Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
1.61D	Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
1.61P	Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
1.62C	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002-2010
1.62D	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002-2010
1.62P	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

## LIST OF TABLES (Continued)

### Table

1.63C	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2010
1.63D	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2010
1.63P	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2005-2009
1.64C	Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2010
1.64D	Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2010
1.64P	Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2005-2009
2.1C	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010
2.1D	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: Standard Errors of Percentages, 2009 and 2010
2.1P	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
2.2C	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
2.2D	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010
2.2P	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
2.3C	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
2.3D	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
2.3P	Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
2.4C	Past Year Receipt of Mental Health Services and Reasons for Receiving Most Recent Mental Health Service in the Past Year among Persons Aged 12 to 17 Who Received Respective Mental Health Services in the Past Year: Standard Errors of Numbers in Thousands, 2009 and 2010
2.4D	Past Year Receipt of Mental Health Services and Reasons for Receiving Most Recent Mental Health Service in the Past Year among Persons Aged 12 to 17 Who Received Respective Mental Health Services in the Past Year: Standard Errors of Percentages, 2009 and 2010
2.4P	Past Year Receipt of Mental Health Services and Reasons for Receiving Most Recent Mental Health Service in the Past Year among Persons Aged 12 to 17 Who Received Respective Mental Health Services in the Past Year: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009
2.5C	Number of Visits or Overnight Stays in the Past Year for Specialty Mental Health Services among Persons Aged 12 to 17 Who Received Respective Specialty Mental Health Services in the Past Year: Standard Errors of Numbers in Thousands, 2009 and 2010
2.5D	Number of Visits or Overnight Stays in the Past Year for Specialty Mental Health Services among Persons Aged 12 to 17 Who Received Respective Specialty Mental Health Services in the Past Year: Standard Errors of Percentages, 2009 and 2010
2.5P	Number of Visits or Overnight Stays in the Past Year for Specialty Mental Health Services among Persons Aged 12 to 17 Who Received Respective Specialty Mental Health Services in the Past Year: <i>P</i> Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

- 2.6C Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010
- 2.6D Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010
- 2.6P Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 2.7C Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: Standard Errors of Numbers in Thousands, 2009 and 2010
- 2.7D Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: Standard Errors of Percentages, 2009 and 2010
- 2.7P Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 2.8C Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
- 2.8D Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010
- 2.8P Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 2.9C Substance Use in the Past Year and Past Month among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2009 and 2010
- 2.9D Substance Use in the Past Year and Past Month among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2009 and 2010
- 2.9P Substance Use in the Past Year and Past Month among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 2.10C Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2009 and 2010
- 2.10D Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2009 and 2010
- 2.10P Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

## LIST OF TABLES (Continued)

### Table

- 2.11C Type of Professional Seen among Persons Aged 12 to 17 with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Medical Doctor or Other Professional about Depression in the Past Year: Standard Errors of Numbers in Thousands, 2009 and 2010
- 2.11D Type of Professional Seen among Persons Aged 12 to 17 with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Medical Doctor or Other Professional about Depression in the Past Year: Standard Errors of Percentages, 2009 and 2010
- 2.11P Type of Professional Seen among Persons Aged 12 to 17 with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Medical Doctor or Other Professional about Depression in the Past Year: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 2.12C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010
- 2.12D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010
- 2.12P Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009
- 2.13C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004-2010
- 2.13D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004-2010
- 2.13P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2004-2009
- 2.14C Source of Mental Health Service in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010
- 2.14D Source of Mental Health Service in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2010
- 2.14P Source of Mental Health Service in the Past Year among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2010 Versus 2002-2009
- 3.1C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Gender and Detailed Age Category: 2009 and 2010
- 3.2C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Demographic Characteristics: 2009 and 2010
- 3.3C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group and Demographic Characteristics: 2009 and 2010
- 3.4C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups, Geographic, Socioeconomic, and Health Characteristics: 2009 and 2010
- 3.5C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group, Geographic, Socioeconomic, and Health Characteristics: 2009 and 2010
- 3.6C Standard Errors of Numbers (in Thousands) of Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2009 and 2010
- 3.7C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: 2009 and 2010
- 3.8C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Past Year Parole/Supervised Release Status and Demographic Characteristics: 2009 and 2010