

**Table 1.11A (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Any Mental Illness (2009)</b>	<b>Any Mental Illness (2010)</b>	<b>Serious Mental Illness (2009)</b>	<b>Serious Mental Illness (2010)</b>	<b>Moderate Mental Illness (2009)</b>	<b>Moderate Mental Illness (2010)</b>	<b>Mild Mental Illness (2009)</b>	<b>Mild Mental Illness (2010)</b>	<b>No Mental Illness (2009)</b>	<b>No Mental Illness (2010)</b>
<b>TOTAL</b>	41,195	41,417	8,383 <sup>a</sup>	9,334	10,177	9,868	22,636	22,215	186,011	187,856
<b>AGE</b>										
18-25	6,043	6,151	1,124 <sup>b</sup>	1,334	1,634	1,667	3,285	3,151	27,537 <sup>a</sup>	27,921
26-49	21,455	20,648	4,858	5,132	5,285	4,878	11,312	10,638	77,926	77,918
50 or Older	13,698	14,618	2,401	2,868	3,258	3,323	8,039	8,426	80,548 <sup>a</sup>	82,016
<b>GENDER</b>										
Male	15,614	16,461	2,847	3,351	3,769	3,693	8,999	9,417	94,109	94,508
Female	25,581	24,956	5,535	5,983	6,408	6,175	13,637	12,798	91,903 <sup>a</sup>	93,347
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	36,321	36,580	7,486	8,304	9,096	8,589	19,739	19,687	159,748	160,834
White	29,799	29,704	6,341	6,743	7,603	7,216	15,855	15,745	125,608	126,254
Black or African American	4,113	4,520	719 <sup>a</sup>	1,028	994	946	2,400	2,545	22,252	22,150
American Indian or Alaska Native	219	187	53	87	55	25	112	75	875	888
Native Hawaiian or Other Pacific Islander	*	*	*	*	18	20	*	*	*	*
Asian	1,287	1,425	164	232	239	242	884	952	8,747	8,973
Two or More Races	757	584	183	196	188	140	387	248	1,677	2,068
Hispanic or Latino	4,874	4,837	897	1,030	1,081	1,279	2,897	2,528	26,263 <sup>a</sup>	27,021
<b>CURRENT EMPLOYMENT</b>										
Full-Time	18,434	17,465	3,204	3,499	4,499	4,134	10,730	9,832	96,335	96,767
Part-Time	6,021	6,205	1,123	1,357	1,719	1,450	3,179	3,398	25,697	26,934
Unemployed	3,461	3,367	804	926	884	870	1,772	1,571	11,457	11,442
Other <sup>1</sup>	13,280	14,380	3,251	3,551	3,074	3,413	6,955	7,415	52,522	52,713

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.11B (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Any Mental Illness (2009)</b>	<b>Any Mental Illness (2010)</b>	<b>Serious Mental Illness (2009)</b>	<b>Serious Mental Illness (2010)</b>	<b>Moderate Mental Illness (2009)</b>	<b>Moderate Mental Illness (2010)</b>	<b>Mild Mental Illness (2009)</b>	<b>Mild Mental Illness (2010)</b>	<b>No Mental Illness (2009)</b>	<b>No Mental Illness (2010)</b>
<b>TOTAL</b>	18.1	18.1	3.7	4.1	4.5	4.3	10.0	9.7	81.9	81.9
<b>AGE</b>										
18-25	18.0	18.1	3.3 <sup>a</sup>	3.9	4.9	4.9	9.8	9.2	82.0	81.9
26-49	21.6	20.9	4.9	5.2	5.3	4.9	11.4	10.8	78.4	79.1
50 or Older	14.5	15.1	2.5	3.0	3.5	3.4	8.5	8.7	85.5	84.9
<b>GENDER</b>										
Male	14.2	14.8	2.6	3.0	3.4	3.3	8.2	8.5	85.8	85.2
Female	21.8	21.1	4.7	5.1	5.5	5.2	11.6	10.8	78.2	78.9
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	18.5	18.5	3.8	4.2	4.6	4.4	10.1	10.0	81.5	81.5
White	19.2	19.0	4.1	4.3	4.9	4.6	10.2	10.1	80.8	81.0
Black or African American	15.6	16.9	2.7 <sup>a</sup>	3.9	3.8	3.5	9.1	9.5	84.4	83.1
American Indian or Alaska Native	20.0	17.4	4.8	8.1	5.0	2.3	10.2	7.0	80.0	82.6
Native Hawaiian or Other Pacific Islander	*	*	*	*	2.5	3.1	*	*	*	*
Asian	12.8	13.7	1.6	2.2	2.4	2.3	8.8	9.2	87.2	86.3
Two or More Races	31.1 <sup>a</sup>	22.0	7.5	7.4	7.7	5.3	15.9 <sup>a</sup>	9.3	68.9 <sup>a</sup>	78.0
Hispanic or Latino	15.7	15.2	2.9	3.2	3.5	4.0	9.3	7.9	84.3	84.8
<b>CURRENT EMPLOYMENT</b>										
Full-Time	16.1	15.3	2.8	3.1	3.9	3.6	9.3	8.6	83.9	84.7
Part-Time	19.0	18.7	3.5	4.1	5.4	4.4	10.0	10.3	81.0	81.3
Unemployed	23.2	22.7	5.4	6.3	5.9	5.9	11.9	10.6	76.8	77.3
Other <sup>1</sup>	20.2	21.4	4.9	5.3	4.7	5.1	10.6	11.1	79.8	78.6

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.12A (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2009 and 2010**

Geographic/Socioeconomic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	41,195	41,417	8,383 <sup>a</sup>	9,334	10,177	9,868	22,636	22,215	186,011	187,856
<b>GEOGRAPHIC REGION</b>										
Northeast	7,587	7,890	1,476	1,651	1,803	1,904	4,308	4,336	34,493	34,410
Midwest	9,169	9,369	2,151	2,276	2,231	2,013	4,787	5,079	40,588	40,642
South	14,604	14,656	2,827	3,113	3,714	3,654	8,064	7,889	68,436	69,350
West	9,835	9,502	1,928	2,293	2,429	2,297	5,477	4,911	42,495	43,454
<b>COUNTY TYPE</b>										
Large Metro	21,396	21,449	4,237	4,700	5,026	5,013	12,133	11,735	99,389	101,224
Small Metro	12,941	13,127	2,551	2,972	3,347	3,171	7,042	6,984	56,132	56,806
250K – 1 Mil. Pop.	8,623	8,874	1,663 <sup>a</sup>	2,091	2,110	2,104	4,850	4,679	36,895	37,578
< 250K Pop.	4,317	4,252	888	880	1,237	1,067	2,192	2,305	19,236	19,228
Nonmetro	6,858	6,842	1,594	1,662	1,803	1,684	3,461	3,496	30,491	29,826
Urbanized	2,890	2,963	664	758	737	768	1,489	1,436	13,437	12,589
Less Urbanized	3,378	3,305	741	700	935	790	1,702	1,815	13,846	14,404
Completely Rural	591	574	189	203	131	126	270	245	3,207	2,832
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	6,955	7,323	1,792	2,075	1,868	1,736	3,295	3,512	20,722 <sup>a</sup>	22,341
100-199%	8,885	9,756	1,993	2,242	2,302	2,504	4,590	5,010	35,007 <sup>a</sup>	37,841
200% or More	25,148	24,187	4,551	4,987	5,957	5,591	14,641	13,610	129,257	126,884
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>										
Yes	9,284 <sup>b</sup>	10,905	2,571 <sup>a</sup>	3,093	2,311 <sup>a</sup>	2,811	4,402	5,001	25,623 <sup>b</sup>	29,348
No	31,912	30,512	5,812	6,240	7,866	7,058	18,234	17,214	160,389	158,507
<b>HEALTH INSURANCE<sup>3</sup></b>										
Private	24,949	23,693	4,099	4,765	6,132	5,489	14,718 <sup>a</sup>	13,438	129,496	127,123
Medicaid/CHIP <sup>4</sup>	5,767	6,084	1,680	1,694	1,431	1,531	2,655	2,859	13,530 <sup>a</sup>	15,050
Other <sup>5</sup>	8,587 <sup>a</sup>	9,815	1,799	2,204	1,884	2,004	4,904	5,607	44,233	44,401
No Coverage	7,446	7,863	1,710	1,909	1,928	1,929	3,807	4,026	28,788 <sup>a</sup>	30,704

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.12B (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Percentages, 2009 and 2010**

Geographic/Socioeconomic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	18.1	18.1	3.7	4.1	4.5	4.3	10.0	9.7	81.9	81.9
<b>GEOGRAPHIC REGION</b>										
Northeast	18.0	18.7	3.5	3.9	4.3	4.5	10.2	10.2	82.0	81.3
Midwest	18.4	18.7	4.3	4.6	4.5	4.0	9.6	10.2	81.6	81.3
South	17.6	17.4	3.4	3.7	4.5	4.3	9.7	9.4	82.4	82.6
West	18.8	17.9	3.7	4.3	4.6	4.3	10.5	9.3	81.2	82.1
<b>COUNTY TYPE</b>										
Large Metro	17.7	17.5	3.5	3.8	4.2	4.1	10.0	9.6	82.3	82.5
Small Metro	18.7	18.8	3.7	4.2	4.8	4.5	10.2	10.0	81.3	81.2
250K – 1 Mil. Pop.	18.9	19.1	3.7 <sup>a</sup>	4.5	4.6	4.5	10.7	10.1	81.1	80.9
< 250K Pop.	18.3	18.1	3.8	3.7	5.3	4.5	9.3	9.8	81.7	81.9
Nonmetro	18.4	18.7	4.3	4.5	4.8	4.6	9.3	9.5	81.6	81.3
Urbanized	17.7	19.1	4.1	4.9	4.5	4.9	9.1	9.2	82.3	80.9
Less Urbanized	19.6	18.7	4.3	4.0	5.4	4.5	9.9	10.2	80.4	81.3
Completely Rural	15.6	16.9	5.0	6.0	3.5	3.7	7.1	7.2	84.4	83.1
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	25.1	24.7	6.5	7.0	6.7	5.9	11.9	11.8	74.9	75.3
100-199%	20.2	20.5	4.5	4.7	5.2	5.3	10.5	10.5	79.8	79.5
200% or More	16.3	16.0	2.9	3.3	3.9	3.7	9.5	9.0	83.7	84.0
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>										
Yes	26.6	27.1	7.4	7.7	6.6	7.0	12.6	12.4	73.4	72.9
No	16.6	16.1	3.0	3.3	4.1	3.7	9.5	9.1	83.4	83.9
<b>HEALTH INSURANCE<sup>3</sup></b>										
Private	16.2	15.7	2.7 <sup>a</sup>	3.2	4.0	3.6	9.5	8.9	83.8	84.3
Medicaid/CHIP <sup>4</sup>	29.9	28.8	8.7	8.0	7.4	7.2	13.8	13.5	70.1	71.2
Other <sup>5</sup>	16.3	18.1	3.4	4.1	3.6	3.7	9.3	10.3	83.7	81.9
No Coverage	20.5	20.4	4.7	4.9	5.3	5.0	10.5	10.4	79.5	79.6

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.