

Table 1.1A (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2009 and 2010

Age Category	Total (2009)	Total (2010)	Male (2009)	Male (2010)	Female (2009)	Female (2010)
TOTAL	41,195	41,417	15,614	16,461	25,581	24,956
18	811	850	291	327	520	523
19	760	702	301	235	459	467
20	686	808	236	303	450	505
21	691	800	281	299	411	501
22	724	744	307	320	417	424
23	773	755	315	261	458	494
24	806	775	306	320	499	455
25	791	717	284	252	507	465
26-29	3,566	3,487	1,328	1,450	2,239	2,037
30-34	4,682	4,392	1,946	1,733	2,736	2,659
35-39	4,429	4,015	1,751	1,577	2,677	2,438
40-44	4,271	4,270	1,753	1,641	2,517	2,629
45-49	4,507	4,484	1,761	1,903	2,746	2,581
50-54	3,896	3,684	1,459	1,327	2,437	2,357
55-59	3,389	3,649	1,360	1,297	2,029	2,351
60-64	2,199	2,537	874	1,160	1,325	1,378
65 or Older	4,213	4,748	1,062 ^b	2,057	3,152	2,691

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.1B (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2009 and 2010

Age Category	Total (2009)	Total (2010)	Male (2009)	Male (2010)	Female (2009)	Female (2010)
TOTAL	18.1	18.1	14.2	14.8	21.8	21.1
18	16.4	18.0	11.3	12.8	21.9	24.0
19	16.7	16.1	12.7	10.6	21.0	21.8
20	16.7	17.8	11.1	12.8	22.6	23.2
21	16.8	18.8	13.6	14.1	20.0	23.6
22	18.0	18.0	15.3	15.2	20.5	20.9
23	19.2	18.7	15.9	12.8	22.4	24.7
24	19.5	19.0	15.5	16.1	23.1	21.8
25	21.8 ^a	18.2	15.9	13.3	27.6 ^a	22.7
26-29	21.3	20.9	16.0	17.1	26.4	24.9
30-34	24.1	22.1	19.9	17.8	28.3	26.3
35-39	22.3	20.8	17.3	16.5	27.5	24.9
40-44	20.5	20.8	17.4	16.1	23.4	25.6
45-49	20.1	20.2	16.1	17.7	23.8	22.5
50-54	17.5	16.8	13.5	12.4	21.4	20.8
55-59	18.3	18.9	15.0	14.2	21.4	23.2
60-64	14.2	15.4	11.9	14.3	16.3	16.5
65 or Older	11.1	12.2	6.5 ^b	12.1	14.6	12.3

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2A (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	41,195	41,417	6,043	6,151	21,455	20,648	13,698	14,618
GENDER								
Male	15,614	16,461	2,321	2,317	8,539	8,304	4,754 ^a	5,841
Female	25,581	24,956	3,722	3,835	12,916	12,344	8,943	8,777
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	36,321	36,580	5,139	5,144	18,725	18,046	12,458	13,390
White	29,799	29,704	3,975	3,940	14,933	14,449	10,891	11,314
Black or African American	4,113	4,520	708	746	2,372	2,361	1,033	1,413
American Indian or Alaska Native	219	187	63 ^a	31	142	87	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1,287	1,425	262	234	846	801	179	390
Two or More Races	757	584	104 ^a	167	371	249	*	*
Hispanic or Latino	4,874	4,837	904	1,007	2,730	2,602	1,240	1,228
CURRENT EMPLOYMENT								
Full-Time	18,434	17,465	1,971	1,899	11,807	11,440	4,656	4,126
Part-Time	6,021	6,205	1,762	1,896	3,024	2,882	1,235	1,426
Unemployed	3,461	3,367	915	849	1,931	1,783	615	735
Other ¹	13,280	14,380	1,395	1,506	4,693	4,543	7,192	8,331

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2B (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	18.1	18.1	18.0	18.1	21.6	20.9	14.5	15.1
GENDER								
Male	14.2	14.8	13.7	13.4	17.4	17.1	10.9 ^a	13.0
Female	21.8	21.1	22.3	22.8	25.7	24.8	17.7	17.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	18.5	18.5	18.7	18.7	22.7	22.1	14.4	15.2
White	19.2	19.0	19.5	19.4	23.7	23.3	15.1	15.4
Black or African American	15.6	16.9	14.7	15.3	19.2	19.2	11.2	14.9
American Indian or Alaska Native	20.0	17.4	27.3	17.2	32.2 ^a	18.1	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	12.8	13.7	17.3	16.3	15.9	15.0	5.6	10.7
Two or More Races	31.1 ^a	22.0	24.0	30.4	35.0 ^a	23.8	*	*
Hispanic or Latino	15.7	15.2	14.7	15.3	16.0	15.4	15.6	14.7
CURRENT EMPLOYMENT								
Full-Time	16.1	15.3	16.0	15.3	17.8	17.4	12.9	11.4
Part-Time	19.0	18.7	18.9	20.0	25.5	23.6	11.7	12.5
Unemployed	23.2	22.7	20.0	18.6	27.1	26.8	19.2	20.4
Other ¹	20.2	21.4	19.1	19.9	33.5	32.3	16.2	18.3

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3A (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	41,195	41,417	6,043	6,151	21,455	20,648	13,698	14,618
GEOGRAPHIC REGION								
Northeast	7,587	7,890	1,141	1,145	3,662	3,959	2,784	2,786
Midwest	9,169	9,369	1,441	1,362	4,636	4,475	3,092	3,533
South	14,604	14,656	1,951	2,092	7,772	7,241	4,881	5,322
West	9,835	9,502	1,510	1,553	5,385	4,973	2,940	2,977
COUNTY TYPE								
Large Metro	21,396	21,449	3,215	3,301	11,324	11,041	6,856	7,106
Small Metro	12,941	13,127	1,916	2,062	6,654	6,519	4,371	4,546
250K – 1 Mil. Pop.	8,623	8,874	1,224	1,362	4,512	4,368	2,888	3,145
< 250K Pop.	4,317	4,252	692	700	2,142	2,151	1,483	1,401
Nonmetro	6,858	6,842	912	788	3,477	3,088	2,470	2,966
Urbanized	2,890	2,963	431 ^a	338	1,399	1,420	1,060	1,204
Less Urbanized	3,378	3,305	426	388	1,743	1,461	1,209	1,456
Completely Rural	591	574	55	63	335	207	201	305
POVERTY LEVEL¹								
Less Than 100%	6,955	7,323	1,557	1,572	3,506	3,367	1,891	2,384
100-199%	8,885	9,756	1,412	1,517	4,591	4,645	2,882	3,595
200% or More	25,148	24,187	2,867	2,912	13,357	12,636	8,924	8,639
GOVERNMENT ASSISTANCE²								
Yes	9,284 ^b	10,905	1,405 ^a	1,636	5,193	5,608	2,686 ^a	3,661
No	31,912	30,512	4,638	4,515	16,262 ^a	15,040	11,011	10,957
HEALTH INSURANCE³								
Private	24,949	23,693	3,028	3,159	12,899	12,131	9,022	8,403
Medicaid/CHIP ⁴	5,767	6,084	1,003	1,038	3,103	2,799	1,660	2,246
Other ⁵	8,587 ^a	9,815	448	481	2,115	2,212	6,024	7,123
No Coverage	7,446	7,863	1,767	1,645	4,424	4,562	1,255	1,656

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3B (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	18.1	18.1	18.0	18.1	21.6	20.9	14.5	15.1
GEOGRAPHIC REGION								
Northeast	18.0	18.7	18.6	18.9	20.5	22.2	15.4	15.1
Midwest	18.4	18.7	19.6	18.2	21.7	21.3	14.7	16.4
South	17.6	17.4	16.2	16.8	21.3	20.0	14.1	15.1
West	18.8	17.9	18.6	19.1	22.8	21.1	14.3	14.0
COUNTY TYPE								
Large Metro	17.7	17.5	18.0	18.2	20.4	20.2	14.4	14.3
Small Metro	18.7	18.8	18.3	18.5	22.7	21.9	14.9	15.6
250K – 1 Mil. Pop.	18.9	19.1	18.3	19.4	23.0	21.7	15.0	16.3
< 250K Pop.	18.3	18.1	18.2	17.1	22.1	22.5	14.7	14.3
Nonmetro	18.4	18.7	17.4	16.4	23.6	21.9	14.2	16.7
Urbanized	17.7	19.1	17.1	16.0	21.9	23.6	14.3	16.2
Less Urbanized	19.6	18.7	17.7	16.6	24.6	21.0	15.6	17.3
Completely Rural	15.6	16.9	16.9	17.9	26.9	17.8	9.0	16.1
POVERTY LEVEL¹								
Less Than 100%	25.1	24.7	19.7	18.2	27.7	26.8	26.6	28.2
100-199%	20.2	20.5	17.6	18.0	24.8	22.3	16.6	19.6
200% or More	16.3	16.0	17.5	18.1	19.6	19.4	12.8	12.4
GOVERNMENT ASSISTANCE²								
Yes	26.6	27.1	21.2	21.3	31.6	30.1	22.7	26.2
No	16.6	16.1	17.2	17.1	19.6	18.8	13.4	13.3
HEALTH INSURANCE³								
Private	16.2	15.7	16.9	17.5	19.1	18.8	13.1	12.3
Medicaid/CHIP ⁴	29.9	28.8	21.4	20.4	36.0 ^a	30.8	27.7	32.3
Other ⁵	16.3	18.1	21.3	21.0	33.1	33.0	13.6	15.7
No Coverage	20.5	20.4	18.3	17.5	22.4	21.7	18.4	20.5

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.