

**Table 1.24A (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	30,341	31,490	16,503	17,510	5,576	6,283	4,565	4,636	6,362	6,591	13,839	13,980
<b>AGE</b>												
18-25	3,740	3,717	1,929	1,999	617	714	542	541	770	744	1,811	1,718
26-49	14,481	14,627	8,728	8,912	3,133	3,446	2,411	2,335	3,184	3,132	5,753	5,715
50 or Older	12,120	13,146	5,846	6,599	1,826	2,123	1,612	1,761	2,408	2,715	6,274	6,547
<b>GENDER</b>												
Male	10,131	10,519	5,471	5,559	1,711	2,024	1,511	1,366	2,249	2,168	4,660	4,961
Female	20,210	20,970	11,032	11,951	3,865	4,258	3,054	3,270	4,113	4,423	9,179	9,019
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	28,071	28,981	15,219	15,913	5,127	5,651	4,243	4,174	5,848	6,088	12,852	13,068
White	24,888	25,418	13,431	13,984	4,477	4,756	3,789	3,723	5,164	5,505	11,457	11,434
Black or African American	2,044	2,353	1,079	1,326	431	566	282	369	366	391	964	1,027
American Indian or Alaska Native	*	145	*	*	*	*	*	*	*	*	*	73
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	358	545	230	265	*	*	*	*	*	84	128	280
Two or More Races	467	481	367	*	*	*	*	*	*	*	100	221
Hispanic or Latino	2,270	2,509	1,283	1,597	448	*	321	462	514	503	987	912
<b>CURRENT EMPLOYMENT</b>												
Full-Time	12,863	13,061	6,641	6,734	1,937	2,286	1,878	1,744	2,825	2,704	6,222	6,327
Part-Time	4,919	4,683	2,431	2,415	675	837	748	710	1,007	868	2,489	2,268
Unemployed	1,892	1,985	1,245	1,324	541	591	261	*	443	434	647	660
Other <sup>1</sup>	10,668	11,762	6,187	7,037	2,422	2,570	1,677	1,882	2,087	2,585	4,481	4,725

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.24B (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Percentages, 2009 and 2010**

Demographic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	13.4	13.8	40.2	42.4	66.5	67.5	45.0	47.2	28.2	29.7	7.5	7.5
<b>AGE</b>												
18-25	11.2	11.0	32.0	32.6	55.0	53.7	33.4	32.5	23.5	23.7	6.6	6.2
26-49	14.6	14.9	40.8	43.3	64.5	67.4	45.8	48.3	28.2	29.5	7.4	7.4
50 or Older	12.9	13.6	42.8	45.1	76.1	74.0	49.5	53.0	30.2	32.2	7.8	8.0
<b>GENDER</b>												
Male	9.3	9.5	35.2	33.8	60.1	60.7	40.2	37.1	25.2	23.0	5.0	5.3
Female	17.2	17.8	43.2 <sup>b</sup>	48.0	69.9	71.2	47.8	53.3	30.2 <sup>a</sup>	34.6	10.0	9.7
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	14.3	14.7	42.0	43.6	68.5	68.2	46.8	48.8	29.8	31.0	8.1	8.1
White	16.0	16.3	45.2	47.1	70.6	70.7	50.0	51.7	32.7	35.0	9.1	9.1
Black or African American	7.8	8.9	26.5	29.6	60.3	55.1	28.5	40.4	15.5	15.4	4.3	4.7
American Indian or Alaska Native	*	13.5	*	*	*	*	*	*	*	*	*	8.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	3.6	5.3	17.9	18.6	*	*	*	*	*	8.8	1.5	3.1
Two or More Races	19.2	18.2	48.4	*	*	*	*	*	*	*	6.0	10.7
Hispanic or Latino	7.3	7.9	26.4	33.0	50.0	*	30.0	36.2	17.8	19.9	3.8	3.4
<b>CURRENT EMPLOYMENT</b>												
Full-Time	11.2	11.5	36.1	38.6	60.5	65.4	41.9	42.4	26.4	27.5	6.5	6.6
Part-Time	15.5	14.2	40.6	39.0	60.2	61.9	43.9	49.0	31.8	25.6	9.7	8.4
Unemployed	12.7	13.5	36.0	39.4	67.4	63.8	29.6	*	25.0	27.7	5.7	5.8
Other <sup>1</sup>	16.3	17.6	46.8	49.0	74.5	72.6	54.6	55.4	30.3	34.9	8.6	9.0

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.25A (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2009 and 2010**

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	30,341	31,490	16,503	17,510	5,576	6,283	4,565	4,636	6,362	6,591	13,839	13,980
<b>GEOGRAPHIC REGION</b>												
Northeast	5,469 <sup>a</sup>	6,292	2,943	3,388	1,044	1,142	735 <sup>a</sup>	1,026	1,164	1,220	2,526	2,904
Midwest	7,187	7,266	3,945	4,046	1,414	1,625	1,142	884	1,389	1,537	3,242	3,219
South	11,141	10,793	5,826	6,017	1,894	1,972	1,635	1,664	2,298	2,382	5,315	4,775
West	6,544	7,140	3,789	4,058	1,224	1,545	1,052	1,062	1,512	1,452	2,756	3,082
<b>COUNTY TYPE</b>												
Large Metro	14,962	15,823	8,199	8,813	2,676	3,101	2,086	2,231	3,438	3,481	6,763	7,011
Small Metro	10,051	10,549	5,328	5,658	1,792	2,043	1,519	1,637	2,017	1,979	4,722	4,890
250K – 1 Mil. Pop.	6,671	7,126	3,507	3,820	1,189	1,429	822	1,046	1,496	1,344	3,164	3,306
< 250K Pop.	3,380	3,423	1,821	1,838	603	613	697	590	521	635	1,559	1,584
Nonmetro	5,328	5,118	2,975	3,039	1,108	1,139	959	769	908	1,131	2,353	2,079
Urbanized	2,223	2,305	1,301	1,369	479	*	*	*	374	503	922	936
Less Urbanized	2,563	2,303	1,426	1,363	496	*	456	375	474	541	1,137	940
Completely Rural	542	510	248	*	*	*	*	*	*	*	294	203
<b>POVERTY LEVEL<sup>1</sup></b>												
Less Than 100%	4,332	4,736	2,800	3,213	1,220	1,358	772	870	807	985	1,532	1,523
100-199%	5,619	6,426	3,325 <sup>a</sup>	3,934	1,171	1,393	1,065	1,252	1,089	1,289	2,294	2,492
200% or More	20,238	20,214	10,297	10,311	3,153	3,514	2,702	2,500	4,442	4,297	9,942	9,903
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>												
Yes	6,891 <sup>a</sup>	7,945	4,319 <sup>a</sup>	5,158	1,802	2,097	1,137	1,499	1,379	1,563	2,573	2,787
No	23,450	23,544	12,184	12,352	3,773	4,186	3,427	3,137	4,983	5,028	11,266	11,193
<b>HEALTH INSURANCE<sup>3</sup></b>												
Private	19,691	20,324	9,923	10,312	2,679 <sup>b</sup>	3,410	2,894	2,741	4,351	4,160	9,768	10,012
Medicaid/CHIP <sup>4</sup>	4,520	4,567	2,976	3,039	1,310	1,250	790	881	876	907	1,543	1,528
Other <sup>5</sup>	7,384	8,079	3,704	4,427	1,368	1,541	1,042	1,138	1,294	1,748	3,680	3,652
No Coverage	3,307	3,540	2,124	2,392	911	1,000	519	567	694	826	1,183	1,148

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.25B (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2009 and 2010**

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	13.4	13.8	40.2	42.4	66.5	67.5	45.0	47.2	28.2	29.7	7.5	7.5
<b>GEOGRAPHIC REGION</b>												
Northeast	13.0 <sup>a</sup>	14.9	38.9	43.0	70.7	69.2	41.0 <sup>a</sup>	54.1	27.1	28.2	7.4	8.5
Midwest	14.5	14.6	43.1	43.3	65.7	71.4	51.5	44.1	29.1	30.3	8.0	7.9
South	13.5	12.9	40.1	41.2	67.1	63.4	44.0	45.9	28.7	30.2	7.8	6.9
West	12.5	13.5	38.6	42.8	63.5	67.8	43.7	46.2	27.7	29.6	6.5	7.1
<b>COUNTY TYPE</b>												
Large Metro	12.4	12.9	38.5	41.2	63.2	66.0	41.7	44.8	28.5	29.7	6.8	6.9
Small Metro	14.6	15.1	41.3	43.2	70.3	69.1	45.5	51.6	28.8	28.4	8.4	8.6
250K – 1 Mil. Pop.	14.7	15.4	40.8	43.1	71.5	68.5	39.1	49.7	30.9	28.8	8.6	8.8
< 250K Pop.	14.4	14.6	42.4	43.4	67.9	70.5	56.5	55.3	23.9	27.6	8.1	8.3
Nonmetro	14.3	14.0	43.5	44.5	69.5	68.6	53.2	46.0	26.3	32.4	7.7	7.0
Urbanized	13.7	14.8	45.1	46.3	72.0	*	*	*	25.2	35.0	6.9	7.4
Less Urbanized	14.9	13.1	42.3	41.3	67.0	*	48.8	48.0	27.9	29.8	8.2	6.6
Completely Rural	14.3	15.0	42.1	*	*	*	*	*	*	*	9.2	7.2
<b>POVERTY LEVEL<sup>1</sup></b>												
Less Than 100%	15.8	16.1	40.5	44.0	68.1	65.9	41.4	50.3	24.8	28.1	7.5	6.9
100-199%	12.8	13.5	37.5	40.4	58.8	62.1	46.7	50.3	23.7	25.7	6.6	6.6
200% or More	13.1	13.4	41.0	42.7	69.3	70.6	45.5	44.9	30.4	31.6	7.7	7.8
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>												
Yes	19.8	19.8	46.8	47.4	70.2	68.1	49.5	53.5	31.6	31.3	10.1	9.5
No	12.2	12.5	38.3	40.6	64.9	67.2	43.7	44.7	27.4	29.2	7.0	7.1
<b>HEALTH INSURANCE<sup>3</sup></b>												
Private	12.8	13.5	39.9 <sup>a</sup>	43.5	65.4 <sup>a</sup>	71.6	47.3	50.0	29.6	31.0	7.6	7.9
Medicaid/CHIP <sup>4</sup>	23.6	21.7	52.2	50.1	78.1	74.4	55.4	57.7	33.7	31.8	11.5	10.2
Other <sup>5</sup>	14.0	14.9	43.3	45.2	76.1	70.3	55.3	56.8	26.6	31.2	8.3	8.3
No Coverage	9.2	9.2	28.6	30.6	53.3	52.5	27.1	29.9	18.2	20.6	4.1	3.8

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.26A (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Numbers in Thousands, 2009 and 2010**

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	1,900	1,752	1,322	1,102	717	622	228	199	377	281	579	650
<b>AGE</b>												
18-25	359	348	245	205	128	108	62	45	55	52	114	143
26-49	970	749	793	586	472	358	139	105	182	124	178	163
50 or Older	571	655	284	311	117	157	28	49	139	105	287	344
<b>GENDER</b>												
Male	833	867	544	496	276	284	82	89	186	124	290	371
Female	1,067	885	778	606	441	338	146	111	190	157	289	279
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	1,581	1,464	1,118	907	640	545	178	160	300	203	463	557
White	1,150	924	831	658	471	416	152	119	208	123	319	267
Black or African American	352	346	214	163	*	89	*	23	60	51	138	183
American Indian or Alaska Native	13	16	*	*	*	*	*	*	*	*	3	6
Native Hawaiian or Other Pacific Islander	3	*	*	*	*	*	*	*	*	*	*	*
Asian	28	148	*	*	*	*	*	*	*	*	3	*
Two or More Races	35	31	35	22	*	*	*	*	*	2	1	9
Hispanic or Latino	319	287	203	195	77	77	50	39	76	78	115	92
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	661	590	453	413	190	237	113	66	150	109	208	177
Medicaid/CHIP <sup>2</sup>	658	741	495	428	292	236	61	103	143	89	163	313
Other <sup>3</sup>	652	699	407	353	176	213	63	45	168	96	245	346
No Coverage	301	217	201	149	139	91	34	28	27	30	100	69
<b>CURRENT EMPLOYMENT</b>												
Full-Time	383	331	262	200	95	105	61	64	106	31	121	131
Part-Time	247	167	110	133	59	65	19	17	33	51	137 <sup>a</sup>	34
Unemployed	230	193	164	128	93	56	46	27	25	45	66	66
Other <sup>4</sup>	1,039	1,061	785	641	470	395	102	92	212	154	254	419

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.26B (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Percentages, 2009 and 2010**

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	0.8	0.8	3.2	2.7	8.6	6.7	2.2	2.0	1.7	1.3	0.3	0.3
<b>AGE</b>												
18-25	1.1	1.0	4.1	3.3	11.4	8.1	3.8	2.7	1.7	1.7	0.4	0.5
26-49	1.0	0.8	3.7	2.8	9.7	7.0	2.6	2.1	1.6	1.2	0.2	0.2
50 or Older	0.6	0.7	2.1	2.1	4.9	5.5	0.9	1.5	1.7	1.2	0.4	0.4
<b>GENDER</b>												
Male	0.8	0.8	3.5	3.0	9.7	8.5	2.2	2.4	2.1	1.3	0.3	0.4
Female	0.9	0.7	3.0	2.4	8.0	5.7	2.3	1.8	1.4	1.2	0.3	0.3
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	0.8	0.7	3.1	2.5	8.6	6.6	2.0	1.9	1.5	1.0	0.3	0.3
White	0.7	0.6	2.8	2.2	7.4	6.2	2.0	1.6	1.3	0.8	0.3	0.2
Black or African American	1.3	1.3	5.2	3.6	*	8.7	*	2.4	2.5	2.0	0.6	0.8
American Indian or Alaska Native	1.2	1.5	*	*	*	*	*	*	*	*	0.4	0.7
Native Hawaiian or Other Pacific Islander	0.4	*	*	*	*	*	*	*	*	*	*	*
Asian	0.3	1.4	*	*	*	*	*	*	*	*	0.0	*
Two or More Races	1.5	1.2	4.6	3.7	*	*	*	*	*	0.6	0.0	0.4
Hispanic or Latino	1.0	0.9	4.2	4.0	8.6	7.5	4.6	3.1	2.6	3.1	0.4	0.3
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	0.4	0.4	1.8	1.7	4.6	5.0	1.8	1.2	1.0	0.8	0.2	0.1
Medicaid/CHIP <sup>2</sup>	3.4	3.5	8.7	7.0	17.4	13.9	4.2	6.7	5.4	3.1	1.2	2.1
Other <sup>3</sup>	1.2	1.3	4.7	3.6	9.8	9.7	3.3	2.2	3.4	1.7	0.6	0.8
No Coverage	0.8	0.6	2.7	1.9	8.1	4.7	1.8	1.5	0.7	0.7	0.3	0.2
<b>CURRENT EMPLOYMENT</b>												
Full-Time	0.3	0.3	1.4	1.1	3.0	3.0	1.4	1.5	1.0	0.3	0.1	0.1
Part-Time	0.8	0.5	1.8	2.1	5.2	4.8	1.1	1.2	1.0	1.5	0.5 <sup>a</sup>	0.1
Unemployed	1.5	1.3	4.8	3.8	11.5	6.1	5.2	3.1	1.4	2.8	0.6	0.6
Other <sup>4</sup>	1.6	1.6	5.9	4.5	14.5	11.1	3.3	2.7	3.1	2.1	0.5	0.8

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.27A (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Numbers in Thousands, 2009 and 2010**

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	14,394	15,146	9,246	9,660	3,731	3,961	2,425	2,699	3,090	3,001	5,148	5,486
<b>AGE</b>												
18-25	2,039	1,946	1,222	1,220	431	481	367	304	423	435	817	726
26-49	7,378	7,701	5,033	5,112	2,123	2,201	1,354	1,358	1,557	1,553	2,345	2,589
50 or Older	4,977	5,499	2,991	3,329	1,177	1,279	704	1,037	1,110	1,013	1,986	2,170
<b>GENDER</b>												
Male	4,777	5,294	2,921	3,094	1,124	1,292	701	787	1,096	1,015	1,856	2,200
Female	9,617	9,852	6,324	6,566	2,607	2,669	1,723	1,912	1,994	1,986	3,292	3,285
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	13,211	13,759	8,510	8,636	3,494	3,454	2,205	2,402	2,811	2,781	4,701	5,123
White	11,440	11,974	7,445	7,458	2,995	2,923	1,962	2,122	2,488	2,413	3,994	4,516
Black or African American	1,122	1,154	668	821	332	325	164	230	172	266	454	334
American Indian or Alaska Native	102	73	*	*	*	*	*	*	*	*	*	29
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	234	246	137	133	*	*	*	*	66	27	98	113
Two or More Races	235	280	194	*	*	*	*	*	*	*	41	103
Hispanic or Latino	1,183	1,387	736	1,024	237	*	220	297	279	220	447	363
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	9,088	9,648	5,516	5,762	1,820	2,219	1,602	1,591	2,093	1,952	3,572	3,886
Medicaid/CHIP <sup>2</sup>	2,525	2,359	1,792	1,750	920	784	428	516	445	450	733	609
Other <sup>3</sup>	3,282	3,464	2,055	2,339	1,018	964	512	730	525	646	1,226	1,124
No Coverage	1,356	1,700	1,026	1,221	451	556	251	321	325	344	330	478
<b>CURRENT EMPLOYMENT</b>												
Full-Time	5,928	6,199	3,511	3,506	1,288	1,428	939	911	1,284	1,168	2,417	2,693
Part-Time	2,694	2,312	1,611	1,362	430	522	527	380	654	460	1,083	950
Unemployed	739 <sup>b</sup>	1,123	562	751	232	332	151	*	179	198	177 <sup>a</sup>	373
Other <sup>4</sup>	5,033	5,511	3,561	4,041	1,781	1,678	807 <sup>a</sup>	1,188	973	1,175	1,472	1,470

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.27B (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Percentages, 2009 and 2010**

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	6.4	6.6	22.5	23.4	44.6	42.5	24.0	27.6	13.7	13.5	2.8	2.9
<b>AGE</b>												
18-25	6.1	5.7	20.3	19.9	38.6	36.2	22.7 <sup>a</sup>	18.2	12.9	13.9	3.0	2.6
26-49	7.5	7.8	23.6	24.9	43.8	42.9	25.8	28.2	13.8	14.6	3.0	3.3
50 or Older	5.3	5.7	21.9	22.8	49.0	44.6	21.6 <sup>a</sup>	31.4	13.8	12.0	2.5	2.7
<b>GENDER</b>												
Male	4.4	4.8	18.8	18.9	39.5	38.6	18.7	21.5	12.2	10.8	2.0	2.3
Female	8.2	8.3	24.8	26.4	47.2	44.6	27.0	31.3	14.7	15.6	3.6	3.5
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	6.8	7.0	23.5	23.7	46.7	41.6	24.4	28.3	14.3	14.2	2.9	3.2
White	7.4	7.7	25.1	25.2	47.3	43.4	25.9	29.7	15.8	15.4	3.2	3.6
Black or African American	4.3	4.4	16.3	18.3	46.5 <sup>a</sup>	31.6	16.7	25.2	7.2	10.4	2.0	1.5
American Indian or Alaska Native	9.4	6.8	*	*	*	*	*	*	*	*	*	3.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	2.3	2.4	10.6	9.5	*	*	*	*	7.4	2.9	1.1	1.3
Two or More Races	9.7	10.6	25.6	*	*	*	*	*	*	*	2.4	5.0
Hispanic or Latino	3.8	4.4	15.2	21.2	26.6	*	20.6	23.3	9.6	8.7	1.7	1.3
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	5.9	6.4	22.2	24.4	44.5	46.6	26.3	29.3	14.3	14.5	2.8	3.1
Medicaid/CHIP <sup>2</sup>	13.1	11.2	31.2	29.0	54.8	46.3	30.0	33.8	16.9	16.0	5.4	4.1
Other <sup>3</sup>	6.2	6.4	24.0	23.9	56.7 <sup>a</sup>	43.7	27.2	36.4	10.7	11.5	2.8	2.5
No Coverage	3.8	4.4	13.8	15.6	26.4	29.2	13.2	17.0	8.5	8.6	1.2	1.6
<b>CURRENT EMPLOYMENT</b>												
Full-Time	5.2	5.4	19.1	20.2	40.2	40.8	21.0	22.3	12.0	11.9	2.5	2.8
Part-Time	8.5 <sup>a</sup>	7.0	27.0 <sup>a</sup>	22.0	38.5	38.6	30.9	26.2	20.7 <sup>a</sup>	13.6	4.2	3.5
Unemployed	5.0 <sup>b</sup>	7.6	16.3	22.3	28.9	35.9	17.3	*	10.1	12.6	1.5 <sup>b</sup>	3.3
Other <sup>4</sup>	7.7	8.2	26.9	28.3	54.9	47.3	26.2 <sup>a</sup>	35.2	14.0	15.9	2.8	2.8

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.28A (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Numbers in Thousands, 2009 and 2010**

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	25,719	26,671	14,305	15,288	5,119	5,683	3,994	4,086	5,193	5,519	11,414	11,383
<b>AGE</b>												
18-25	2,857	2,838	1,531	1,564	488	586	446	412	597	566	1,327	1,274
26-49	12,204	12,269	7,580	7,779	2,888	3,134	2,051	2,069	2,640	2,576	4,624	4,490
50 or Older	10,658	11,564	5,195	5,944	1,743	1,962	1,497	1,605	1,956	2,377	5,463	5,620
<b>GENDER</b>												
Male	8,390	8,472	4,670	4,704	1,548	1,772	1,319	1,191	1,803	1,741	3,719	3,768
Female	17,330	18,199	9,635	10,584	3,571	3,911	2,674	2,895	3,390	3,778	7,695	7,615
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	24,054	24,618	13,335	13,928	4,736	5,089	3,737	3,700	4,862	5,139	10,719	10,690
White	21,749	22,032	12,003	12,495	4,258	4,425	3,371	3,337	4,374	4,733	9,746	9,537
Black or African American	1,501	1,808	823	1,023	330	444	230	290	262	289	678	785
American Indian or Alaska Native	*	122	*	*	*	*	*	*	*	*	*	58
Native Hawaiian or Other Pacific Islander	41	*	*	*	*	*	*	*	*	*	*	*
Asian	186	290	108	192	*	*	*	*	*	48	78	98
Two or More Races	379	330	303 <sup>a</sup>	150	*	*	*	*	*	*	76	180
Hispanic or Latino	1,665	2,054	970	1,360	383	594	257	386	330	380	695	693
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	16,519	17,115	8,453	8,927	2,436 <sup>a</sup>	3,056	2,463	2,391	3,554	3,481	8,066	8,188
Medicaid/CHIP <sup>2</sup>	3,953	3,828	2,717	2,699	1,244	1,155	766	806	707	737	1,237	1,129
Other <sup>3</sup>	6,545	7,163	3,314 <sup>a</sup>	4,084	1,270	1,463	997	1,027	1,047 <sup>a</sup>	1,595	3,231	3,078
No Coverage	2,827	2,993	1,832	2,020	825	879	442	493	565	648	995	973
<b>CURRENT EMPLOYMENT</b>												
Full-Time	10,685	10,824	5,623	5,838	1,723	1,992	1,551	1,519	2,350	2,327	5,061	4,986
Part-Time	3,950	3,857	2,017	1,997	611	728	667	605	739	664	1,933	1,860
Unemployed	1,690	1,562	1,104	1,104	509	531	207	233	388	341	586	458
Other <sup>4</sup>	9,395	10,428	5,561	6,348	2,276	2,432	1,569	1,729	1,717	2,187	3,833	4,080

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.28B (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Percentages, 2009 and 2010**

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
<b>TOTAL</b>	11.3	11.7	34.8	36.9	61.1	61.0	39.2	41.4	23.0	24.9	6.1	6.1
<b>AGE</b>												
18-25	8.5	8.4	25.3	25.5	43.4	44.0	27.3	24.7	18.2	18.0	4.8	4.6
26-49	12.3	12.5	35.3	37.7	59.5	61.2	38.8	42.5	23.4	24.2	5.9	5.8
50 or Older	11.3	12.0	38.1	40.7	72.6	68.4	45.9	48.3	24.5	28.2	6.8	6.9
<b>GENDER</b>												
Male	7.7	7.7	30.0	28.6	54.4	53.1	35.0	32.3	20.1	18.5	4.0	4.0
Female	14.8	15.4	37.7 <sup>b</sup>	42.4	64.5	65.4	41.7	46.9	24.9 <sup>a</sup>	29.5	8.4	8.2
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	12.3	12.5	36.8	38.1	63.3	61.4	41.1	43.1	24.7	26.1	6.7	6.7
White	14.0	14.1	40.3	42.1	67.1	65.8	44.3	46.3	27.6	30.1	7.8	7.6
Black or African American	5.7	6.8	20.2	22.6	46.0	43.2	23.1	30.7	11.1	11.3	3.1	3.6
American Indian or Alaska Native	*	11.4	*	*	*	*	*	*	*	*	*	6.5
Native Hawaiian or Other Pacific Islander	5.6	*	*	*	*	*	*	*	*	*	*	*
Asian	1.9	2.8	8.4	13.4	*	*	*	*	*	5.1	0.9	1.1
Two or More Races	15.6	12.5	40.0	25.7	*	*	*	*	*	*	4.5	8.7
Hispanic or Latino	5.4	6.5	19.9 <sup>a</sup>	28.1	42.7	57.7	23.8	30.2	11.4	15.0	2.7	2.6
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	10.7	11.4	33.9 <sup>a</sup>	37.7	59.4	64.2	40.2	43.6	24.2	25.9	6.2	6.4
Medicaid/CHIP <sup>2</sup>	20.6	18.1	47.4	44.5	74.0	68.7	53.5	52.7	27.0	25.9	9.2	7.5
Other <sup>3</sup>	12.4	13.2	38.7	41.7	70.6	66.7	52.9	51.2	21.4	28.4	7.3	7.0
No Coverage	7.8	7.8	24.6	25.7	48.3	46.0	22.9	25.6	14.8	16.1	3.5	3.2
<b>CURRENT EMPLOYMENT</b>												
Full-Time	9.3	9.5	30.5	33.4	53.8	56.9	34.5	36.8	21.9	23.7	5.3	5.2
Part-Time	12.5	11.6	33.5	32.2	54.4	53.6	38.8	41.7	23.2	19.6	7.5	6.9
Unemployed	11.3	10.6	31.9	32.9	63.3	57.4	23.4	26.9	21.9	21.7	5.1	4.0
Other <sup>4</sup>	14.3	15.6	42.0	44.2	70.0	68.7	51.0	50.7	24.9	29.5	7.3	7.8

\*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.