

Table 1.37A Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	11,995	11,139	5,918	5,920	6,054 ^a	5,175
AGE						
18-25	2,605	2,548	1,006	1,067	1,593	1,472
26-49	6,621 ^a	5,807	3,472	3,238	3,132 ^b	2,535
50 or Older	2,768	2,783	1,440	1,616	1,328	1,168
GENDER						
Male	3,832	3,481	1,731	1,704	2,082	1,762
Female	8,163	7,657	4,188	4,216	3,971 ^a	3,414
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10,711 ^a	9,648	5,351	5,115	5,340 ^a	4,491
White	8,724	8,132	4,535	4,421	4,176	3,690
Black or African American	1,381	1,082	552	488	824	574
American Indian or Alaska Native	87	76	*	*	41	29
Native Hawaiian or Other Pacific Islander	17	11	*	*	2	9
Asian	282	153	*	*	201	90
Two or More Races	221	195	*	*	96	100
Hispanic or Latino	1,283	1,491	567	805	713	684
CURRENT EMPLOYMENT						
Full-Time	5,649 ^b	4,516	2,402	2,193	3,241 ^b	2,301
Part-Time	2,017	2,212	971	1,134	1,031	1,073
Unemployed	1,031	1,053	517	432	511	616
Other ³	3,298	3,358	2,028	2,161	1,270	1,186

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.37B Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	5.3	4.9	19.6	19.0	3.1 ^a	2.6
AGE						
18-25	7.8	7.5	27.2	29.0	5.4	4.9
26-49	6.7 ^a	5.9	24.1	22.4	3.7 ^b	3.0
50 or Older	2.9	2.9	11.9	12.4	1.6	1.4
GENDER						
Male	3.5	3.1	17.2	16.3	2.1	1.8
Female	7.0	6.5	20.9	20.3	4.1 ^a	3.5
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	5.5 ^a	4.9	19.2	17.8	3.2 ^b	2.7
White	5.6	5.2	18.3	17.6	3.2	2.8
Black or African American	5.3	4.1	27.5	20.8	3.4	2.4
American Indian or Alaska Native	8.0	7.1	*	*	4.6	3.2
Native Hawaiian or Other Pacific Islander	2.3	1.7	*	*	0.4	1.4
Asian	2.8	1.5	*	*	2.1	0.9
Two or More Races	9.1	7.4	*	*	4.9	4.6
Hispanic or Latino	4.1	4.7	25.1	32.4	2.5	2.3
CURRENT EMPLOYMENT						
Full-Time	4.9 ^b	4.0	18.8	16.9	3.2 ^b	2.3
Part-Time	6.4	6.7	19.9	24.5	3.8	3.8
Unemployed	7.0	7.1	27.7	22.0	4.0	4.8
Other ³	5.0	5.0	19.1	18.5	2.3	2.1

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38A Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	11,995	11,139	5,918	5,920	6,054 ^a	5,175
GEOGRAPHIC REGION						
Northeast	1,912	1,807	922	868	978	940
Midwest	2,701	2,533	1,289	1,377	1,412	1,153
South	4,123	4,021	2,186	2,074	1,932	1,926
West	3,259	2,777	1,522	1,601	1,731 ^b	1,157
COUNTY TYPE						
Large Metro	6,408	5,980	3,089	3,095	3,313	2,863
Small Metro	3,682	3,392	1,787	1,776	1,883	1,595
250K – 1 Mil. Pop.	2,480	2,354	1,118	1,272	1,349	1,079
< 250K Pop.	1,203	1,038	669	505	534	516
Nonmetro	1,904	1,766	1,043	1,049	858	717
Urbanized	925	854	569	551	356	303
Less Urbanized	822	781	393	425	428	355
Completely Rural	157	132	*	73	74	58
POVERTY LEVEL³						
Less Than 100%	2,374	2,473	1,284	1,387	1,089	1,068
100-199%	2,823	2,526	1,463	1,414	1,352	1,111
200% or More	6,697	6,068	3,131	3,088	3,553 ^a	2,956
GOVERNMENT ASSISTANCE⁴						
Yes	3,229	3,391	1,970	2,009	1,256	1,368
No	8,765 ^a	7,748	3,949	3,911	4,798 ^b	3,807
HEALTH INSURANCE⁵						
Private	6,677	5,929	3,063	3,207	3,611 ^b	2,721
Medicaid/CHIP ⁶	1,727	1,702	1,123	1,037	590	645
Other ⁷	1,745	1,890	1,205	1,133	538	747
No Coverage	2,709	2,601	1,108	1,168	1,596	1,409

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38B Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	5.3	4.9	19.6	19.0	3.1 ^a	2.6
GEOGRAPHIC REGION						
Northeast	4.6	4.3	17.4	14.3	2.7	2.6
Midwest	5.4	5.1	17.9	19.0	3.3 ^a	2.7
South	5.0	4.8	19.6	19.3	2.7	2.6
West	6.2	5.3	23.4	22.4	3.8 ^b	2.5
COUNTY TYPE						
Large Metro	5.3	4.9	20.7	19.7	3.1	2.7
Small Metro	5.3	4.9	18.0	17.1	3.2	2.7
250K – 1 Mil. Pop.	5.5	5.1	17.0	18.2	3.5	2.8
< 250K Pop.	5.1	4.4	19.9	14.8	2.7	2.6
Nonmetro	5.1	4.8	19.8	20.7	2.7	2.3
Urbanized	5.7	5.4	26.2	24.3	2.5	2.3
Less Urbanized	4.8	4.4	15.4	18.5	2.9	2.3
Completely Rural	4.1	3.9	*	14.4	2.3	2.0
POVERTY LEVEL³						
Less Than 100%	8.6	8.4	29.8	29.6	4.7	4.3
100-199%	6.5 ^a	5.3	26.2	22.3	3.6 ^a	2.7
200% or More	4.3	4.0	15.6	15.4	2.7	2.3
GOVERNMENT ASSISTANCE⁴						
Yes	9.3	8.4	28.7	25.5	4.5	4.2
No	4.6 ^a	4.1	17.0	16.8	2.8 ^b	2.3
HEALTH INSURANCE⁵						
Private	4.3	3.9	15.7	16.0	2.7 ^b	2.1
Medicaid/CHIP ⁶	9.0	8.1	24.9	22.9	4.1	3.9
Other ⁷	3.3	3.5	16.3	14.2	1.2	1.6
No Coverage	7.5	6.8	33.9	33.1	4.9	4.0

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.39A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	9,092	8,680	4,999	5,177	4,076 ^a	3,466
AGE						
18-25	1,773	1,826	767	867	1,004	955
26-49	5,300 ^a	4,633	2,997	2,897	2,288 ^b	1,701
50 or Older	2,019	2,222	1,235	1,413	784	809
GENDER						
Male	2,968	2,707	1,522	1,399	1,433	1,292
Female	6,124	5,973	3,477	3,778	2,643 ^a	2,173
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8,146	7,667	4,529	4,545	3,600 ^a	3,086
White	6,774	6,600	3,857	3,980	2,905	2,600
Black or African American	953	787	443	414	506	357
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	171	82	*	*	92	35
Two or More Races	181	138	*	*	70	*
Hispanic or Latino	946	1,014	470	632	476	379
CURRENT EMPLOYMENT						
Full-Time	4,074 ^a	3,409	1,907	1,885	2,167 ^b	1,503
Part-Time	1,525	1,694	799	959	711	729
Unemployed	880	802	503	361	376	441
Other ³	2,613	2,775	1,790	1,972	823	792

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.39B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	22.1	21.0	30.3	29.7	16.7 ^a	14.6
AGE						
18-25	29.4	29.8	39.9	43.4	24.6	23.1
26-49	24.8	22.5	34.4	32.7	18.1 ^b	14.6
50 or Older	14.8	15.2	21.1	21.4	10.1	10.1
GENDER						
Male	19.1	16.5	27.9	25.3	14.3	11.9
Female	24.0	24.0	31.5	31.7	18.3	16.8
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	22.5	21.0	29.8	28.7	17.2	15.0
White	22.8	22.3	28.7	28.5	17.9	16.6
Black or African American	23.3 ^a	17.4	41.0	31.3	17.0	11.3
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	13.3 ^a	5.7	*	*	8.7 ^a	3.0
Two or More Races	23.9	24.0	*	*	18.0	*
Hispanic or Latino	19.5	21.0	37.0	39.6	13.4	11.8
CURRENT EMPLOYMENT						
Full-Time	22.2	19.6	28.8	28.1	18.5 ^b	14.1
Part-Time	25.3	27.4	32.9	39.7	20.0	19.4
Unemployed	25.5	24.0	40.4 ^a	27.5	17.1	21.7
Other ³	19.7	19.3	28.9	28.1	11.7	10.9

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	9,092	8,680	4,999	5,177	4,076 ^a	3,466
GEOGRAPHIC REGION						
Northeast	1,516	1,391	804	764	699	627
Midwest	2,150	2,030	1,129	1,216	1,021	813
South	3,088	3,088	1,816	1,780	1,269	1,286
West	2,337	2,171	1,250	1,418	1,087 ^a	740
COUNTY TYPE						
Large Metro	4,655	4,692	2,544	2,746	2,108	1,928
Small Metro	2,929	2,562	1,530	1,480	1,386 ^a	1,062
250K – 1 Mil. Pop.	2,026	1,763	975	1,038	1,038 ^a	722
< 250K Pop.	903	799	555	442	348	340
Nonmetro	1,507	1,427	925	951	582	475
Urbanized	758	738	508	516	249	223
Less Urbanized	621	570	338	364	283	204
Completely Rural	129	119	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	1,901	1,896	1,103	1,173	798	710
100-199%	2,272	2,072	1,266	1,292	1,003	779
200% or More	4,853	4,660	2,600	2,685	2,240	1,951
GOVERNMENT ASSISTANCE⁴						
Yes	2,582	2,785	1,713	1,737	867	1,034
No	6,509	5,895	3,286	3,440	3,209 ^b	2,432
HEALTH INSURANCE⁵						
Private	4,906	4,534	2,475	2,798	2,430 ^b	1,736
Medicaid/CHIP ⁶	1,402	1,373	991	934	397	424
Other ⁷	1,461	1,558	1,054	1,015	405	532
No Coverage	2,070	2,006	984	978	1,086	1,005

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	22.1	21.0	30.3	29.7	16.7 ^a	14.6
GEOGRAPHIC REGION						
Northeast	20.0	17.7	27.3	22.7	15.1	14.0
Midwest	23.5	21.7	28.6	30.0	19.7 ^a	15.3
South	21.2	21.1	31.2	29.7	14.6	15.0
West	23.9	22.9	33.1	35.0	18.1 ^a	13.7
COUNTY TYPE						
Large Metro	21.8	21.9	31.0	31.3	16.1	15.3
Small Metro	22.7	19.6	28.7	26.2	18.3 ^a	14.3
250K – 1 Mil. Pop.	23.5	19.9	27.8	27.3	20.4 ^a	14.3
< 250K Pop.	21.0	18.8	30.5	24.0	14.1	14.2
Nonmetro	22.1	20.9	31.2	31.4	15.1	12.6
Urbanized	26.4	25.0	39.5	37.9	15.9	14.1
Less Urbanized	18.4	17.2	23.7	26.7	14.5	10.6
Completely Rural	21.8	20.7	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	27.4	26.0	39.4	36.7	19.5	17.4
100-199%	25.6 ^a	21.3	38.2	33.0	18.1 ^a	13.5
200% or More	19.4	19.3	25.3	26.1	15.2	14.1
GOVERNMENT ASSISTANCE⁴						
Yes	27.9	25.7	39.8	33.8	17.7	18.2
No	20.5	19.4	27.0	27.9	16.4 ^a	13.4
HEALTH INSURANCE⁵						
Private	19.7	19.2	25.0	27.3	16.3 ^a	13.0
Medicaid/CHIP ⁶	24.4	22.6	33.3	30.8	14.6	14.1
Other ⁷	17.1	15.9	28.5	22.9	8.4	9.9
No Coverage	27.9	25.5	46.6	40.9	20.5	18.5

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	3,874	3,910	2,720	2,807	1,151	1,087
AGE						
18-25	587 ^a	706	307 ^a	406	278	298
26-49	2,386	2,271	1,603	1,651	782	606
50 or Older	901	933	810	750	*	*
GENDER						
Male	1,215	1,153	808	718	407	421
Female	2,659	2,757	1,912	2,089	744	665
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,440	3,473	2,471	2,515	965	944
White	2,929	2,905	2,141	2,130	788	760
Black or African American	373	409	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	434	*	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	1,462	1,401	890	1,012	572 ^a	388
Part-Time	650	642	444	429	*	*
Unemployed	433	393	*	*	*	*
Other ³	1,330	1,475	1,077	1,157	253	306

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	46.3	42.0	48.8	44.7	41.2	36.1
AGE						
18-25	52.2	53.1	49.8	57.1	55.0	48.4
26-49	49.2	44.3	51.2	47.9	45.6	36.3
50 or Older	37.5	32.7	44.4	35.3	*	*
GENDER						
Male	42.7 ^a	34.6	47.2 ^a	35.5	35.8	32.6
Female	48.1	46.1	49.5	49.1	44.9	38.6
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	46.0	41.9	48.2	44.5	41.0	36.1
White	46.2	43.2	47.8	44.8	42.3	39.0
Black or African American	51.8	39.8	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	49.0	*	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	45.6	40.0	45.9	44.3	45.2 ^a	32.1
Part-Time	57.8	47.3	65.8	51.3	*	*
Unemployed	53.9	42.5	*	*	*	*
Other ³	41.0	41.7	44.5	45.1	30.8	32.1

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	3,874	3,910	2,720	2,807	1,151	1,087
GEOGRAPHIC REGION						
Northeast	596	603	419	363	*	*
Midwest	1,010	1,001	682	767	328	232
South	1,261	1,227	944	907	314	320
West	1,007	1,079	675	769	*	295
COUNTY TYPE						
Large Metro	1,948	2,141	1,340	1,531	605	608
Small Metro	1,158	1,106	823	765	336	326
250K – 1 Mil. Pop.	789	792	553	549	*	240
< 250K Pop.	369	314	*	*	*	*
Nonmetro	768	664	557	511	*	*
Urbanized	*	*	*	*	*	*
Less Urbanized	312	*	219	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	837	1,051	632	753	205	285
100-199%	1,047	921	722	660	322	262
200% or More	1,963	1,921	1,349	1,382	614	536
GOVERNMENT ASSISTANCE⁴						
Yes	1,203	1,497	945	1,028	256 ^a	456
No	2,672	2,413	1,775	1,779	895 ^a	631
HEALTH INSURANCE⁵						
Private	1,805	1,818	1,205	1,372	601	446
Medicaid/CHIP ⁶	746	744	616	564	*	*
Other ⁷	728	787	624	558	*	*
No Coverage	961	963	585	591	376	369

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	46.3	42.0	48.8	44.7	41.2	36.1
GEOGRAPHIC REGION						
Northeast	40.4	36.6	40.2	31.9	*	*
Midwest	47.2	44.0	48.2	47.2	45.1	35.8
South	44.6	39.5	49.9	46.1	33.7	28.1
West	52.2	47.4	55.1	49.8	*	41.2
COUNTY TYPE						
Large Metro	46.0	45.8	50.1	49.4	38.8	38.5
Small Metro	45.4 ^a	37.2	45.9	37.5	44.2	35.7
250K – 1 Mil. Pop.	47.4 ^a	37.9	46.5	38.4	*	36.4
< 250K Pop.	41.6	35.6	*	*	*	*
Nonmetro	48.4	40.0	50.3	44.9	*	*
Urbanized	*	*	*	*	*	*
Less Urbanized	42.1	*	44.2	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	47.0	50.7	51.8	55.5	36.5	40.5
100-199%	52.5 ^a	41.5	61.6 ^a	47.5	39.3	31.4
200% or More	43.1	38.5	42.8	39.3	44.0	36.5
GOVERNMENT ASSISTANCE⁴						
Yes	46.8	48.7	52.4	49.1	33.3	47.1
No	46.0 ^a	38.7	47.0	42.5	44.2 ^b	30.8
HEALTH INSURANCE⁵						
Private	44.0	38.2	45.0	40.3	42.3	33.0
Medicaid/CHIP ⁶	44.4	44.0	47.0	45.2	*	*
Other ⁷	40.5	36.0	45.6	36.2	*	*
No Coverage	56.5	50.5	64.2	59.1	47.6	40.7

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.