

**Table 1.46A Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2009 and 2010**

<b>Age Category</b>	<b>Total (2009)</b>	<b>Total (2010)</b>	<b>Male (2009)</b>	<b>Male (2010)</b>	<b>Female (2009)</b>	<b>Female (2010)</b>
<b>TOTAL</b>	8,447	8,671	3,856	4,138	4,591	4,532
18	401	402	134	184	267	218
19	281	351	133	136	148 <sup>a</sup>	215
20	262	305	99	133	164	171
21	240	278	106	136	134	141
22	192 <sup>a</sup>	265	88	119	104	146
23	236	249	103	102	132	146
24	207	237	84	120	122	117
25	193	154	82	73	111	81
26-29	745	740	310	375	435	365
30-34	804	752	419	323	385	429
35-39	949 <sup>b</sup>	591	469 <sup>a</sup>	249	481	342
40-44	836	782	402	402	434	381
45-49	934	1,123	482	518	451	605
50-54	724	668	305	274	418	394
55-59	697	699	324	338	373	361
60-64	280	430	143	269	137	160
65 or Older	467	647	173	387	294	259

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.46B Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2009 and 2010**

Age Category	Total (2009)	Total (2010)	Male (2009)	Male (2010)	Female (2009)	Female (2010)
<b>TOTAL</b>	3.7	3.8	3.5	3.7	3.9	3.8
18	8.1	8.5	5.2	7.2	11.3	10.0
19	6.2 <sup>a</sup>	8.1	5.7	6.2	6.8 <sup>b</sup>	10.0
20	6.4	6.7	4.7	5.6	8.3	7.9
21	5.8	6.5	5.1	6.4	6.5	6.6
22	4.8 <sup>a</sup>	6.5	4.4	5.7	5.1	7.3
23	5.9	6.2	5.2	5.1	6.5	7.4
24	5.0	5.9	4.3	6.1	5.7	5.6
25	5.3	3.9	4.6	3.9	6.1 <sup>a</sup>	4.0
26-29	4.4	4.4	3.7	4.4	5.1	4.5
30-34	4.2	3.8	4.3	3.3	4.0	4.2
35-39	4.8 <sup>b</sup>	3.1	4.6 <sup>a</sup>	2.6	4.9	3.5
40-44	4.0	3.8	4.0	4.0	4.0	3.7
45-49	4.2	5.1	4.4	4.8	3.9	5.3
50-54	3.3	3.0	2.8	2.6	3.7	3.5
55-59	3.8	3.6	3.6	3.7	3.9	3.6
60-64	1.8	2.6	2.0	3.3	1.7	1.9
65 or Older	1.2	1.7	1.1	2.3	1.4	1.2

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.47A Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Demographic/Health Characteristic</b>	<b>Had Serious Thoughts of Suicide (2009)</b>	<b>Had Serious Thoughts of Suicide (2010)</b>	<b>Made Any Suicide Plans (2009)</b>	<b>Made Any Suicide Plans (2010)</b>	<b>Attempted Suicide (2009)</b>	<b>Attempted Suicide (2010)</b>
<b>TOTAL</b>	8,447	8,671	2,247	2,526	1,029	1,118
<b>AGE</b>						
18-25	2,012 <sup>a</sup>	2,240	650	658	371	391
26-49	4,268	3,988	1,016	1,007	456	397
50 or Older	2,168	2,443	581	861	201	329
<b>GENDER</b>						
Male	3,856	4,138	1,087	1,208	460	539
Female	4,591	4,532	1,160	1,318	569	579
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	7,416	7,912	1,978	2,311	910	975
White	5,979	6,241	1,571	1,735	646	683
Black or African American	915	1,083	280	394	183	224
American Indian or Alaska Native	54	81	26	14	16	13
Native Hawaiian or Other Pacific Islander	*	30	5	0	1	0
Asian	197	335	44	117	33	24
Two or More Races	183	142	52	51	32	30
Hispanic or Latino	1,031 <sup>a</sup>	758	269	215	118	143
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	4,630	4,647	1,082	1,174	466	540
Medicaid/CHIP <sup>2</sup>	1,527	1,400	496	600	235	329
Other <sup>3</sup>	1,391 <sup>a</sup>	1,968	377 <sup>b</sup>	817	201	372
No Coverage	1,777	1,846	473	523	210	233
<b>CURRENT EMPLOYMENT</b>						
Full-Time	3,531	3,386	787	627	323	268
Part-Time	1,343	1,487	346	376	112	155
Unemployed	977	982	344	390	162	130
Other <sup>4</sup>	2,597	2,815	770 <sup>a</sup>	1,133	432	566

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.47B Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Percentages, 2009 and 2010**

<b>Demographic/Health Characteristic</b>	<b>Had Serious Thoughts of Suicide (2009)</b>	<b>Had Serious Thoughts of Suicide (2010)</b>	<b>Made Any Suicide Plans (2009)</b>	<b>Made Any Suicide Plans (2010)</b>	<b>Attempted Suicide (2009)</b>	<b>Attempted Suicide (2010)</b>
<b>TOTAL</b>	3.7	3.8	1.0	1.1	0.5	0.5
<b>AGE</b>						
18-25	6.0	6.6	1.9	1.9	1.1	1.2
26-49	4.3	4.1	1.0	1.0	0.5	0.4
50 or Older	2.3	2.5	0.6	0.9	0.2	0.3
<b>GENDER</b>						
Male	3.5	3.7	1.0	1.1	0.4	0.5
Female	3.9	3.8	1.0	1.1	0.5	0.5
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3.8	4.0	1.0	1.2	0.5	0.5
White	3.9	4.0	1.0	1.1	0.4	0.4
Black or African American	3.5	4.1	1.1	1.5	0.7	0.8
American Indian or Alaska Native	5.0	7.5	2.4	1.3	1.4	1.2
Native Hawaiian or Other Pacific Islander	*	4.6	0.8	0.0	0.2	0.1
Asian	2.0	3.2	0.4	1.1	0.3	0.2
Two or More Races	7.6	5.4	2.1	1.9	1.3	1.1
Hispanic or Latino	3.3 <sup>a</sup>	2.4	0.9	0.7	0.4	0.5
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	3.0	3.1	0.7	0.8	0.3	0.4
Medicaid/CHIP <sup>2</sup>	8.0	6.7	2.6	2.9	1.2	1.6
Other <sup>3</sup>	2.6 <sup>a</sup>	3.7	0.7 <sup>b</sup>	1.5	0.4	0.7
No Coverage	4.9	4.8	1.3	1.4	0.6	0.6
<b>CURRENT EMPLOYMENT</b>						
Full-Time	3.1	3.0	0.7	0.6	0.3	0.2
Part-Time	4.2	4.5	1.1	1.1	0.4	0.5
Unemployed	6.6	6.7	2.3	2.6	1.1	0.9
Other <sup>4</sup>	4.0	4.2	1.2 <sup>a</sup>	1.7	0.7	0.8

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.48A Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Demographic/Health Characteristic</b>	<b>Attempted Suicide (2009)</b>	<b>Attempted Suicide (2010)</b>	<b>Got Medical Attention for Suicide Attempt (2009)</b>	<b>Got Medical Attention for Suicide Attempt (2010)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2009)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010)</b>
<b>TOTAL</b>	1,029	1,118	617	752	428	572
<b>AGE</b>						
18-25	371	391	150	167	111	97
26-49	456	397	296	303	211	222
50 or Older	201	329	171	281	106	253
<b>GENDER</b>						
Male	460	539	306	338	221	269
Female	569	579	311	413	207	302
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	910	975	565	679	382	540
White	646	683	403	464	255	391
Black or African American	183	224	127	180	98	133
American Indian or Alaska Native	16	13	13	6	11	3
Native Hawaiian or Other Pacific Islander	1	0	*	*	*	*
Asian	33	24	1	13	*	3
Two or More Races	32	30	21	17	18	8
Hispanic or Latino	118	143	53	72	46	32
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	466	540	282	406	184	338
Medicaid/CHIP <sup>2</sup>	235	329	172	247	143	182
Other <sup>3</sup>	201	372	147	300	109	267
No Coverage	210	233	92	90	56	50
<b>CURRENT EMPLOYMENT</b>						
Full-Time	323	268	196	156	115	114
Part-Time	112	155	36	95	25	66
Unemployed	162	130	88	61	57	46
Other <sup>4</sup>	432	566	297	440	231	346

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.48B Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Percentages, 2009 and 2010**

<b>Demographic/Health Characteristic</b>	<b>Attempted Suicide (2009)</b>	<b>Attempted Suicide (2010)</b>	<b>Got Medical Attention for Suicide Attempt (2009)</b>	<b>Got Medical Attention for Suicide Attempt (2010)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2009)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010)</b>
<b>TOTAL</b>	0.5	0.5	0.3	0.3	0.2	0.3
<b>AGE</b>						
18-25	1.1	1.2	0.4	0.5	0.3	0.3
26-49	0.5	0.4	0.3	0.3	0.2	0.2
50 or Older	0.2	0.3	0.2	0.3	0.1	0.3
<b>GENDER</b>						
Male	0.4	0.5	0.3	0.3	0.2	0.2
Female	0.5	0.5	0.3	0.4	0.2	0.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.5	0.5	0.3	0.3	0.2	0.3
White	0.4	0.4	0.3	0.3	0.2	0.3
Black or African American	0.7	0.8	0.5	0.7	0.4	0.5
American Indian or Alaska Native	1.4	1.2	1.2	0.6	1.0	0.3
Native Hawaiian or Other Pacific Islander	0.2	0.1	*	*	*	*
Asian	0.3	0.2	0.0	0.1	*	0.0
Two or More Races	1.3	1.1	0.8	0.6	0.7	0.3
Hispanic or Latino	0.4	0.5	0.2	0.2	0.1	0.1
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	0.3	0.4	0.2	0.3	0.1	0.2
Medicaid/CHIP <sup>2</sup>	1.2	1.6	0.9	1.2	0.8	0.9
Other <sup>3</sup>	0.4	0.7	0.3	0.6	0.2	0.5
No Coverage	0.6	0.6	0.3	0.2	0.2	0.1
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.3	0.2	0.2	0.1	0.1	0.1
Part-Time	0.4	0.5	0.1	0.3	0.1	0.2
Unemployed	1.1	0.9	0.6	0.4	0.4	0.3
Other <sup>4</sup>	0.7	0.8	0.5	0.7	0.4	0.5

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.