

Table 1.4A (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	7,822	7,865	2,122	2,182	4,455	4,477	1,245	1,206
GENDER								
Male	4,293	4,131	1,003	1,025	2,576	2,487	713	619
Female	3,529	3,734	1,119	1,157	1,878	1,990	531	586
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,826	6,816	1,783	1,814	3,916	3,897	1,127	1,105
White	5,606	5,410	1,434	1,417	3,240	3,174	933	819
Black or African American	843	1,024	214	247	506	527	123	251
American Indian or Alaska Native	55	79	24	18	29	33	*	*
Native Hawaiian or Other Pacific Islander	13	14	*	*	*	*	*	*
Asian	139	155	58	56	61	99	*	*
Two or More Races	170	133	41	69	79	61	*	*
Hispanic or Latino	996	1,048	340	368	539	580	118	101
CURRENT EMPLOYMENT								
Full-Time	3,557	3,308	765	704	2,338	2,362	454	242
Part-Time	1,368	1,399	570	678	665	580	133	140
Unemployed	1,021	969	339	372	587	467	96	129
Other ¹	1,876	2,190	448	428	865	1,068	563	694

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4B (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	3.4	3.4	6.3	6.4	4.5	4.5	1.3	1.2
GENDER								
Male	3.9	3.7	5.9	5.9	5.2	5.1	1.6	1.4
Female	3.0	3.2	6.7	6.9	3.7	4.0	1.1	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.5	3.5	6.5	6.6	4.8	4.8	1.3	1.3
White	3.6	3.5	7.0	7.0	5.2	5.1	1.3	1.1
Black or African American	3.2	3.8	4.5	5.1	4.1	4.3	1.3	2.6
American Indian or Alaska Native	5.0	7.4	10.5	9.8	6.6	6.7	*	*
Native Hawaiian or Other Pacific Islander	1.8	2.1	*	*	*	*	*	*
Asian	1.4	1.5	3.8	3.9	1.2	1.9	*	*
Two or More Races	7.0	5.0	9.5	12.6	7.5	5.8	*	*
Hispanic or Latino	3.2	3.3	5.5	5.6	3.2	3.4	1.5	1.2
CURRENT EMPLOYMENT								
Full-Time	3.1	2.9	6.2	5.7	3.5	3.6	1.3	0.7
Part-Time	4.3	4.2	6.1	7.1	5.6	4.7	1.3	1.2
Unemployed	6.8	6.5	7.4	8.2	8.2	7.0	3.0	3.6
Other ¹	2.9	3.3	6.1	5.6	6.2	7.6	1.3	1.5

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5A (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	7,822	7,865	2,122	2,182	4,455	4,477	1,245	1,206
GEOGRAPHIC REGION								
Northeast	1,284 ^a	1,603	467	442	671	900	146	261
Midwest	1,852	1,642	502	474	1,068 ^a	829	281	339
South	2,686	2,497	645	675	1,467	1,475	575	347
West	2,000	2,122	508	590	1,249	1,273	242	259
COUNTY TYPE								
Large Metro	3,995	4,352	1,161	1,177	2,338	2,534	496	641
Small Metro	2,633	2,466	671	751	1,390	1,339	572	376
250K – 1 Mil. Pop.	1,684	1,696	431	512	823	994	430	189
< 250K Pop.	949	770	240	239	567 ^a	344	142	187
Nonmetro	1,194	1,047	290	254	727	604	177	189
Urbanized	540	563	128	117	326	362	85	84
Less Urbanized	568	415	139	112	351 ^a	212	78	91
Completely Rural ¹	86	69	23	25	50	30	*	14
POVERTY LEVEL¹								
Less Than 100%	1,724	1,619	561	556	808	818	356	244
100-199%	1,822	1,796	458	521	1,101	975	263	300
200% or More	4,229	4,407	1,057	1,062	2,546	2,684	627	661
GOVERNMENT ASSISTANCE²								
Yes	2,199	2,434	470	535	1,384	1,500	345	400
No	5,623	5,431	1,653	1,647	3,071	2,978	900	806
HEALTH INSURANCE³								
Private	3,926	3,938	1,065	1,089	2,194	2,288	667	561
Medicaid/CHIP ⁴	1,228	1,291	282	315	733	769	213	207
Other ⁵	1,063	1,220	166	204	541	510	356	507
No Coverage	2,142	1,980	678	636	1,259	1,155	205	189

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5B (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	3.4	3.4	6.3	6.4	4.5	4.5	1.3	1.2
GEOGRAPHIC REGION								
Northeast	3.1	3.8	7.6	7.3	3.7	5.1	0.8	1.4
Midwest	3.7	3.3	6.8	6.3	5.0	4.0	1.3	1.6
South	3.2	3.0	5.4	5.4	4.0	4.1	1.7	1.0
West	3.8	4.0	6.3	7.3	5.3	5.4	1.2	1.2
COUNTY TYPE								
Large Metro	3.3	3.5	6.5	6.5	4.2	4.6	1.0	1.3
Small Metro	3.8	3.5	6.4	6.8	4.7	4.5	2.0	1.3
250K – 1 Mil. Pop.	3.7	3.7	6.4	7.3	4.2	4.9	2.2	1.0
< 250K Pop.	4.0	3.3	6.3	5.8	5.9 ^a	3.6	1.4	1.9
Nonmetro	3.2	2.9	5.5	5.3	4.9	4.3	1.0	1.1
Urbanized	3.3	3.6	5.1	5.5	5.1	6.0	1.1	1.1
Less Urbanized	3.3 ^a	2.3	5.8	4.8	5.0 ^a	3.0	1.0	1.1
Completely Rural	2.3	2.0	7.0	7.2	4.0	2.6	*	0.7
POVERTY LEVEL¹								
Less Than 100%	6.2	5.5	7.1	6.4	6.4	6.5	5.0	2.9
100-199%	4.2	3.8	5.7	6.2	6.0	4.7	1.5	1.6
200% or More	2.7	2.9	6.4	6.6	3.7	4.1	0.9	0.9
GOVERNMENT ASSISTANCE²								
Yes	6.3	6.0	7.1	7.0	8.4	8.1	2.9	2.9
No	2.9	2.9	6.1	6.2	3.7	3.7	1.1	1.0
HEALTH INSURANCE³								
Private	2.5	2.6	5.9	6.0	3.2	3.5	1.0	0.8
Medicaid/CHIP ⁴	6.4	6.1	6.0	6.2	8.5	8.4	3.6	3.0
Other ⁵	2.0	2.3	7.9	8.9	8.5	7.6	0.8	1.1
No Coverage	5.9	5.1	7.0	6.8	6.4	5.5	3.0	2.3

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.