

Table 1.11C (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	695	689	322	362	341	331	539	530	695	689
AGE										
18-25	108	119	51	59	62	63	83	86	108	119
26-49	432	410	219	224	212	219	325	311	432	410
50 or Older	509	527	218	263	264	259	404	412	509	527
GENDER										
Male	430	467	184	220	212	223	330	359	430	467
Female	521	507	265	267	265	250	409	392	521	507
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	647	640	310	330	322	296	504	503	647	640
White	671	657	296	296	316	281	467	483	1,730	1,797
Black or African American	254	254	89	98	106	102	197	201	739	750
American Indian or Alaska Native	30	35	13	28	18	6	22	19	130	102
Native Hawaiian or Other Pacific Islander	*	*	*	*	11	9	*	*	*	*
Asian	139	156	44	60	54	54	127	132	536	540
Two or More Races	91	83	40	69	53	28	62	35	115	169
Hispanic or Latino	232	245	103	126	108	161	197	172	232	245
CURRENT EMPLOYMENT										
Full-Time	510	481	188	212	242	223	385	360	1,360	1,442
Part-Time	231	253	93	109	128	112	168	192	594	598
Unemployed	182	205	88	99	77	102	134	138	401	383
Other ¹	480	507	221	228	222	235	357	360	1,160	1,112

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.11D (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.31	0.30	0.14	0.16	0.15	0.14	0.24	0.23	0.31	0.30
AGE										
18-25	0.32	0.35	0.15	0.17	0.18	0.18	0.25	0.25	0.32	0.35
26-49	0.43	0.42	0.22	0.23	0.21	0.22	0.33	0.32	0.43	0.42
50 or Older	0.54	0.55	0.23	0.27	0.28	0.27	0.43	0.43	0.54	0.55
GENDER										
Male	0.39	0.42	0.17	0.20	0.19	0.20	0.30	0.32	0.39	0.42
Female	0.44	0.43	0.23	0.23	0.23	0.21	0.35	0.33	0.44	0.43
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.33	0.32	0.16	0.17	0.16	0.15	0.26	0.25	0.33	0.32
White	0.38	0.36	0.18	0.19	0.20	0.17	0.28	0.28	0.38	0.36
Black or African American	0.85	0.84	0.32	0.36	0.39	0.37	0.71	0.70	0.85	0.84
American Indian or Alaska Native	2.95	3.08	1.21	2.51	1.64	0.61	2.20	1.79	2.95	3.08
Native Hawaiian or Other Pacific Islander	*	*	*	*	1.51	1.35	*	*	*	*
Asian	1.28	1.43	0.43	0.59	0.53	0.52	1.20	1.20	1.28	1.43
Two or More Races	2.97	2.80	1.58	2.47	2.06	1.06	2.30	1.37	2.97	2.80
Hispanic or Latino	0.75	0.77	0.33	0.39	0.35	0.51	0.63	0.54	0.75	0.77
CURRENT EMPLOYMENT										
Full-Time	0.40	0.38	0.16	0.18	0.20	0.19	0.32	0.30	0.40	0.38
Part-Time	0.69	0.70	0.29	0.32	0.39	0.33	0.52	0.55	0.69	0.70
Unemployed	1.14	1.20	0.57	0.65	0.52	0.66	0.86	0.88	1.14	1.20
Other ¹	0.65	0.67	0.33	0.33	0.33	0.34	0.51	0.50	0.65	0.67

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.11P (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.8753		0.0709		0.4128		0.4104		0.8753	
AGE										
18-25	0.9022		0.0132		0.9175		0.1280		0.9022	
26-49	0.2824		0.3189		0.2329		0.1979		0.2824	
50 or Older	0.4391		0.2378		0.9637		0.7509		0.4391	
GENDER										
Male	0.2829		0.0990		0.6945		0.5114		0.2829	
Female	0.2715		0.2780		0.4624		0.1063		0.2715	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.9917		0.0878		0.2080		0.7936		0.9917	
White	0.8059		0.3553		0.3210		0.7932		0.8059	
Black or African American	0.2421		0.0232		0.6653		0.6556		0.2421	
American Indian or Alaska Native	0.5047		0.2420		0.1616		0.2017		0.5047	
Native Hawaiian or Other Pacific Islander	*		*		0.7871		*		*	
Asian	0.6416		0.4149		0.9428		0.8416		0.6416	
Two or More Races	0.0260		0.9680		0.3072		0.0142		0.0260	
Hispanic or Latino	0.6623		0.4927		0.3750		0.1079		0.6623	
CURRENT EMPLOYMENT										
Full-Time	0.1670		0.2712		0.2863		0.0935		0.1670	
Part-Time	0.7909		0.1864		0.0501		0.7551		0.7909	
Unemployed	0.7762		0.3308		0.9502		0.2885		0.7762	
Other ¹	0.1864		0.4544		0.3733		0.5021		0.1864	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.12C (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	695	689	322	362	341	331	539	530	695	689
GEOGRAPHIC REGION										
Northeast	301	282	123	131	142	151	232	205	301	282
Midwest	277	276	133	153	137	125	214	206	277	276
South	422	442	209	213	211	208	327	349	422	442
West	354	361	151	187	187	186	281	278	354	361
COUNTY TYPE										
Large Metro	623	591	256	266	263	260	445	431	1,734	1,734
Small Metro	436	473	161	174	212	204	307	323	1,251	1,378
250K – 1 Mil. Pop.	361	394	129	153	167	170	256	275	1,020	1,127
< 250K Pop.	251	252	92	81	129	110	179	171	885	820
Nonmetro	311	324	130	172	147	137	219	226	919	904
Urbanized	213	231	93	117	108	101	149	151	664	678
Less Urbanized	210	217	81	95	95	88	147	164	638	692
Completely Rural	92	117	46	84	37	36	57	48	401	336
POVERTY LEVEL¹										
Less Than 100%	274	319	142	165	142	151	189	210	577	615
100-199%	352	364	140	158	174	187	253	258	783	815
200% or More	639	599	256	262	286	253	469	457	1,890	1,966
GOVERNMENT ASSISTANCE²										
Yes	336	408	163	193	163	192	228	271	664	718
No	712	675	283	299	322	294	531	503	1,979	2,087
HEALTH INSURANCE³										
Private	609	580	215	254	296	254	469	445	1,805	1,860
Medicaid/CHIP ⁴	255	310	134	153	127	141	171	215	455	490
Other ⁵	416	454	184	184	185	182	323	347	1,162	1,074
No Coverage	283	310	123	148	132	157	201	223	628	667

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.12D (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.31	0.30	0.14	0.16	0.15	0.14	0.24	0.23	0.31	0.30
GEOGRAPHIC REGION										
Northeast	0.72	0.67	0.29	0.31	0.34	0.36	0.55	0.48	0.72	0.67
Midwest	0.56	0.55	0.27	0.30	0.27	0.25	0.43	0.41	0.56	0.55
South	0.51	0.53	0.25	0.25	0.25	0.25	0.39	0.42	0.51	0.53
West	0.68	0.68	0.29	0.35	0.36	0.35	0.54	0.52	0.68	0.68
COUNTY TYPE										
Large Metro	0.44	0.42	0.21	0.21	0.20	0.20	0.34	0.32	0.44	0.42
Small Metro	0.52	0.56	0.23	0.24	0.28	0.28	0.41	0.40	0.52	0.56
250K – 1 Mil. Pop.	0.62	0.72	0.28	0.33	0.33	0.35	0.49	0.52	0.62	0.72
< 250K Pop.	0.92	0.89	0.39	0.33	0.51	0.45	0.71	0.63	0.92	0.89
Nonmetro	0.69	0.71	0.34	0.45	0.37	0.35	0.54	0.55	0.69	0.71
Urbanized	1.06	1.13	0.54	0.72	0.61	0.60	0.84	0.83	1.06	1.13
Less Urbanized	1.00	0.99	0.46	0.52	0.51	0.47	0.76	0.82	1.00	0.99
Completely Rural	1.99	2.61	1.15	2.24	0.91	0.98	1.35	1.24	1.99	2.61
POVERTY LEVEL¹										
Less Than 100%	0.82	0.90	0.50	0.53	0.49	0.49	0.63	0.65	0.82	0.90
100-199%	0.73	0.68	0.32	0.33	0.38	0.38	0.55	0.51	0.73	0.68
200% or More	0.36	0.35	0.16	0.17	0.18	0.16	0.28	0.28	0.36	0.35
GOVERNMENT ASSISTANCE²										
Yes	0.81	0.81	0.45	0.46	0.45	0.45	0.60	0.60	0.81	0.81
No	0.32	0.32	0.14	0.16	0.16	0.15	0.26	0.25	0.32	0.32
HEALTH INSURANCE³										
Private	0.34	0.35	0.14	0.17	0.18	0.16	0.28	0.28	0.34	0.35
Medicaid/CHIP ⁴	1.06	1.19	0.67	0.69	0.61	0.64	0.82	0.92	1.06	1.19
Other ⁵	0.70	0.76	0.34	0.34	0.34	0.33	0.58	0.60	0.70	0.76
No Coverage	0.69	0.69	0.33	0.38	0.35	0.39	0.52	0.53	0.69	0.69

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.12P (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic/Socioeconomic Characteristic	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.8753		0.0709		0.4128		0.4104		0.8753	
GEOGRAPHIC REGION										
Northeast	0.5384		0.3498		0.6476		0.9870		0.5384	
Midwest	0.6830		0.5832		0.2198		0.3491		0.6830	
South	0.8463		0.3885		0.7279		0.5866		0.8463	
West	0.3751		0.1551		0.5589		0.1124		0.3751	
COUNTY TYPE										
Large Metro	0.7082		0.2872		0.7953		0.3062		0.7082	
Small Metro	0.9633		0.0886		0.4447		0.7158		0.9633	
250K – 1 Mil. Pop.	0.8649		0.0387		0.8313		0.4159		0.8649	
< 250K Pop.	0.8653		0.9676		0.2991		0.5864		0.8653	
Nonmetro	0.7578		0.6278		0.6424		0.7253		0.7578	
Urbanized	0.3527		0.3667		0.6108		0.9206		0.3527	
Less Urbanized	0.4994		0.5957		0.1649		0.7456		0.4994	
Completely Rural	0.7009		0.6972		0.8599		0.9670		0.7009	
POVERTY LEVEL¹										
Less Than 100%	0.7098		0.4799		0.1964		0.9384		0.7098	
100-199%	0.8011		0.7116		0.9779		0.9261		0.8011	
200% or More	0.5823		0.1255		0.5197		0.2400		0.5823	
GOVERNMENT ASSISTANCE²										
Yes	0.6626		0.6205		0.5719		0.8246		0.6626	
No	0.3269		0.1955		0.1149		0.2949		0.3269	
HEALTH INSURANCE³										
Private	0.3636		0.0206		0.1958		0.1180		0.3636	
Medicaid/CHIP ⁴	0.4830		0.4601		0.8465		0.8487		0.4830	
Other ⁵	0.0752		0.1716		0.7845		0.1995		0.0752	
No Coverage	0.8714		0.6518		0.5347		0.9257		0.8714	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.