

Table 1.1C (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010

Age Category	Total (2009)	Total (2010)	Male (2009)	Male (2010)	Female (2009)	Female (2010)
TOTAL	695	689	430	467	521	507
18	47	52	26	31	38	40
19	46	42	29	24	33	34
20	41	46	23	28	34	37
21	41	49	28	29	30	36
22	45	43	32	30	32	31
23	45	43	30	25	33	35
24	48	46	26	30	39	35
25	46	43	27	26	38	33
26-29	180	189	116	123	134	143
30-34	215	206	145	134	150	157
35-39	214	214	138	145	162	148
40-44	217	210	139	133	165	164
45-49	230	219	143	151	171	152
50-54	277	275	173	178	211	211
55-59	270	290	180	168	199	239
60-64	216	227	133	163	174	153
65 or Older	302	322	144	223	263	234

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.1D (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010

Age Category	Total (2009)	Total (2010)	Male (2009)	Male (2010)	Female (2009)	Female (2010)
TOTAL	0.31	0.30	0.39	0.42	0.44	0.43
18	0.83	0.92	0.93	1.10	1.35	1.49
19	0.88	0.88	1.11	1.04	1.32	1.40
20	0.90	0.92	1.05	1.11	1.50	1.50
21	0.95	0.95	1.26	1.17	1.34	1.41
22	0.96	0.93	1.42	1.26	1.35	1.38
23	1.00	0.94	1.36	1.20	1.43	1.46
24	1.00	1.02	1.25	1.37	1.58	1.51
25	1.06	0.95	1.41	1.24	1.64	1.43
26-29	0.94	0.99	1.31	1.32	1.36	1.50
30-34	0.95	0.88	1.30	1.21	1.33	1.31
35-39	0.93	0.98	1.23	1.37	1.38	1.33
40-44	0.91	0.91	1.27	1.23	1.29	1.35
45-49	0.90	0.88	1.18	1.27	1.27	1.17
50-54	1.14	1.15	1.48	1.57	1.63	1.66
55-59	1.30	1.33	1.84	1.74	1.86	2.01
60-64	1.30	1.27	1.71	1.88	1.94	1.72
65 or Older	0.80	0.83	0.88	1.31	1.22	1.07

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.1P (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Age Category	Total (2009)	Total (2010)	Male (2009)	Male (2010)	Female (2009)	Female (2010)
TOTAL	0.8753		0.2829		0.2715	
18	0.1929		0.2728		0.2892	
19	0.6447		0.1633		0.6511	
20	0.3922		0.2871		0.7526	
21	0.1134		0.7461		0.0693	
22	0.9628		0.9553		0.8453	
23	0.7176		0.0917		0.2604	
24	0.7439		0.7605		0.5490	
25	0.0113		0.1447		0.0289	
26-29	0.7990		0.5471		0.4518	
30-34	0.1271		0.2372		0.2726	
35-39	0.2651		0.6864		0.1776	
40-44	0.7885		0.4603		0.2319	
45-49	0.9461		0.3519		0.4220	
50-54	0.6362		0.6378		0.8159	
55-59	0.7220		0.7455		0.5066	
60-64	0.4930		0.3365		0.9170	
65 or Older	0.3366		0.0003		0.1513	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.2C (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	695	689	108	119	432	410	509	527
GENDER								
Male	430	467	73	70	292	279	308	367
Female	521	507	82	89	309	296	394	393
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	647	640	99	104	394	376	477	489
White	671	657	108	110	412	402	485	484
Black or African American	254	254	45	53	168	162	160	184
American Indian or Alaska Native	30	35	12	6	27	21	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	139	156	26	31	115	99	81	116
Two or More Races	91	83	14	21	53	38	*	*
Hispanic or Latino	232	245	47	54	169	162	154	184
CURRENT EMPLOYMENT								
Full-Time	510	481	72	73	370	370	315	297
Part-Time	231	253	67	75	170	167	145	170
Unemployed	182	205	48	46	131	142	111	136
Other ¹	480	507	68	66	216	214	416	446

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2D (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.31	0.30	0.32	0.35	0.43	0.42	0.54	0.55
GENDER								
Male	0.39	0.42	0.43	0.41	0.59	0.57	0.71	0.82
Female	0.44	0.43	0.49	0.53	0.61	0.59	0.78	0.76
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.33	0.32	0.36	0.38	0.48	0.46	0.55	0.55
White	0.38	0.36	0.43	0.42	0.55	0.53	0.61	0.60
Black or African American	0.85	0.84	0.80	0.96	1.15	1.14	1.64	1.78
American Indian or Alaska Native	2.95	3.08	4.97	3.31	4.68	4.09	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1.28	1.43	1.57	1.70	1.89	1.77	2.34	3.05
Two or More Races	2.97	2.80	2.75	3.20	3.98	3.32	*	*
Hispanic or Latino	0.75	0.77	0.77	0.82	0.99	0.96	1.93	2.20
CURRENT EMPLOYMENT								
Full-Time	0.40	0.38	0.49	0.51	0.51	0.48	0.82	0.78
Part-Time	0.69	0.70	0.66	0.69	1.23	1.21	1.33	1.40
Unemployed	1.14	1.20	0.92	0.92	1.67	1.84	3.34	3.37
Other ¹	0.65	0.67	0.75	0.73	1.28	1.25	0.84	0.87

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.2P (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.8753		0.9022		0.2824		0.4391	
GENDER								
Male	0.2829		0.5719		0.7097		0.0429	
Female	0.2715		0.4554		0.2497		0.5300	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9917		0.9749		0.3301		0.3543	
White	0.8059		0.8163		0.5436		0.7440	
Black or African American	0.2421		0.6235		0.9705		0.1202	
American Indian or Alaska Native	0.5047		0.0732		0.0214		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.6416		0.6906		0.7221		0.1805	
Two or More Races	0.0260		0.1432		0.0292		*	
Hispanic or Latino	0.6623		0.5947		0.6371		0.7732	
CURRENT EMPLOYMENT								
Full-Time	0.1670		0.3533		0.6236		0.1874	
Part-Time	0.7909		0.2605		0.2572		0.6819	
Unemployed	0.7762		0.3079		0.9285		0.8097	
Other ¹	0.1864		0.4600		0.4846		0.0776	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3C (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	695	689	108	119	432	410	509	527
GEOGRAPHIC REGION								
Northeast	301	282	47	47	163	170	236	219
Midwest	277	276	45	46	164	152	212	221
South	422	442	65	73	258	252	324	337
West	354	361	57	71	254	221	261	259
COUNTY TYPE								
Large Metro	623	591	101	117	402	384	427	406
Small Metro	436	473	77	85	267	273	297	339
250K – 1 Mil. Pop.	361	394	64	65	221	223	243	276
< 250K Pop.	251	252	43	56	151	164	177	184
Nonmetro	311	324	50	43	194	173	215	252
Urbanized	213	231	38	28	117	131	156	173
Less Urbanized	210	217	34	31	133	115	143	166
Completely Rural	92	117	11	12	61	38	59	91
POVERTY LEVEL¹								
Less Than 100%	274	319	72	75	187	176	185	238
100-199%	352	364	62	64	215	217	263	275
200% or More	639	599	88	92	411	400	455	441
GOVERNMENT ASSISTANCE²								
Yes	336	408	64	67	221	234	233	297
No	712	675	120	128	444	428	497	505
HEALTH INSURANCE³								
Private	609	580	96	109	381	394	447	404
Medicaid/CHIP ⁴	255	310	56	53	169	168	180	240
Other ⁵	416	454	34	40	146	146	384	424
No Coverage	283	310	68	65	207	225	167	200

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3D (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.31	0.30	0.32	0.35	0.43	0.42	0.54	0.55
GEOGRAPHIC REGION								
Northeast	0.72	0.67	0.76	0.78	0.91	0.95	1.31	1.19
Midwest	0.56	0.55	0.61	0.62	0.77	0.72	1.01	1.03
South	0.51	0.53	0.54	0.59	0.71	0.70	0.94	0.95
West	0.68	0.68	0.71	0.87	1.08	0.94	1.26	1.22
COUNTY TYPE								
Large Metro	0.44	0.42	0.46	0.51	0.60	0.58	0.82	0.74
Small Metro	0.52	0.56	0.57	0.59	0.76	0.72	0.91	1.06
250K – 1 Mil. Pop.	0.62	0.72	0.72	0.79	0.90	0.88	1.12	1.30
< 250K Pop.	0.92	0.89	0.91	0.88	1.36	1.27	1.54	1.72
Nonmetro	0.69	0.71	0.71	0.76	1.03	0.98	1.14	1.20
Urbanized	1.06	1.13	1.10	1.09	1.40	1.56	1.85	2.03
Less Urbanized	1.00	0.99	1.06	1.05	1.48	1.39	1.67	1.68
Completely Rural	1.99	2.61	2.55	2.60	4.04	2.97	2.52	3.80
POVERTY LEVEL¹								
Less Than 100%	0.82	0.90	0.74	0.70	1.28	1.18	2.20	2.39
100-199%	0.73	0.68	0.67	0.67	1.00	0.92	1.43	1.38
200% or More	0.36	0.35	0.45	0.49	0.51	0.51	0.60	0.58
GOVERNMENT ASSISTANCE²								
Yes	0.81	0.81	0.80	0.73	1.12	0.99	1.71	1.81
No	0.32	0.32	0.36	0.39	0.46	0.46	0.56	0.56
HEALTH INSURANCE³								
Private	0.34	0.35	0.43	0.48	0.49	0.52	0.59	0.56
Medicaid/CHIP ⁴	1.06	1.19	1.01	0.92	1.58	1.52	2.56	2.85
Other ⁵	0.70	0.76	1.42	1.47	1.82	1.78	0.77	0.84
No Coverage	0.69	0.69	0.62	0.63	0.95	0.91	2.26	2.23

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3P (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.8753		0.9022		0.2824		0.4391	
GEOGRAPHIC REGION								
Northeast	0.5384		0.7792		0.1728		0.8595	
Midwest	0.6830		0.0964		0.7113		0.2142	
South	0.8463		0.4290		0.1783		0.4929	
West	0.3751		0.6641		0.2380		0.8683	
COUNTY TYPE								
Large Metro	0.7082		0.8124		0.7519		0.8946	
Small Metro	0.9633		0.7364		0.4513		0.6124	
250K – 1 Mil. Pop.	0.8649		0.3145		0.2852		0.4498	
< 250K Pop.	0.8653		0.3869		0.8565		0.8479	
Nonmetro	0.7578		0.3830		0.1988		0.1308	
Urbanized	0.3527		0.4692		0.3933		0.4747	
Less Urbanized	0.4994		0.4754		0.0656		0.4816	
Completely Rural	0.7009		0.7898		0.0973		0.1243	
POVERTY LEVEL¹								
Less Than 100%	0.7098		0.1347		0.5974		0.6284	
100-199%	0.8011		0.6676		0.0622		0.1378	
200% or More	0.5823		0.3423		0.7969		0.6148	
GOVERNMENT ASSISTANCE²								
Yes	0.6626		0.8723		0.3148		0.1588	
No	0.3269		0.8269		0.2272		0.8912	
HEALTH INSURANCE³								
Private	0.3636		0.3730		0.6751		0.3522	
Medicaid/CHIP ⁴	0.4830		0.4922		0.0136		0.2383	
Other ⁵	0.0752		0.9019		0.9902		0.0612	
No Coverage	0.8714		0.3285		0.5947		0.5020	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.