

Table 1.20C (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	695	689	136	139	780	788
AGE						
18-49	453	426	104	114	517	512
18-25	108	119	34	34	131	142
26-34	250	251	66	70	280	282
35-49	339	324	69	86	380	377
GENDER/AGE						
Male 18 or Older	430	467	114	94	458	498
Male 18-49	301	290	84	85	314	318
Female 18 or Older	521	507	71	99	588	565
Female 18-49	323	308	61	77	372	361

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.20D (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	0.31	0.30	2.07	2.02	0.31	0.31
AGE						
18-49	0.34	0.32	1.86	1.97	0.34	0.33
18-25	0.32	0.35	1.55	1.63	0.33	0.36
26-34	0.69	0.69	3.90	3.86	0.70	0.70
35-49	0.54	0.52	4.33	4.44	0.54	0.53
GENDER/AGE						
Male 18 or Older	0.39	0.42	2.43	2.16	0.39	0.43
Male 18-49	0.46	0.44	2.15	2.16	0.46	0.45
Female 18 or Older	0.44	0.43	3.70	3.89	0.44	0.43
Female 18-49	0.48	0.46	3.54	3.88	0.48	0.46

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.20P (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	0.8753		0.5448		0.9295	
AGE						
18-49	0.3061		0.1829		0.4018	
18-25	0.9022		0.8775		0.8419	
26-34	0.2126		0.1268		0.3166	
35-49	0.6601		0.4153		0.7057	
GENDER/AGE						
Male 18 or Older	0.2829		0.2667		0.1782	
Male 18-49	0.5951		0.2333		0.7631	
Female 18 or Older	0.2715		0.9685		0.2218	
Female 18-49	0.3687		0.3500		0.3996	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.21C (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	322	362	61	79	322	354
AGE						
18-49	226	233	50	67	224	228
18-25	51	59	17	17	50	60
26-34	122	137	32	52	120	130
35-49	176	179	32	40	175	179
GENDER/AGE						
Male 18 or Older	184	220	41	45	179	209
Male 18-49	131	147	37	41	127	141
Female 18 or Older	265	267	47	64	265	265
Female 18-49	178	171	33	52	178	170

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.21D (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	0.14	0.16	1.14	1.33	0.14	0.16
AGE						
18-49	0.17	0.18	1.06	1.30	0.17	0.17
18-25	0.15	0.17	0.88	0.93	0.16	0.18
26-34	0.34	0.37	2.35	3.13	0.34	0.36
35-49	0.28	0.29	2.40	2.42	0.28	0.29
GENDER/AGE						
Male 18 or Older	0.17	0.20	1.05	1.16	0.17	0.20
Male 18-49	0.20	0.22	1.10	1.18	0.20	0.22
Female 18 or Older	0.23	0.23	3.04	3.34	0.22	0.22
Female 18-49	0.27	0.26	2.46	3.14	0.27	0.25

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.21P (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total¹ (2009)	Total¹ (2010)	On Probation (2009)	On Probation (2010)	Not on Probation (2009)	Not on Probation (2010)
TOTAL 18 OR OLDER	0.0709		0.4553		0.0859	
AGE						
18-49	0.1294		0.5732		0.1584	
18-25	0.0132		0.3082		0.0035	
26-34	0.9287		0.3320		0.7507	
35-49	0.2316		0.9679		0.2284	
GENDER/AGE						
Male 18 or Older	0.0990		0.7605		0.0839	
Male 18-49	0.1519		0.8921		0.1128	
Female 18 or Older	0.2780		0.7092		0.3488	
Female 18-49	0.3907		0.4436		0.5396	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.