

Table 1.24C (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	603	616	467	510	275	302	239	240	288	308	467	479
AGE												
18-25	90	93	70	73	38	45	35	35	46	41	71	69
26-49	359	361	312	305	180	183	154	149	184	168	242	245
50 or Older	489	506	338	382	197	226	177	188	219	248	385	402
GENDER												
Male	366	379	290	292	151	177	157	139	184	180	265	275
Female	466	480	365	404	229	234	183	200	223	246	362	372
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	563	584	443	474	267	275	229	226	275	294	450	466
White	620	606	428	439	252	243	222	212	261	287	418	417
Black or African American	181	195	110	132	74	76	49	74	60	76	136	140
American Indian or Alaska Native	*	29	*	*	*	*	*	*	*	*	*	17
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	71	113	61	62	*	*	*	*	*	29	37	95
Two or More Races	72	98	67	*	*	*	*	*	*	*	24	67
Hispanic or Latino	190	193	131	176	71	*	62	88	88	92	130	108
CURRENT EMPLOYMENT												
Full-Time	413	426	281	285	145	173	146	132	182	181	286	312
Part-Time	228	224	152	156	69	86	86	82	106	102	171	163
Unemployed	128	159	108	138	77	83	43	*	61	78	71	83
Other ¹	435	457	308	344	193	192	164	169	182	211	306	302

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.24D (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.27	0.27	0.86	0.89	1.68	1.67	1.75	1.75	1.11	1.11	0.24	0.24
AGE												
18-25	0.27	0.27	0.97	0.93	2.20	2.32	1.85	1.75	1.22	1.15	0.24	0.23
26-49	0.36	0.37	1.10	1.07	2.06	2.05	2.20	2.26	1.39	1.31	0.29	0.30
50 or Older	0.52	0.52	1.92	1.93	3.74	3.74	3.89	3.99	2.37	2.38	0.46	0.47
GENDER												
Male	0.34	0.34	1.43	1.44	2.98	3.17	3.00	3.09	1.77	1.65	0.27	0.28
Female	0.40	0.41	1.08	1.11	2.00	1.88	2.23	2.03	1.41	1.53	0.37	0.38
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.29	0.30	0.92	0.94	1.75	1.73	1.83	1.86	1.20	1.19	0.26	0.27
White	0.34	0.34	1.01	1.05	1.89	1.90	2.01	2.08	1.36	1.40	0.31	0.31
Black or African American	0.63	0.68	2.32	2.39	5.51	5.01	4.33	5.74	2.41	2.66	0.59	0.62
American Indian or Alaska Native	*	2.65	*	*	*	*	*	*	*	*	*	2.02
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	0.71	1.05	4.31	4.03	*	*	*	*	*	2.97	0.43	1.03
Two or More Races	2.57	3.21	5.81	*	*	*	*	*	*	*	1.41	2.99
Hispanic or Latino	0.62	0.61	2.19	2.88	5.59	*	4.92	5.37	2.68	3.27	0.49	0.39
CURRENT EMPLOYMENT												
Full-Time	0.33	0.35	1.22	1.27	2.82	2.63	2.44	2.65	1.46	1.52	0.28	0.31
Part-Time	0.67	0.63	1.91	1.87	4.19	3.84	3.77	3.98	2.69	2.49	0.64	0.58
Unemployed	0.82	0.99	2.39	2.96	4.68	4.99	4.10	*	3.06	4.22	0.61	0.71
Other ¹	0.61	0.60	1.69	1.68	2.74	2.83	3.63	3.22	2.20	2.26	0.56	0.53

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.24P (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.3113		0.0727		0.6930		0.3835		0.3541		0.9905	
AGE												
18-25	0.5714		0.6947		0.6774		0.7098		0.8971		0.2237	
26-49	0.6153		0.1056		0.3148		0.4355		0.5321		0.8954	
50 or Older	0.3020		0.3803		0.6942		0.5271		0.5390		0.7587	
GENDER												
Male	0.6216		0.4931		0.8820		0.4706		0.3762		0.4573	
Female	0.3408		0.0020		0.6215		0.0694		0.0399		0.5406	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.3561		0.2262		0.8925		0.4341		0.4873		0.8153	
White	0.5405		0.1679		0.9699		0.5576		0.2444		0.8899	
Black or African American	0.2301		0.3537		0.4705		0.0978		0.9755		0.7085	
American Indian or Alaska Native	*		*		*		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.1835		0.8998		*		*		*		0.1366	
Two or More Races	0.8084		*		*		*		*		0.1500	
Hispanic or Latino	0.5187		0.0617		*		0.3950		0.6236		0.5272	
CURRENT EMPLOYMENT												
Full-Time	0.6324		0.1517		0.1865		0.8914		0.5871		0.8473	
Part-Time	0.1259		0.5581		0.7620		0.3629		0.0977		0.1336	
Unemployed	0.5479		0.3700		0.5865		*		0.6240		0.8706	
Other ¹	0.1230		0.3333		0.6170		0.8613		0.1477		0.5743	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.25C (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	603	616	467	510	275	302	239	240	288	308	467	479
GEOGRAPHIC REGION												
Northeast	247	267	193	205	106	112	89	111	117	127	171	201
Midwest	246	233	194	195	112	130	111	81	104	116	185	183
South	407	389	306	318	180	169	156	153	196	201	309	291
West	308	355	236	281	132	169	115	126	138	164	239	265
COUNTY TYPE												
Large Metro	517	529	362	378	213	213	162	171	223	237	334	351
Small Metro	394	407	252	286	137	144	133	143	156	162	281	285
250K – 1 Mil. Pop.	311	341	214	246	113	127	93	113	141	141	211	235
< 250K Pop.	242	227	145	140	76	67	91	84	74	79	184	161
Nonmetro	257	271	183	193	109	149	116	91	89	122	165	174
Urbanized	168	176	125	117	82	*	*	*	52	75	102	118
Less Urbanized	179	181	125	130	63	*	67	67	69	88	117	116
Completely Rural	102	115	50	*	*	*	*	*	*	*	81	60
POVERTY LEVEL¹												
Less Than 100%	202	247	162	208	120	141	92	104	82	110	126	136
100-199%	284	307	215	231	109	120	133	136	116	148	187	201
200% or More	585	581	386	378	217	224	180	172	251	247	404	422
GOVERNMENT ASSISTANCE²												
Yes	290	346	213	270	135	160	122	139	117	156	185	208
No	607	615	405	430	236	248	202	196	256	270	422	433
HEALTH INSURANCE³												
Private	546	563	365	375	174	220	193	181	244	232	379	413
Medicaid/CHIP ⁴	236	260	172	220	121	141	89	109	98	118	154	140
Other ⁵	388	394	263	291	165	148	136	143	153	197	282	277
No Coverage	187	210	149	175	94	113	81	81	86	112	105	105

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.25D (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.27	0.27	0.86	0.89	1.68	1.67	1.75	1.75	1.11	1.11	0.24	0.24
GEOGRAPHIC REGION												
Northeast	0.59	0.63	1.85	2.00	3.46	3.65	3.67	4.00	2.36	2.67	0.48	0.56
Midwest	0.50	0.47	1.57	1.57	2.91	3.05	3.09	3.10	1.89	1.96	0.43	0.42
South	0.49	0.46	1.58	1.62	3.21	3.08	3.09	3.19	2.03	2.02	0.43	0.39
West	0.59	0.67	1.91	1.98	3.91	3.47	3.80	3.89	2.26	2.50	0.53	0.59
COUNTY TYPE												
Large Metro	0.37	0.39	1.26	1.29	2.78	2.40	2.43	2.40	1.59	1.65	0.31	0.33
Small Metro	0.51	0.48	1.53	1.54	2.68	2.82	3.05	3.27	1.84	1.88	0.47	0.45
250K – 1 Mil. Pop.	0.63	0.61	1.96	1.87	3.09	3.52	3.73	4.16	2.36	2.36	0.54	0.56
< 250K Pop.	0.87	0.77	2.47	2.49	4.83	4.26	4.78	5.11	2.87	2.94	0.87	0.73
Nonmetro	0.60	0.66	2.00	2.04	3.22	4.05	4.02	4.06	2.44	2.86	0.51	0.57
Urbanized	0.89	0.96	3.23	3.02	5.11	*	*	*	3.65	4.23	0.72	0.86
Less Urbanized	0.85	0.89	2.72	2.91	4.72	*	5.12	6.00	3.46	4.03	0.76	0.78
Completely Rural	2.11	2.63	5.90	*	*	*	*	*	*	*	2.09	1.88
POVERTY LEVEL¹												
Less Than 100%	0.66	0.75	1.80	2.08	3.24	3.52	3.93	4.39	2.21	2.69	0.58	0.59
100-199%	0.61	0.60	1.77	1.79	3.50	3.59	3.88	3.40	2.19	2.51	0.52	0.52
200% or More	0.34	0.33	1.19	1.16	2.39	2.26	2.22	2.36	1.52	1.46	0.30	0.31
GOVERNMENT ASSISTANCE²												
Yes	0.73	0.73	1.67	1.76	2.67	2.94	3.70	3.39	2.27	2.56	0.67	0.67
No	0.28	0.29	0.99	1.06	2.14	2.08	1.93	2.10	1.22	1.27	0.25	0.26
HEALTH INSURANCE³												
Private	0.32	0.33	1.17	1.17	2.39	2.17	2.30	2.35	1.45	1.41	0.27	0.31
Medicaid/CHIP ⁴	1.07	1.05	2.15	2.54	2.93	3.60	4.60	4.52	3.07	3.50	1.06	0.89
Other ⁵	0.67	0.66	2.33	2.17	4.06	4.07	4.94	4.64	2.68	2.86	0.61	0.59
No Coverage	0.49	0.53	1.63	1.80	3.32	3.90	3.41	3.60	2.08	2.37	0.36	0.34

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.25P (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.3113		0.0727		0.6930		0.3835		0.3541		0.9905	
GEOGRAPHIC REGION												
Northeast	0.0326		0.1341		0.7602		0.0137		0.7725		0.1515	
Midwest	0.8882		0.9469		0.1476		0.0806		0.6481		0.9286	
South	0.3757		0.6057		0.4149		0.6739		0.5866		0.1162	
West	0.2942		0.1353		0.4217		0.6371		0.5916		0.4526	
COUNTY TYPE												
Large Metro	0.3512		0.1188		0.4350		0.3762		0.5798		0.7926	
Small Metro	0.4436		0.3905		0.7607		0.1696		0.8930		0.7687	
250K – 1 Mil. Pop.	0.4175		0.4044		0.5170		0.0525		0.5451		0.7781	
< 250K Pop.	0.8649		0.7677		0.6739		0.8662		0.3846		0.9164	
Nonmetro	0.7529		0.6916		0.8680		0.1994		0.1030		0.3238	
Urbanized	0.3808		0.7847		*		*		0.0908		0.6390	
Less Urbanized	0.1202		0.7999		*		0.9146		0.7068		0.1148	
Completely Rural	0.8439		*		*		*		*		0.4098	
POVERTY LEVEL¹												
Less Than 100%	0.7709		0.2026		0.6462		0.1305		0.3662		0.4644	
100-199%	0.4188		0.2444		0.5159		0.4842		0.5349		0.9701	
200% or More	0.5470		0.3047		0.6975		0.8645		0.5731		0.7762	
GOVERNMENT ASSISTANCE²												
Yes	0.9574		0.7982		0.6012		0.4326		0.9237		0.5530	
No	0.5053		0.1076		0.4522		0.7352		0.2961		0.9054	
HEALTH INSURANCE³												
Private	0.1141		0.0251		0.0451		0.4185		0.5048		0.4119	
Medicaid/CHIP ⁴	0.2029		0.5365		0.4251		0.7223		0.6892		0.3594	
Other ⁵	0.3200		0.5524		0.3119		0.8297		0.2422		0.9154	
No Coverage	0.9440		0.4032		0.8780		0.5756		0.4657		0.4495	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.26C (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	154	154	121	104	86	72	45	39	75	58	96	118
AGE												
18-25	32	31	28	21	22	14	14	10	9	13	16	22
26-49	107	84	95	79	75	56	37	32	47	37	43	35
50 or Older	108	128	70	64	35	43	20	22	57	43	83	111
GENDER												
Male	105	117	73	73	49	51	25	27	49	36	71	98
Female	109	100	93	75	66	51	37	29	57	45	63	66
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	136	144	113	93	82	66	41	32	67	47	81	115
White	116	96	97	75	64	55	39	28	60	34	68	59
Black or African American	68	76	53	42	*	31	*	8	21	25	42	63
American Indian or Alaska Native	7	7	*	*	*	*	*	*	*	*	2	4
Native Hawaiian or Other Pacific Islander	2	*	*	*	*	*	*	*	*	*	*	*
Asian	20	82	*	*	*	*	*	*	*	*	2	*
Two or More Races	14	13	14	11	*	*	*	*	*	1	1	7
Hispanic or Latino	67	58	46	50	26	28	16	24	33	35	51	30
HEALTH INSURANCE¹												
Private	88	80	68	64	39	44	35	23	44	34	55	47
Medicaid/CHIP ²	91	121	76	72	58	47	19	32	45	38	40	97
Other ³	105	116	74	60	40	46	25	18	57	33	74	105
No Coverage	46	37	36	29	32	23	14	12	9	14	30	23
CURRENT EMPLOYMENT												
Full-Time	60	53	51	40	25	31	25	22	38	11	32	35
Part-Time	52	36	21	35	15	20	7	7	12	25	48	8
Unemployed	46	34	35	28	29	19	17	11	8	17	30	19
Other ⁴	121	135	99	84	70	58	32	30	62	48	69	111

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.26D (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.07	0.07	0.29	0.25	0.98	0.77	0.44	0.39	0.33	0.26	0.05	0.06
AGE												
18-25	0.10	0.09	0.45	0.35	1.81	1.06	0.85	0.58	0.29	0.42	0.06	0.08
26-49	0.11	0.09	0.43	0.38	1.44	1.04	0.69	0.64	0.41	0.35	0.06	0.04
50 or Older	0.11	0.13	0.50	0.44	1.47	1.50	0.62	0.65	0.70	0.51	0.10	0.13
GENDER												
Male	0.10	0.11	0.46	0.44	1.69	1.50	0.64	0.74	0.53	0.39	0.08	0.10
Female	0.09	0.08	0.35	0.30	1.12	0.84	0.58	0.46	0.41	0.35	0.07	0.07
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.07	0.07	0.31	0.25	1.05	0.79	0.45	0.36	0.33	0.24	0.05	0.07
White	0.07	0.06	0.32	0.25	0.96	0.82	0.51	0.39	0.37	0.22	0.05	0.05
Black or African American	0.25	0.28	1.27	0.92	*	2.93	*	0.93	0.88	0.96	0.19	0.28
American Indian or Alaska Native	0.66	0.63	*	*	*	*	*	*	*	*	0.19	0.47
Native Hawaiian or Other Pacific Islander	0.27	*	*	*	*	*	*	*	*	*	*	*
Asian	0.20	0.78	*	*	*	*	*	*	*	*	0.02	*
Two or More Races	0.58	0.48	1.84	1.88	*	*	*	*	*	0.43	0.05	0.32
Hispanic or Latino	0.22	0.18	0.90	1.03	2.77	2.71	1.58	1.83	1.12	1.35	0.19	0.11
HEALTH INSURANCE¹												
Private	0.06	0.05	0.27	0.27	0.93	0.91	0.57	0.42	0.30	0.25	0.04	0.04
Medicaid/CHIP ²	0.47	0.55	1.28	1.13	3.12	2.73	1.35	1.98	1.67	1.30	0.30	0.64
Other ³	0.20	0.21	0.84	0.61	2.27	2.04	1.30	0.92	1.12	0.59	0.17	0.24
No Coverage	0.13	0.10	0.49	0.37	1.82	1.18	0.72	0.62	0.23	0.35	0.10	0.07
CURRENT EMPLOYMENT												
Full-Time	0.05	0.05	0.28	0.23	0.78	0.89	0.55	0.52	0.36	0.11	0.03	0.04
Part-Time	0.17	0.11	0.34	0.56	1.38	1.50	0.41	0.47	0.38	0.73	0.19	0.03
Unemployed	0.31	0.23	1.00	0.83	3.46	2.07	1.84	1.32	0.43	1.07	0.26	0.16
Other ⁴	0.18	0.20	0.72	0.58	2.07	1.63	1.01	0.87	0.87	0.64	0.13	0.21

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.26P (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.4511		0.1625		0.1319		0.6997		0.3546		0.6690	
AGE												
18-25	0.7233		0.2008		0.1088		0.3069		0.9526		0.3109	
26-49	0.1205		0.1486		0.1227		0.6124		0.4415		0.7837	
50 or Older	0.6843		0.9472		0.7755		0.4903		0.5710		0.7076	
GENDER												
Male	0.8770		0.4655		0.5896		0.8206		0.2716		0.5111	
Female	0.2054		0.1956		0.1039		0.5030		0.7595		0.8721	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.5194		0.1406		0.1338		0.8628		0.2469		0.5135	
White	0.1212		0.1611		0.3220		0.5744		0.2210		0.5541	
Black or African American	0.9231		0.2993		*		*		0.6732		0.5348	
American Indian or Alaska Native	0.7850		*		*		*		*		0.5487	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.1572		*		*		*		*		*	
Two or More Races	0.6970		0.7465		*		*		*		0.2283	
Hispanic or Latino	0.6709		0.9187		0.7872		0.5204		0.8036		0.6630	
HEALTH INSURANCE¹												
Private	0.6338		0.8411		0.7872		0.3646		0.5953		0.7069	
Medicaid/CHIP ²	0.9030		0.3488		0.4102		0.3025		0.2761		0.2140	
Other ³	0.8468		0.2738		0.9571		0.4948		0.1942		0.4385	
No Coverage	0.1046		0.2101		0.1257		0.7289		0.9530		0.3296	
CURRENT EMPLOYMENT												
Full-Time	0.5321		0.4357		0.9645		0.8204		0.0690		0.8479	
Part-Time	0.1557		0.6080		0.8238		0.9037		0.5589		0.0313	
Unemployed	0.5416		0.4642		0.1751		0.3416		0.2190		1.0000	
Other ⁴	0.9974		0.1240		0.2095		0.6391		0.3835		0.2078	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.27C (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	420	448	347	368	234	244	164	183	206	194	264	274
AGE												
18-25	68	70	55	58	32	38	29	25	35	34	46	44
26-49	265	273	225	222	149	146	111	109	125	119	148	155
50 or Older	320	337	251	274	169	180	113	146	156	148	217	219
GENDER												
Male	249	273	202	213	123	149	94	106	131	120	147	173
Female	337	340	282	283	199	184	135	150	157	152	215	205
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	393	417	329	336	229	216	152	168	193	184	254	266
White	390	409	314	305	215	188	145	159	183	172	218	248
Black or African American	140	119	85	104	65	54	39	53	36	69	108	56
American Indian or Alaska Native	39	21	*	*	*	*	*	*	*	*	*	9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	59	57	48	34	*	*	*	*	29	12	34	45
Two or More Races	45	76	41	*	*	*	*	*	*	*	15	33
Hispanic or Latino	133	158	105	149	48	*	56	72	70	60	84	64
HEALTH INSURANCE¹												
Private	362	384	272	278	152	175	134	141	174	155	211	239
Medicaid/CHIP ²	181	181	129	161	102	112	58	78	70	86	121	79
Other ³	260	240	199	203	153	119	87	113	91	116	168	131
No Coverage	109	143	96	119	57	82	51	62	58	57	48	73
CURRENT EMPLOYMENT												
Full-Time	279	301	210	206	121	145	98	93	129	112	170	197
Part-Time	167	146	125	105	53	63	73	56	87	66	114	102
Unemployed	72	123	65	103	40	61	34	*	37	38	33	69
Other ⁴	280	286	232	248	177	157	101	130	124	143	166	145

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.27D (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.19	0.20	0.74	0.78	1.97	1.89	1.44	1.57	0.86	0.82	0.14	0.14
AGE												
18-25	0.20	0.21	0.80	0.82	2.27	2.30	1.59	1.35	0.97	1.02	0.16	0.15
26-49	0.27	0.28	0.90	0.92	2.21	2.13	1.86	1.91	1.02	1.05	0.19	0.19
50 or Older	0.34	0.35	1.63	1.63	4.74	4.48	3.13	3.63	1.82	1.63	0.26	0.26
GENDER												
Male	0.23	0.25	1.17	1.16	3.23	3.36	2.31	2.66	1.38	1.19	0.15	0.18
Female	0.29	0.29	0.94	0.98	2.41	2.18	1.87	1.90	1.07	1.12	0.23	0.21
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.20	0.21	0.79	0.81	2.07	1.96	1.50	1.67	0.92	0.87	0.15	0.16
White	0.23	0.24	0.89	0.90	2.27	2.14	1.68	1.86	1.08	1.00	0.17	0.19
Black or African American	0.51	0.44	1.94	2.08	5.87	4.46	3.70	4.93	1.49	2.51	0.48	0.25
American Indian or Alaska Native	2.99	1.91	*	*	*	*	*	*	*	*	*	1.07
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	0.60	0.55	3.49	2.45	*	*	*	*	3.19	1.31	0.41	0.50
Two or More Races	1.73	2.65	4.89	*	*	*	*	*	*	*	0.90	1.56
Hispanic or Latino	0.43	0.50	1.97	2.63	4.82	*	4.61	4.74	2.29	2.26	0.32	0.24
HEALTH INSURANCE¹												
Private	0.22	0.24	0.97	1.04	2.62	2.61	1.93	2.17	1.12	1.08	0.16	0.18
Medicaid/CHIP ²	0.88	0.79	1.97	2.18	4.00	4.43	3.71	4.25	2.37	2.80	0.87	0.52
Other ³	0.47	0.43	2.01	1.79	4.95	4.20	4.11	4.23	1.80	1.94	0.38	0.29
No Coverage	0.30	0.37	1.22	1.41	3.00	3.66	2.45	2.98	1.49	1.37	0.17	0.24
CURRENT EMPLOYMENT												
Full-Time	0.23	0.25	1.03	1.08	2.88	3.01	2.01	2.10	1.12	1.08	0.17	0.20
Part-Time	0.51	0.43	1.77	1.51	4.23	3.86	3.45	3.36	2.40	1.79	0.43	0.37
Unemployed	0.48	0.79	1.74	2.64	4.55	5.36	3.54	*	2.03	2.39	0.29	0.60
Other ⁴	0.41	0.41	1.51	1.46	3.37	3.20	2.93	3.08	1.69	1.76	0.31	0.27

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.27P (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.3027		0.3782		0.4389		0.0905		0.8982		0.4295	
AGE												
18-25	0.2133		0.6988		0.4641		0.0357		0.5066		0.1062	
26-49	0.3143		0.2959		0.7853		0.3645		0.5695		0.2158	
50 or Older	0.3768		0.6573		0.4830		0.0455		0.4485		0.6193	
GENDER												
Male	0.2087		0.9597		0.8447		0.4442		0.4309		0.1289	
Female	0.7249		0.2156		0.4386		0.1143		0.5396		0.8339	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.4054		0.8447		0.0693		0.0873		0.9237		0.2616	
White	0.3327		0.9145		0.2097		0.1382		0.7798		0.1126	
Black or African American	0.9003		0.4750		0.0403		0.1555		0.2638		0.3235	
American Indian or Alaska Native	0.4927		*		*		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.9690		0.7902		*		*		0.1852		0.8309	
Two or More Races	0.7763		*		*		*		*		0.1570	
Hispanic or Latino	0.3959		0.0587		*		0.6822		0.7685		0.3540	
HEALTH INSURANCE¹												
Private	0.1181		0.1142		0.5565		0.3142		0.8512		0.2095	
Medicaid/CHIP ²	0.0971		0.4382		0.1546		0.4997		0.8053		0.1700	
Other ³	0.7862		0.9671		0.0477		0.1202		0.7568		0.6158	
No Coverage	0.1572		0.3300		0.5614		0.3267		0.9891		0.1502	
CURRENT EMPLOYMENT												
Full-Time	0.4375		0.4826		0.8793		0.6680		0.9446		0.2880	
Part-Time	0.0170		0.0272		0.9841		0.3173		0.0142		0.2073	
Unemployed	0.0046		0.0533		0.3143		*		0.4216		0.0089	
Other ⁴	0.3197		0.4760		0.0935		0.0363		0.4262		0.9729	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Table 1.28C (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	564	557	422	488	264	284	223	225	252	292	438	412
AGE												
18-25	77	82	61	64	33	42	32	30	38	36	60	58
26-49	329	324	285	285	172	176	144	140	167	158	217	203
50 or Older	461	468	307	369	193	212	168	179	189	234	362	357
GENDER												
Male	341	333	266	269	144	153	147	129	163	168	240	237
Female	439	451	337	387	221	227	173	192	197	230	348	333
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	533	531	402	453	257	253	213	213	245	280	426	403
White	575	554	394	428	248	235	210	202	232	271	401	374
Black or African American	157	169	94	113	62	67	44	64	53	64	123	124
American Indian or Alaska Native	*	28	*	*	*	*	*	*	*	*	*	16
Native Hawaiian or Other Pacific Islander	20	*	*	*	*	*	*	*	*	*	*	*
Asian	51	63	39	50	*	*	*	*	*	20	33	39
Two or More Races	65	71	62	27	*	*	*	*	*	*	20	66
Hispanic or Latino	149	186	107	168	68	115	58	84	58	80	97	101
HEALTH INSURANCE¹												
Private	484	495	326	353	166	199	177	167	213	217	350	361
Medicaid/CHIP ²	225	229	164	208	119	139	89	107	86	101	146	99
Other ³	364	369	246	282	159	146	135	137	131	190	265	247
No Coverage	177	195	141	163	92	109	78	79	78	102	98	100
CURRENT EMPLOYMENT												
Full-Time	370	366	249	262	137	153	128	122	164	170	264	271
Part-Time	197	206	136	144	67	82	81	78	90	89	146	147
Unemployed	124	142	105	125	76	81	39	54	59	73	70	70
Other ⁴	410	427	291	334	187	190	160	165	165	195	286	266

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.28D (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.25	0.24	0.82	0.90	1.77	1.80	1.72	1.72	1.00	1.09	0.22	0.21
AGE												
18-25	0.23	0.24	0.88	0.89	2.22	2.31	1.73	1.61	1.02	1.07	0.20	0.20
26-49	0.33	0.33	1.08	1.07	2.17	2.15	2.22	2.17	1.30	1.29	0.26	0.25
50 or Older	0.49	0.49	1.84	1.94	4.00	4.10	3.83	3.95	2.14	2.30	0.44	0.42
GENDER												
Male	0.31	0.30	1.38	1.36	3.12	3.27	2.96	2.96	1.62	1.57	0.25	0.25
Female	0.37	0.38	1.04	1.14	2.13	2.01	2.20	2.12	1.27	1.48	0.36	0.34
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.27	0.27	0.87	0.95	1.84	1.86	1.81	1.86	1.09	1.18	0.25	0.24
White	0.33	0.32	0.97	1.07	1.96	1.98	2.02	2.09	1.25	1.38	0.30	0.29
Black or African American	0.56	0.60	2.02	2.17	5.97	4.97	4.00	5.41	2.15	2.33	0.54	0.55
American Indian or Alaska Native	*	2.53	*	*	*	*	*	*	*	*	*	1.85
Native Hawaiian or Other Pacific Islander	2.72	*	*	*	*	*	*	*	*	*	*	*
Asian	0.50	0.59	2.91	3.26	*	*	*	*	*	2.09	0.38	0.43
Two or More Races	2.39	2.46	5.90	4.81	*	*	*	*	*	*	1.18	2.96
Hispanic or Latino	0.48	0.59	1.92	2.83	5.60	6.00	4.66	5.21	1.87	2.92	0.37	0.37
HEALTH INSURANCE¹												
Private	0.29	0.30	1.10	1.17	2.52	2.45	2.26	2.30	1.30	1.39	0.26	0.27
Medicaid/CHIP ²	1.02	0.97	2.10	2.51	3.03	3.91	4.59	4.58	2.83	3.10	1.01	0.65
Other ³	0.64	0.63	2.28	2.15	4.33	4.07	4.95	4.70	2.42	2.80	0.58	0.53
No Coverage	0.47	0.49	1.59	1.73	3.42	3.98	3.36	3.50	1.90	2.22	0.34	0.33
CURRENT EMPLOYMENT												
Full-Time	0.30	0.30	1.15	1.24	2.93	2.91	2.32	2.51	1.36	1.48	0.26	0.27
Part-Time	0.59	0.58	1.81	1.84	4.13	3.96	3.71	4.00	2.48	2.28	0.55	0.53
Unemployed	0.80	0.90	2.36	2.86	4.82	5.41	3.82	5.04	2.98	4.04	0.59	0.60
Other ⁴	0.58	0.57	1.67	1.70	2.86	2.91	3.65	3.26	2.07	2.16	0.53	0.48

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.28P (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic/Health Characteristic	Total (2009)	Total (2010)	Any Mental Illness (2009)	Any Mental Illness (2010)	Serious Mental Illness (2009)	Serious Mental Illness (2010)	Moderate Mental Illness (2009)	Moderate Mental Illness (2010)	Mild Mental Illness (2009)	Mild Mental Illness (2010)	No Mental Illness (2009)	No Mental Illness (2010)
TOTAL	0.3515		0.0677		0.9703		0.3697		0.2234		0.8074	
AGE												
18-25	0.6098		0.9064		0.8452		0.2872		0.9232		0.3832	
26-49	0.7227		0.1185		0.5571		0.2369		0.6483		0.6367	
50 or Older	0.3195		0.3027		0.4587		0.6632		0.2385		0.9008	
GENDER												
Male	0.9794		0.4770		0.7672		0.5248		0.4693		0.9174	
Female	0.2193		0.0019		0.7618		0.0949		0.0217		0.6642	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.5731		0.2869		0.4661		0.4358		0.3936		0.8610	
White	0.7565		0.1984		0.6105		0.5009		0.2024		0.6172	
Black or African American	0.1779		0.4016		0.7148		0.2637		0.9413		0.5060	
American Indian or Alaska Native	*		*		*		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.2198		0.2476		*		*		*		0.7203	
Two or More Races	0.3717		0.0647		*		*		*		0.1865	
Hispanic or Latino	0.1488		0.0168		0.0685		0.3501		0.3105		0.8759	
HEALTH INSURANCE¹												
Private	0.1102		0.0167		0.1633		0.2874		0.3641		0.5696	
Medicaid/CHIP ²	0.0808		0.3570		0.2759		0.9027		0.7766		0.1688	
Other ³	0.3490		0.3348		0.5134		0.8039		0.0599		0.6317	
No Coverage	0.9506		0.6402		0.6761		0.5783		0.6708		0.5361	
CURRENT EMPLOYMENT												
Full-Time	0.6907		0.0836		0.4184		0.5031		0.3888		0.7852	
Part-Time	0.3247		0.6167		0.8879		0.5929		0.2994		0.4255	
Unemployed	0.5357		0.7925		0.3974		0.5798		0.9789		0.1918	
Other ⁴	0.1143		0.3487		0.7572		0.9384		0.1245		0.5219	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.