

Table 1.34C Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Type of Mental Health Treatment/Counseling ¹	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	103	113	17	19	44	31	93	107
Outpatient	219	251	45	44	142	162	160	180
Prescription Medication	471	474	62	65	254	257	375	396
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	28	33	7	11	25	24	12	20
Inpatient and Prescription Medication	50	49	10	12	35	27	35	39
Outpatient and Prescription Medication	355	369	53	52	212	224	275	291
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	97	86	24	18	84	61	40	54

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.34D Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Type of Mental Health Treatment/Counseling ¹	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	0.34	0.36	0.44	0.52	0.31	0.22	0.76	0.81
Outpatient	0.67	0.72	1.05	1.04	0.89	0.99	1.25	1.29
Prescription Medication	1.08	1.08	1.25	1.33	1.28	1.29	2.07	2.04
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	0.09	0.11	0.20	0.30	0.17	0.17	0.10	0.15
Inpatient and Prescription Medication	0.17	0.16	0.28	0.33	0.24	0.19	0.29	0.30
Outpatient and Prescription Medication	0.94	0.98	1.20	1.17	1.16	1.27	1.83	1.85
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	0.32	0.27	0.62	0.47	0.57	0.42	0.34	0.42

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.34P Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Type of Mental Health Treatment/Counseling ¹	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	0.4647		0.9516		0.3487		0.6271	
Outpatient	0.6919		0.6417		0.5095		0.8125	
Prescription Medication	0.9108		0.2692		0.4508		0.9626	
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	0.7665		0.2044		0.8135		0.7665	
Inpatient and Prescription Medication	0.9973		0.5507		0.9416		0.9456	
Outpatient and Prescription Medication	0.7119		0.5221		0.2388		0.7677	
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	0.3597		0.1953		0.1220		0.1939	

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.