

Table 1.35C Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Location of Treatment/Counseling¹	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
Outpatient Mental Health Clinic or Center	178	196	33	33	134	112	114	162
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	329	356	56	59	222	236	224	246
Doctor's Office - Not Part of a Clinic	237	207	26	25	126	117	195	172
Outpatient Medical Clinic	138	110	20	17	67	70	118	84
Partial Day Hospital or Day Treatment Program	64	53	20	8	53	38	30	36
School or University Setting/Clinic/Center ²	18	16	14	12	2	10	10	*
Some Other Place ³	49	66	8	9	34	28	34	60

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

¹ Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

² Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location was the most commonly reported other location for receiving outpatient treatment/counseling.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.35D Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Location of Treatment/Counseling¹	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
Outpatient Mental Health Clinic or Center	1.15	1.17	1.46	1.49	1.59	1.38	2.25	2.66
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	1.55	1.46	1.74	1.80	1.85	1.72	3.32	3.13
Doctor's Office - Not Part of a Clinic	1.40	1.22	1.21	1.21	1.50	1.40	3.21	2.75
Outpatient Medical Clinic	0.93	0.71	0.95	0.87	0.87	0.89	2.32	1.51
Partial Day Hospital or Day Treatment Program	0.44	0.35	0.95	0.42	0.70	0.50	0.63	0.66
School or University Setting/Clinic/Center ²	0.13	0.11	0.70	0.63	0.03	0.13	0.21	*
Some Other Place ³	0.35	0.44	0.42	0.50	0.47	0.36	0.71	1.08

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

¹ Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

² Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location was the most commonly reported other location for receiving outpatient treatment/counseling.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.35P Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Location of Treatment/Counseling ¹	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
Outpatient Mental Health Clinic or Center	0.8213		0.2673		0.0668		0.0745	
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	0.2177		0.4292		0.4121		0.3660	
Doctor's Office - Not Part of a Clinic	0.1872		0.7681		0.9272		0.0776	
Outpatient Medical Clinic	0.0886		0.2700		0.7532		0.0803	
Partial Day Hospital or Day Treatment Program	0.2725		0.0034		0.6760		0.9658	
School or University Setting/Clinic/Center ²	0.7835		0.7311		0.0789		*	
Some Other Place ³	0.6992		0.8757		0.3603		0.3091	

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

¹ Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

² Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location was the most commonly reported other location for receiving outpatient treatment/counseling.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.