

Table 1.37C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	372	358	254	286	280	222
AGE						
18-25	79	80	53	54	68	63
26-49	244	234	183	185	167	147
50 or Older	267	247	166	203	218	153
GENDER						
Male	212	194	146	140	157	137
Female	293	288	206	238	221	170
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	347	320	242	250	259	204
White	310	304	223	235	206	190
Black or African American	165	101	76	71	135	73
American Indian or Alaska Native	21	22	*	*	13	11
Native Hawaiian or Other Pacific Islander	11	5	*	*	2	5
Asian	73	42	*	*	66	33
Two or More Races	38	40	*	*	21	25
Hispanic or Latino	120	156	78	130	91	92
CURRENT EMPLOYMENT						
Full-Time	268	221	154	157	217	148
Part-Time	125	150	88	112	87	99
Unemployed	93	114	72	78	57	83
Other ³	225	210	169	184	138	106

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.37D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.16	0.16	0.78	0.84	0.14	0.11
AGE						
18-25	0.24	0.24	1.15	1.20	0.22	0.20
26-49	0.25	0.24	1.09	1.11	0.19	0.18
50 or Older	0.28	0.26	1.31	1.47	0.26	0.18
GENDER						
Male	0.19	0.18	1.33	1.27	0.15	0.14
Female	0.25	0.24	0.95	1.04	0.22	0.18
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.18	0.16	0.80	0.82	0.15	0.12
White	0.19	0.19	0.82	0.87	0.15	0.15
Black or African American	0.60	0.37	3.39	2.86	0.55	0.29
American Indian or Alaska Native	1.91	1.97	*	*	1.50	1.16
Native Hawaiian or Other Pacific Islander	1.52	0.74	*	*	0.29	0.75
Asian	0.71	0.40	*	*	0.68	0.34
Two or More Races	1.50	1.45	*	*	1.09	1.13
Hispanic or Latino	0.39	0.49	2.85	4.08	0.31	0.31
CURRENT EMPLOYMENT						
Full-Time	0.23	0.19	1.12	1.12	0.21	0.15
Part-Time	0.39	0.44	1.70	2.08	0.32	0.34
Unemployed	0.61	0.75	3.14	3.41	0.45	0.64
Other ³	0.33	0.31	1.48	1.45	0.24	0.19

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.37P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.0596		0.5674		0.0101	
AGE						
18-25	0.3965		0.2883		0.0989	
26-49	0.0183		0.2497		0.0088	
50 or Older	0.8865		0.8185		0.4904	
GENDER						
Male	0.1721		0.6561		0.0974	
Female	0.1727		0.6910		0.0444	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0160		0.2322		0.0083	
White	0.1392		0.5268		0.0804	
Black or African American	0.0919		0.1316		0.0955	
American Indian or Alaska Native	0.7411		*		0.4533	
Native Hawaiian or Other Pacific Islander	0.6861		*		0.2000	
Asian	0.1017		*		0.1258	
Two or More Races	0.4354		*		0.8740	
Hispanic or Latino	0.3710		0.1450		0.7318	
CURRENT EMPLOYMENT						
Full-Time	0.0011		0.2286		0.0004	
Part-Time	0.5538		0.0897		0.8783	
Unemployed	0.8927		0.2125		0.2758	
Other ³	0.9869		0.7824		0.5967	

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	372	358	254	286	280	222
GEOGRAPHIC REGION						
Northeast	130	115	86	81	96	91
Midwest	138	141	95	114	111	87
South	238	227	168	174	161	151
West	216	203	144	169	179	115
COUNTY TYPE						
Large Metro	304	274	187	218	229	171
Small Metro	200	190	129	134	146	129
250K – 1 Mil. Pop.	163	157	96	116	129	107
< 250K Pop.	119	107	88	67	69	71
Nonmetro	152	147	119	115	80	80
Urbanized	124	110	102	90	53	56
Less Urbanized	78	91	53	72	57	51
Completely Rural	41	33	*	23	26	19
POVERTY LEVEL³						
Less Than 100%	150	180	112	143	96	107
100-199%	191	154	137	123	131	97
200% or More	288	265	178	198	229	174
GOVERNMENT ASSISTANCE⁴						
Yes	187	194	146	154	111	122
No	333	303	203	234	258	187
HEALTH INSURANCE⁵						
Private	294	261	171	200	233	162
Medicaid/CHIP ⁶	128	152	100	136	78	73
Other ⁷	168	165	145	128	79	109
No Coverage	161	163	101	112	119	116

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.16	0.16	0.78	0.84	0.14	0.11
GEOGRAPHIC REGION						
Northeast	0.31	0.27	1.47	1.28	0.26	0.25
Midwest	0.28	0.28	1.22	1.40	0.25	0.20
South	0.29	0.27	1.41	1.49	0.22	0.21
West	0.41	0.38	1.92	2.16	0.37	0.25
COUNTY TYPE						
Large Metro	0.24	0.22	1.12	1.28	0.21	0.16
Small Metro	0.27	0.26	1.27	1.19	0.23	0.21
250K – 1 Mil. Pop.	0.33	0.33	1.41	1.53	0.30	0.27
< 250K Pop.	0.48	0.41	2.62	1.90	0.33	0.34
Nonmetro	0.39	0.38	1.96	2.09	0.24	0.25
Urbanized	0.72	0.67	3.82	3.65	0.36	0.43
Less Urbanized	0.43	0.48	1.89	2.74	0.38	0.33
Completely Rural	0.96	0.89	*	3.88	0.74	0.65
POVERTY LEVEL³						
Less Than 100%	0.52	0.58	2.22	2.50	0.41	0.42
100-199%	0.42	0.32	2.11	1.74	0.34	0.23
200% or More	0.18	0.17	0.82	0.93	0.17	0.13
GOVERNMENT ASSISTANCE⁴						
Yes	0.50	0.46	1.82	1.72	0.38	0.37
No	0.17	0.16	0.81	0.93	0.15	0.11
HEALTH INSURANCE⁵						
Private	0.18	0.17	0.81	0.94	0.17	0.12
Medicaid/CHIP ⁶	0.63	0.69	2.04	2.52	0.52	0.44
Other ⁷	0.31	0.30	1.86	1.48	0.17	0.24
No Coverage	0.42	0.42	2.56	2.69	0.35	0.33

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.0596		0.5674		0.0101	
GEOGRAPHIC REGION						
Northeast	0.5128		0.1123		0.8493	
Midwest	0.3582		0.5813		0.0464	
South	0.6407		0.8810		0.8462	
West	0.0858		0.7508		0.0060	
COUNTY TYPE						
Large Metro	0.1763		0.5544		0.0932	
Small Metro	0.2042		0.6102		0.1003	
250K – 1 Mil. Pop.	0.4189		0.5676		0.0678	
< 250K Pop.	0.2921		0.1249		0.8546	
Nonmetro	0.5819		0.7544		0.2398	
Urbanized	0.8083		0.7251		0.6345	
Less Urbanized	0.5697		0.3431		0.2264	
Completely Rural	0.8683		*		0.8110	
POVERTY LEVEL³						
Less Than 100%	0.7620		0.9565		0.4827	
100-199%	0.0293		0.1418		0.0360	
200% or More	0.1927		0.8841		0.0659	
GOVERNMENT ASSISTANCE⁴						
Yes	0.2028		0.2029		0.6058	
No	0.0438		0.8839		0.0035	
HEALTH INSURANCE⁵						
Private	0.1242		0.8092		0.0050	
Medicaid/CHIP ⁶	0.3113		0.5499		0.8338	
Other ⁷	0.6676		0.3724		0.1288	
No Coverage	0.2003		0.8386		0.0860	

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.39C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	328	322	236	269	210	186
AGE						
18-25	69	74	45	48	53	52
26-49	230	211	171	174	145	119
50 or Older	209	227	154	189	137	129
GENDER						
Male	187	176	140	126	118	127
Female	260	260	187	227	169	129
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	311	291	225	236	197	176
White	273	281	206	224	169	170
Black or African American	120	80	70	62	93	51
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	42	22	*	*	27	14
Two or More Races	34	28	*	*	17	*
Hispanic or Latino	102	131	70	120	68	53
CURRENT EMPLOYMENT						
Full-Time	217	192	127	144	169	124
Part-Time	109	135	82	104	70	82
Unemployed	88	98	73	71	50	68
Other ³	188	195	163	178	87	86

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.39D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.70	0.70	1.24	1.28	0.77	0.74
AGE						
18-25	0.94	0.93	1.79	1.79	1.10	1.05
26-49	0.93	0.90	1.61	1.59	1.04	0.97
50 or Older	1.40	1.44	2.40	2.51	1.68	1.55
GENDER						
Male	1.06	0.98	2.24	2.02	1.10	1.09
Female	0.91	0.92	1.47	1.55	1.07	0.95
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.74	0.72	1.28	1.27	0.84	0.80
White	0.80	0.84	1.33	1.37	0.96	0.99
Black or African American	2.37	1.69	4.89	4.21	2.63	1.54
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.16	1.54	*	*	2.51	1.18
Two or More Races	4.23	4.92	*	*	4.43	*
Hispanic or Latino	1.95	2.42	4.45	5.49	1.84	1.63
CURRENT EMPLOYMENT						
Full-Time	1.04	1.00	1.77	1.89	1.25	1.10
Part-Time	1.60	1.84	2.89	3.30	1.77	1.96
Unemployed	2.18	2.50	4.33	4.49	2.16	2.96
Other ³	1.30	1.23	2.31	2.13	1.20	1.16

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.39P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.2491		0.7068		0.0488	
AGE						
18-25	0.8090		0.1641		0.3175	
26-49	0.0640		0.4443		0.0096	
50 or Older	0.8189		0.9325		0.9860	
GENDER						
Male	0.0726		0.3759		0.1257	
Female	0.9842		0.9363		0.2984	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1533		0.5405		0.0578	
White	0.6645		0.9270		0.3547	
Black or African American	0.0420		0.1277		0.0609	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0337		*		0.0424	
Two or More Races	0.9896		*		*	
Hispanic or Latino	0.6325		0.7193		0.5017	
CURRENT EMPLOYMENT						
Full-Time	0.0658		0.7910		0.0064	
Part-Time	0.4061		0.1287		0.8185	
Unemployed	0.6400		0.0334		0.2022	
Other ³	0.8295		0.7790		0.6010	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	328	322	236	269	210	186
GEOGRAPHIC REGION						
Northeast	124	110	82	79	88	76
Midwest	131	133	90	110	99	70
South	200	198	157	156	118	129
West	177	183	131	162	113	84
COUNTY TYPE						
Large Metro	241	250	172	209	160	146
Small Metro	174	155	118	115	124	104
250K – 1 Mil. Pop.	148	129	94	99	112	90
< 250K Pop.	94	87	73	59	53	51
Nonmetro	134	130	116	112	65	61
Urbanized	109	101	100	88	45	45
Less Urbanized	64	76	50	66	40	34
Completely Rural	37	32	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	136	153	107	132	80	78
100-199%	174	145	133	121	108	83
200% or More	230	236	159	184	161	147
GOVERNMENT ASSISTANCE⁴						
Yes	161	173	138	143	77	105
No	274	270	184	221	196	154
HEALTH INSURANCE⁵						
Private	241	228	151	188	182	128
Medicaid/CHIP ⁶	107	143	96	133	48	54
Other ⁷	154	151	136	121	66	91
No Coverage	134	140	97	99	89	95

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.70	0.70	1.24	1.28	0.77	0.74
GEOGRAPHIC REGION						
Northeast	1.42	1.24	2.41	2.17	1.80	1.55
Midwest	1.28	1.24	1.98	2.17	1.70	1.31
South	1.22	1.20	2.35	2.20	1.28	1.39
West	1.57	1.69	2.96	3.25	1.61	1.46
COUNTY TYPE						
Large Metro	0.99	1.02	1.84	1.96	1.11	1.04
Small Metro	1.13	1.06	1.97	1.75	1.37	1.34
250K – 1 Mil. Pop.	1.41	1.32	2.34	2.16	1.81	1.72
< 250K Pop.	1.91	1.74	3.52	2.94	1.97	2.00
Nonmetro	1.69	1.76	3.10	3.16	1.63	1.62
Urbanized	3.19	3.11	5.57	5.39	2.83	2.81
Less Urbanized	1.77	2.10	3.10	4.05	2.05	1.79
Completely Rural	4.98	4.45	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	1.69	1.78	3.04	3.17	1.78	1.77
100-199%	1.63	1.35	3.05	2.53	1.80	1.38
200% or More	0.82	0.89	1.39	1.58	0.98	1.00
GOVERNMENT ASSISTANCE⁴						
Yes	1.47	1.39	2.56	2.32	1.44	1.69
No	0.77	0.81	1.35	1.52	0.90	0.81
HEALTH INSURANCE⁵						
Private	0.86	0.89	1.41	1.57	1.09	0.92
Medicaid/CHIP ⁶	1.69	2.03	2.78	3.42	1.71	1.78
Other ⁷	1.67	1.45	3.19	2.41	1.34	1.64
No Coverage	1.55	1.56	3.65	3.49	1.54	1.60

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.2491		0.7068		0.0488	
GEOGRAPHIC REGION						
Northeast	0.2383		0.1626		0.6230	
Midwest	0.3035		0.6401		0.0347	
South	0.9515		0.6411		0.8438	
West	0.6860		0.6827		0.0357	
COUNTY TYPE						
Large Metro	0.9333		0.9334		0.6002	
Small Metro	0.0514		0.3476		0.0348	
250K – 1 Mil. Pop.	0.0735		0.8724		0.0141	
< 250K Pop.	0.3946		0.1454		0.9552	
Nonmetro	0.6331		0.9768		0.2680	
Urbanized	0.7547		0.8338		0.6483	
Less Urbanized	0.6767		0.5530		0.1574	
Completely Rural	0.8672		*		*	
POVERTY LEVEL³						
Less Than 100%	0.5436		0.5238		0.3907	
100-199%	0.0432		0.1850		0.0354	
200% or More	0.9646		0.6962		0.4366	
GOVERNMENT ASSISTANCE⁴						
Yes	0.2613		0.0866		0.8418	
No	0.3119		0.6346		0.0133	
HEALTH INSURANCE⁵						
Private	0.6711		0.2650		0.0214	
Medicaid/CHIP ⁶	0.5123		0.5725		0.8377	
Other ⁷	0.6148		0.1794		0.4508	
No Coverage	0.2697		0.2472		0.3679	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	205	226	180	200	96	100
AGE						
18-25	37	45	27	34	26	29
26-49	148	152	122	126	83	77
50 or Older	131	158	126	144	*	*
GENDER						
Male	109	108	92	85	61	66
Female	170	192	150	174	75	73
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	196	201	173	174	82	95
White	183	187	162	163	78	91
Black or African American	64	59	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	71	*	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	116	122	90	109	72	53
Part-Time	75	74	66	61	*	*
Unemployed	70	67	*	*	*	*
Other ³	129	154	119	143	46	55

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	1.81	1.81	2.33	2.34	2.79	2.79
AGE						
18-25	2.32	2.27	3.31	2.98	3.40	3.41
26-49	2.20	2.20	2.63	2.66	3.78	3.78
50 or Older	4.42	4.29	5.43	5.12	*	*
GENDER						
Male	3.03	2.73	4.29	3.53	4.55	4.48
Female	2.27	2.22	2.80	2.73	3.66	3.50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1.92	1.85	2.45	2.34	2.87	3.11
White	2.12	2.11	2.68	2.55	3.21	3.76
Black or African American	6.01	4.69	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	5.52	*	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	2.78	2.83	3.66	3.88	4.11	3.76
Part-Time	4.52	3.97	5.01	5.17	*	*
Unemployed	5.17	5.48	*	*	*	*
Other ³	3.18	3.17	3.88	3.85	4.97	5.34

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.0813		0.2004		0.1943	
AGE						
18-25	0.7870		0.1068		0.1702	
26-49	0.0877		0.3448		0.0809	
50 or Older	0.4364		0.2224		*	
GENDER						
Male	0.0405		0.0306		0.6144	
Female	0.5262		0.9240		0.2338	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1154		0.2676		0.2382	
White	0.3006		0.4065		0.4956	
Black or African American	0.1069		*		*	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	*		*		*	
Two or More Races	*		*		*	
Hispanic or Latino	*		*		*	
CURRENT EMPLOYMENT						
Full-Time	0.1395		0.7485		0.0177	
Part-Time	0.0879		0.0512		*	
Unemployed	0.1122		*		*	
Other ³	0.8712		0.9071		0.8648	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	205	226	180	200	96	100
GEOGRAPHIC REGION						
Northeast	70	70	59	52	*	*
Midwest	92	100	77	93	49	37
South	125	124	116	107	46	62
West	108	133	93	120	*	52
COUNTY TYPE						
Large Metro	148	180	130	159	71	80
Small Metro	106	91	92	81	54	47
250K – 1 Mil. Pop.	88	79	78	72	*	39
< 250K Pop.	61	48	*	*	*	*
Nonmetro	92	90	83	81	*	*
Urbanized	*	*	*	*	*	*
Less Urbanized	45	*	40	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	96	131	89	119	31	51
100-199%	107	95	95	81	51	50
200% or More	146	144	124	127	76	66
GOVERNMENT ASSISTANCE⁴						
Yes	100	135	93	110	36	78
No	174	174	151	158	88	65
HEALTH INSURANCE⁵						
Private	133	139	110	124	74	57
Medicaid/CHIP ⁶	85	116	80	112	*	*
Other ⁷	107	102	99	81	*	*
No Coverage	96	102	81	84	50	58

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	1.81	1.81	2.33	2.34	2.79	2.79
GEOGRAPHIC REGION						
Northeast	3.98	3.61	4.89	4.08	*	*
Midwest	3.00	3.21	3.70	3.84	5.17	5.59
South	3.55	3.03	4.53	4.22	4.78	4.49
West	4.17	4.23	5.38	5.40	*	5.89
COUNTY TYPE						
Large Metro	2.74	2.73	3.78	3.54	3.76	4.10
Small Metro	2.98	2.50	3.60	3.17	5.22	4.64
250K – 1 Mil. Pop.	3.76	3.00	4.59	3.75	*	5.48
< 250K Pop.	5.39	4.82	*	*	*	*
Nonmetro	3.89	4.35	4.76	5.85	*	*
Urbanized	*	*	*	*	*	*
Less Urbanized	4.74	*	5.66	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	3.85	3.95	4.89	4.96	5.24	5.89
100-199%	3.52	3.29	4.15	4.21	5.19	5.37
200% or More	2.53	2.41	3.15	3.03	4.14	3.86
GOVERNMENT ASSISTANCE⁴						
Yes	3.04	3.11	3.75	3.88	4.55	5.47
No	2.21	2.22	2.91	2.89	3.44	3.03
HEALTH INSURANCE⁵						
Private	2.55	2.36	3.22	2.96	4.18	3.78
Medicaid/CHIP ⁶	3.77	4.76	4.53	5.83	*	*
Other ⁷	4.87	3.84	5.83	4.27	*	*
No Coverage	3.59	3.62	4.66	5.11	4.96	5.12

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL	0.0813		0.2004		0.1943	
GEOGRAPHIC REGION						
Northeast	0.4801		0.2014		*	
Midwest	0.4718		0.8560		0.2073	
South	0.2566		0.5284		0.3908	
West	0.4115		0.4821		*	
COUNTY TYPE						
Large Metro	0.9512		0.8924		0.9549	
Small Metro	0.0381		0.0807		0.2175	
250K – 1 Mil. Pop.	0.0453		0.1725		*	
< 250K Pop.	0.4140		*		*	
Nonmetro	0.1393		0.4668		*	
Urbanized	*		*		*	
Less Urbanized	*		*		*	
Completely Rural	*		*		*	
POVERTY LEVEL³						
Less Than 100%	0.4910		0.5752		0.6208	
100-199%	0.0198		0.0161		0.2936	
200% or More	0.1708		0.4239		0.1908	
GOVERNMENT ASSISTANCE⁴						
Yes	0.6634		0.5212		0.0612	
No	0.0153		0.2608		0.0038	
HEALTH INSURANCE⁵						
Private	0.0843		0.2813		0.0951	
Medicaid/CHIP ⁶	0.9451		0.7980		*	
Other ⁷	0.4735		0.2018		*	
No Coverage	0.2176		0.4550		0.3351	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.