

Table 1.43C Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2009 and 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	393	362	254	286	280	222
Could Not Afford Cost	229	250	168	213	152	141
Might Cause Neighbors/Community to Have Negative Opinion	93	101	76	70	57	77
Might Have Negative Effect on Job	93	107	63	85	67	78
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	97	97	77	61	58	74
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	116	171	84	150	80	84
Did Not Know Where to Go for Services	147	143	75	95	124	110
Concerned about Confidentiality	108	99	62	74	86	74
Concerned about Being Committed/Having to Take Medicine	84	101	60	88	60	47
Did Not Feel Need for Treatment	107	89	72	60	76	68
Could Handle the Problem Without Treatment	188	174	113	114	149	128
Treatment Would Not Help	115	98	66	70	95	72
Did Not Have Time	158	124	97	93	123	83
Did Not Want Others to Find Out	85	90	56	48	63	76
No Transportation/Inconvenient	68	45	62	40	27	21
Some Other Reason ⁴	88	102	73	71	45	72

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.43D Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2009 and 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	0.00	0.00	0.00	0.00	0.00	0.00
Could Not Afford Cost	1.47	1.56	2.09	2.31	2.12	2.17
Might Cause Neighbors/Community to Have Negative Opinion	0.74	0.88	1.22	1.13	0.93	1.43
Might Have Negative Effect on Job	0.76	0.92	1.03	1.38	1.08	1.42
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.80	0.86	1.25	1.03	0.96	1.37
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	0.92	1.35	1.35	2.12	1.24	1.54
Did Not Know Where to Go for Services	1.12	1.19	1.21	1.49	1.87	1.89
Concerned about Confidentiality	0.87	0.86	1.03	1.21	1.33	1.35
Concerned about Being Committed/Having to Take Medicine	0.68	0.89	1.02	1.42	0.98	0.89
Did Not Feel Need for Treatment	0.86	0.78	1.19	0.99	1.22	1.25
Could Handle the Problem Without Treatment	1.34	1.38	1.70	1.75	2.02	2.04
Treatment Would Not Help	0.92	0.86	1.08	1.16	1.50	1.32
Did Not Have Time	1.21	1.05	1.50	1.50	1.82	1.53
Did Not Want Others to Find Out	0.69	0.79	0.94	0.81	1.01	1.37
No Transportation/Inconvenient	0.56	0.40	1.01	0.68	0.45	0.41
Some Other Reason ⁴	0.73	0.88	1.22	1.17	0.73	1.32

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.43P Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	N/A		N/A		N/A	
Could Not Afford Cost	0.2584		0.3065		0.6999	
Might Cause Neighbors/Community to Have Negative Opinion	0.8870		0.4192		0.4993	
Might Have Negative Effect on Job	0.4964		0.4615		0.8245	
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.8108		0.9747		0.7206	
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	0.0220		0.0018		0.6766	
Did Not Know Where to Go for Services	0.2245		0.1584		0.4780	
Concerned about Confidentiality	0.6777		0.9243		0.5750	
Concerned about Being Committed/Having to Take Medicine	0.7852		0.3762		0.3899	
Did Not Feel Need for Treatment	0.2132		0.1117		0.9693	
Could Handle the Problem Without Treatment	0.7646		0.7361		0.9179	
Treatment Would Not Help	0.2454		0.7426		0.1077	
Did Not Have Time	0.2592		0.6032		0.3157	
Did Not Want Others to Find Out	0.8025		0.4903		0.2691	
No Transportation/Inconvenient	0.3681		0.2555		0.9570	
Some Other Reason ⁴	0.4869		0.2761		0.0239	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.44C (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2009 and 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	328	322	236	269	210	186
Could Not Afford Cost	205	228	160	200	127	121
Might Cause Neighbors/Community to Have Negative Opinion	81	94	59	70	54	65
Might Have Negative Effect on Job	90	108	61	85	64	68
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	93	92	74	60	55	70
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	109	155	83	145	69	62
Did Not Know Where to Go for Services	110	128	71	88	83	91
Concerned about Confidentiality	88	88	58	70	65	53
Concerned about Being Committed/Having to Take Medicine	82	98	60	87	57	42
Did Not Feel Need for Treatment	96	75	70	54	63	52
Could Handle the Problem Without Treatment	159	148	100	106	122	101
Treatment Would Not Help	107	88	64	70	86	59
Did Not Have Time	131	113	75	87	105	72
Did Not Want Others to Find Out	69	75	36	49	57	57
No Transportation/Inconvenient	65	44	60	39	26	19
Some Other Reason ⁴	83	98	66	71	44	68

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Any Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.44D (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2009 and 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	0.00	0.00	0.00	0.00	0.00	0.00
Could Not Afford Cost	1.59	1.79	2.25	2.51	2.49	2.53
Might Cause Neighbors/Community to Have Negative Opinion	0.87	1.04	1.17	1.29	1.29	1.79
Might Have Negative Effect on Job	0.95	1.18	1.17	1.56	1.50	1.84
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.99	1.04	1.43	1.15	1.32	1.88
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	1.13	1.56	1.58	2.32	1.61	1.67
Did Not Know Where to Go for Services	1.12	1.36	1.34	1.57	1.87	2.27
Concerned about Confidentiality	0.95	0.98	1.13	1.32	1.50	1.47
Concerned about Being Committed/Having to Take Medicine	0.89	1.11	1.20	1.60	1.36	1.21
Did Not Feel Need for Treatment	1.02	0.84	1.35	1.03	1.46	1.45
Could Handle the Problem Without Treatment	1.49	1.54	1.80	1.88	2.47	2.40
Treatment Would Not Help	1.10	1.00	1.24	1.31	1.91	1.63
Did Not Have Time	1.30	1.25	1.42	1.61	2.21	1.95
Did Not Want Others to Find Out	0.74	0.84	0.72	0.94	1.35	1.55
No Transportation/Inconvenient	0.70	0.50	1.15	0.76	0.63	0.56
Some Other Reason ⁴	0.89	1.08	1.30	1.33	1.04	1.83

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Any Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.44P (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	N/A		N/A		N/A	
Could Not Afford Cost	0.6331		0.6300		0.8947	
Might Cause Neighbors/Community to Have Negative Opinion	0.8967		0.8550		0.8848	
Might Have Negative Effect on Job	0.7404		0.4913		0.8611	
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.7755		0.9871		0.6133	
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	0.0354		0.0054		0.5282	
Did Not Know Where to Go for Services	0.2995		0.3312		0.3718	
Concerned about Confidentiality	0.6092		0.8009		0.3309	
Concerned about Being Committed/Having to Take Medicine	0.9186		0.5151		0.2347	
Did Not Feel Need for Treatment	0.2234		0.0570		0.6771	
Could Handle the Problem Without Treatment	0.7318		0.9525		0.6915	
Treatment Would Not Help	0.2630		0.8387		0.1197	
Did Not Have Time	0.6213		0.9402		0.5089	
Did Not Want Others to Find Out	0.9424		0.9822		0.8189	
No Transportation/Inconvenient	0.3780		0.3014		0.9551	
Some Other Reason ⁴	0.4849		0.4891		0.0605	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Any Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45C (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2009 and 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	205	226	180	200	96	100
Could Not Afford Cost	140	153	126	138	60	67
Might Cause Neighbors/Community to Have Negative Opinion	58	67	44	49	39	47
Might Have Negative Effect on Job	58	65	46	54	36	37
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	48	69	37	54	29	43
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	69	125	57	119	36	37
Did Not Know Where to Go for Services	85	78	58	65	61	44
Concerned about Confidentiality	63	57	47	53	42	19
Concerned about Being Committed/Having to Take Medicine	66	69	54	60	40	32
Did Not Feel Need for Treatment	53	39	47	33	25	21
Could Handle the Problem Without Treatment	102	83	85	63	53	50
Treatment Would Not Help	65	61	51	47	41	38
Did Not Have Time	67	57	56	41	36	41
Did Not Want Others to Find Out	40	28	29	21	27	19
No Transportation/Inconvenient	55	36	53	33	15	15
Some Other Reason ⁴	61	59	52	49	24	32

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Serious Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45D (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2009 and 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	0.00	0.00	0.00	0.00	0.00	0.00
Could Not Afford Cost	2.60	2.64	3.29	3.31	4.27	4.11
Might Cause Neighbors/Community to Have Negative Opinion	1.45	1.69	1.59	1.72	3.08	3.95
Might Have Negative Effect on Job	1.44	1.61	1.64	1.91	2.87	3.12
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	1.22	1.69	1.38	1.86	2.38	3.67
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	1.69	2.66	2.01	3.40	2.87	3.15
Did Not Know Where to Go for Services	1.97	1.85	1.99	2.21	4.22	3.64
Concerned about Confidentiality	1.57	1.45	1.69	1.86	3.33	1.79
Concerned about Being Committed/Having to Take Medicine	1.70	1.74	1.95	2.10	3.19	2.81
Did Not Feel Need for Treatment	1.33	1.00	1.69	1.19	2.15	1.94
Could Handle the Problem Without Treatment	2.31	1.97	2.79	2.14	3.91	3.82
Treatment Would Not Help	1.60	1.52	1.81	1.65	3.23	3.36
Did Not Have Time	1.62	1.45	1.97	1.45	2.92	3.50
Did Not Want Others to Find Out	1.03	0.75	1.05	0.77	2.31	1.74
No Transportation/Inconvenient	1.39	0.92	1.88	1.17	1.31	1.37
Some Other Reason ⁴	1.54	1.43	1.88	1.70	2.08	2.67

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Serious Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45P (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2009	2010	2009	2010	2009	2010
TOTAL POPULATION	N/A		N/A		N/A	
Could Not Afford Cost	0.6041		0.6232		0.7892	
Might Cause Neighbors/Community to Have Negative Opinion	0.9005		0.6024		0.7733	
Might Have Negative Effect on Job	0.7482		0.8401		0.4248	
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.2309		0.1743		0.7800	
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	0.0125		0.0014		0.3396	
Did Not Know Where to Go for Services	0.6616		0.4528		0.1504	
Concerned about Confidentiality	0.3718		0.7402		0.0216	
Concerned about Being Committed/Having to Take Medicine	0.6948		0.9953		0.4977	
Did Not Feel Need for Treatment	0.2811		0.3106		0.7979	
Could Handle the Problem Without Treatment	0.0477		0.0893		0.2630	
Treatment Would Not Help	0.2043		0.6585		0.1610	
Did Not Have Time	0.1718		0.0667		0.8091	
Did Not Want Others to Find Out	0.0847		0.3380		0.1644	
No Transportation/Inconvenient	0.2189		0.2443		0.6925	
Some Other Reason ⁴	0.7250		0.4855		0.5906	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Serious Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.