

110504

Table 1.46C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010

| Age Category | Total (2009) | Total (2010) | Male (2009) | Male (2010) | Female (2009) | Female (2010) |
|---------------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------|--------------------------|
| TOTAL | 299 | 309 | 204 | 235 | 211 | 215 |
| 18 | 31 | 34 | 16 | 25 | 26 | 23 |
| 19 | 25 | 30 | 17 | 18 | 17 | 24 |
| 20 | 25 | 29 | 15 | 18 | 21 | 22 |
| 21 | 24 | 30 | 17 | 20 | 17 | 21 |
| 22 | 22 | 27 | 16 | 18 | 14 | 20 |
| 23 | 25 | 25 | 18 | 17 | 16 | 19 |
| 24 | 26 | 26 | 15 | 19 | 21 | 17 |
| 25 | 23 | 17 | 15 | 12 | 17 | 11 |
| 26-29 | 79 | 93 | 51 | 70 | 59 | 61 |
| 30-34 | 91 | 86 | 62 | 55 | 60 | 68 |
| 35-39 | 102 | 72 | 68 | 49 | 79 | 51 |
| 40-44 | 82 | 87 | 64 | 65 | 59 | 54 |
| 45-49 | 98 | 111 | 68 | 83 | 68 | 73 |
| 50-54 | 118 | 111 | 79 | 76 | 88 | 80 |
| 55-59 | 119 | 114 | 83 | 90 | 80 | 82 |
| 60-64 | 67 | 92 | 53 | 72 | 44 | 50 |
| 65 or Older | 107 | 122 | 67 | 96 | 84 | 75 |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

110504

Table 1.46D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2009 and 2010

| Age Category | Total (2009) | Total (2010) | Male (2009) | Male (2010) | Female (2009) | Female (2010) |
|---------------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------|--------------------------|
| TOTAL | 0.13 | 0.14 | 0.19 | 0.21 | 0.18 | 0.18 |
| 18 | 0.58 | 0.66 | 0.63 | 0.91 | 1.01 | 0.98 |
| 19 | 0.52 | 0.65 | 0.68 | 0.80 | 0.78 | 1.03 |
| 20 | 0.60 | 0.62 | 0.71 | 0.77 | 1.00 | 0.97 |
| 21 | 0.60 | 0.65 | 0.82 | 0.88 | 0.81 | 0.94 |
| 22 | 0.53 | 0.62 | 0.79 | 0.80 | 0.69 | 0.96 |
| 23 | 0.62 | 0.60 | 0.91 | 0.84 | 0.80 | 0.88 |
| 24 | 0.59 | 0.62 | 0.77 | 0.91 | 0.92 | 0.80 |
| 25 | 0.59 | 0.43 | 0.82 | 0.65 | 0.88 | 0.56 |
| 26-29 | 0.46 | 0.54 | 0.60 | 0.80 | 0.68 | 0.72 |
| 30-34 | 0.46 | 0.43 | 0.62 | 0.56 | 0.61 | 0.65 |
| 35-39 | 0.50 | 0.37 | 0.65 | 0.51 | 0.79 | 0.52 |
| 40-44 | 0.39 | 0.42 | 0.63 | 0.64 | 0.54 | 0.53 |
| 45-49 | 0.42 | 0.48 | 0.61 | 0.76 | 0.58 | 0.61 |
| 50-54 | 0.52 | 0.50 | 0.73 | 0.71 | 0.76 | 0.70 |
| 55-59 | 0.63 | 0.58 | 0.91 | 0.98 | 0.83 | 0.80 |
| 60-64 | 0.43 | 0.56 | 0.72 | 0.88 | 0.55 | 0.59 |
| 65 or Older | 0.28 | 0.32 | 0.41 | 0.56 | 0.39 | 0.34 |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

110504

Table 1.46P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

| Age Category | Total (2009) | Total (2010) | Male (2009) | Male (2010) | Female (2009) | Female (2010) |
|---------------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------|--------------------------|
| TOTAL | 0.7215 | | 0.4293 | | 0.7664 | |
| 18 | 0.6614 | | 0.0697 | | 0.3640 | |
| 19 | 0.0242 | | 0.6448 | | 0.0097 | |
| 20 | 0.7351 | | 0.3342 | | 0.7730 | |
| 21 | 0.4222 | | 0.2965 | | 0.9049 | |
| 22 | 0.0426 | | 0.2618 | | 0.0761 | |
| 23 | 0.7109 | | 0.9064 | | 0.4954 | |
| 24 | 0.3310 | | 0.1414 | | 0.9715 | |
| 25 | 0.0588 | | 0.5052 | | 0.0481 | |
| 26-29 | 0.9933 | | 0.4933 | | 0.5046 | |
| 30-34 | 0.5505 | | 0.2122 | | 0.7766 | |
| 35-39 | 0.0046 | | 0.0181 | | 0.1368 | |
| 40-44 | 0.7403 | | 0.9608 | | 0.6564 | |
| 45-49 | 0.1579 | | 0.6708 | | 0.1105 | |
| 50-54 | 0.7667 | | 0.8106 | | 0.8526 | |
| 55-59 | 0.8896 | | 0.9135 | | 0.7511 | |
| 60-64 | 0.2426 | | 0.2121 | | 0.7683 | |
| 65 or Older | 0.3103 | | 0.0813 | | 0.7323 | |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic/Health Characteristic | Had Serious Thoughts of Suicide (2009) | Had Serious Thoughts of Suicide (2010) | Made Any Suicide Plans (2009) | Made Any Suicide Plans (2010) | Attempted Suicide (2009) | Attempted Suicide (2010) |
|---|---|---|--------------------------------------|--------------------------------------|---------------------------------|---------------------------------|
| TOTAL | 299 | 309 | 157 | 167 | 90 | 108 |
| AGE | | | | | | |
| 18-25 | 66 | 75 | 41 | 41 | 31 | 30 |
| 26-49 | 200 | 200 | 95 | 90 | 62 | 58 |
| 50 or Older | 216 | 213 | 117 | 133 | 57 | 81 |
| GENDER | | | | | | |
| Male | 204 | 235 | 111 | 119 | 59 | 74 |
| Female | 211 | 215 | 100 | 116 | 68 | 77 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 280 | 295 | 150 | 164 | 87 | 106 |
| White | 257 | 267 | 140 | 144 | 71 | 88 |
| Black or African American | 88 | 103 | 49 | 65 | 42 | 55 |
| American Indian or Alaska Native | 13 | 24 | 9 | 7 | 7 | 7 |
| Native Hawaiian or Other Pacific Islander | * | 14 | 4 | 0 | 1 | 0 |
| Asian | 38 | 72 | 16 | 48 | 22 | 9 |
| Two or More Races | 48 | 24 | 15 | 14 | 13 | 9 |
| Hispanic or Latino | 112 | 76 | 48 | 31 | 22 | 23 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 232 | 232 | 113 | 125 | 64 | 86 |
| Medicaid/CHIP ² | 124 | 116 | 64 | 79 | 39 | 62 |
| Other ³ | 145 | 182 | 64 | 119 | 48 | 83 |
| No Coverage | 123 | 120 | 64 | 57 | 29 | 31 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 203 | 199 | 103 | 78 | 48 | 44 |
| Part-Time | 98 | 110 | 42 | 51 | 16 | 34 |
| Unemployed | 95 | 101 | 60 | 71 | 26 | 26 |
| Other ⁴ | 177 | 186 | 91 | 119 | 68 | 85 |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic/Health Characteristic | Had Serious Thoughts of Suicide (2009) | Had Serious Thoughts of Suicide (2010) | Made Any Suicide Plans (2009) | Made Any Suicide Plans (2010) | Attempted Suicide (2009) | Attempted Suicide (2010) |
|---|---|---|--------------------------------------|--------------------------------------|---------------------------------|---------------------------------|
| TOTAL | 0.13 | 0.14 | 0.07 | 0.07 | 0.04 | 0.05 |
| AGE | | | | | | |
| 18-25 | 0.20 | 0.22 | 0.12 | 0.12 | 0.09 | 0.09 |
| 26-49 | 0.20 | 0.20 | 0.10 | 0.09 | 0.06 | 0.06 |
| 50 or Older | 0.23 | 0.22 | 0.12 | 0.14 | 0.06 | 0.08 |
| GENDER | | | | | | |
| Male | 0.19 | 0.21 | 0.10 | 0.11 | 0.05 | 0.07 |
| Female | 0.18 | 0.18 | 0.09 | 0.10 | 0.06 | 0.06 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.14 | 0.15 | 0.08 | 0.08 | 0.04 | 0.05 |
| White | 0.16 | 0.17 | 0.09 | 0.09 | 0.05 | 0.06 |
| Black or African American | 0.32 | 0.38 | 0.18 | 0.24 | 0.16 | 0.21 |
| American Indian or Alaska Native | 1.24 | 2.17 | 0.83 | 0.65 | 0.68 | 0.65 |
| Native Hawaiian or Other Pacific Islander | * | 2.13 | 0.50 | 0.02 | 0.14 | 0.05 |
| Asian | 0.38 | 0.69 | 0.17 | 0.46 | 0.22 | 0.09 |
| Two or More Races | 1.88 | 0.96 | 0.62 | 0.55 | 0.54 | 0.36 |
| Hispanic or Latino | 0.36 | 0.24 | 0.16 | 0.10 | 0.07 | 0.07 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.15 | 0.15 | 0.07 | 0.08 | 0.04 | 0.06 |
| Medicaid/CHIP ² | 0.63 | 0.53 | 0.33 | 0.37 | 0.20 | 0.29 |
| Other ³ | 0.27 | 0.34 | 0.12 | 0.22 | 0.09 | 0.15 |
| No Coverage | 0.34 | 0.31 | 0.18 | 0.15 | 0.08 | 0.08 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.17 | 0.17 | 0.09 | 0.07 | 0.04 | 0.04 |
| Part-Time | 0.31 | 0.33 | 0.13 | 0.15 | 0.05 | 0.10 |
| Unemployed | 0.62 | 0.66 | 0.40 | 0.47 | 0.18 | 0.18 |
| Other ⁴ | 0.27 | 0.28 | 0.14 | 0.18 | 0.10 | 0.13 |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic/Health Characteristic | Had Serious Thoughts of Suicide (2009) | Had Serious Thoughts of Suicide (2010) | Made Any Suicide Plans (2009) | Made Any Suicide Plans (2010) | Attempted Suicide (2009) | Attempted Suicide (2010) |
|---|---|---|--------------------------------------|--------------------------------------|---------------------------------|---------------------------------|
| TOTAL | 0.7215 | | 0.2520 | | 0.5693 | |
| AGE | | | | | | |
| 18-25 | 0.0513 | | 0.9859 | | 0.7286 | |
| 26-49 | 0.3757 | | 1.0000 | | 0.5142 | |
| 50 or Older | 0.4693 | | 0.1392 | | 0.2171 | |
| GENDER | | | | | | |
| Male | 0.4293 | | 0.4957 | | 0.4367 | |
| Female | 0.7664 | | 0.3284 | | 0.9476 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.2564 | | 0.1435 | | 0.6683 | |
| White | 0.4890 | | 0.4143 | | 0.7503 | |
| Black or African American | 0.2265 | | 0.1686 | | 0.5682 | |
| American Indian or Alaska Native | 0.2933 | | 0.3114 | | 0.8269 | |
| Native Hawaiian or Other Pacific Islander | * | | 0.1403 | | 0.4954 | |
| Asian | 0.1098 | | 0.1579 | | 0.6769 | |
| Two or More Races | 0.3020 | | 0.8002 | | 0.7623 | |
| Hispanic or Latino | 0.0262 | | 0.3006 | | 0.4955 | |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.6885 | | 0.4739 | | 0.4203 | |
| Medicaid/CHIP ² | 0.1020 | | 0.5971 | | 0.3435 | |
| Other ³ | 0.0204 | | 0.0014 | | 0.0842 | |
| No Coverage | 0.7705 | | 0.8410 | | 0.8368 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.6509 | | 0.2262 | | 0.4079 | |
| Part-Time | 0.5665 | | 0.8223 | | 0.3086 | |
| Unemployed | 0.9826 | | 0.6203 | | 0.3817 | |
| Other ⁴ | 0.5061 | | 0.0212 | | 0.2584 | |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48C Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic/Health Characteristic | Attempted Suicide (2009) | Attempted Suicide (2010) | Got Medical Attention for Suicide Attempt (2009) | Got Medical Attention for Suicide Attempt (2010) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2009) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010) |
|---|---------------------------------|---------------------------------|---|---|--|--|
| TOTAL | 90 | 108 | 76 | 99 | 62 | 95 |
| AGE | | | | | | |
| 18-25 | 31 | 30 | 21 | 20 | 19 | 14 |
| 26-49 | 62 | 58 | 50 | 53 | 42 | 48 |
| 50 or Older | 57 | 81 | 53 | 78 | 40 | 77 |
| GENDER | | | | | | |
| Male | 59 | 74 | 54 | 67 | 41 | 64 |
| Female | 68 | 77 | 53 | 73 | 45 | 69 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 87 | 106 | 74 | 97 | 59 | 94 |
| White | 71 | 88 | 62 | 81 | 46 | 79 |
| Black or African American | 42 | 55 | 37 | 53 | 35 | 51 |
| American Indian or Alaska Native | 7 | 7 | 7 | 4 | 7 | 3 |
| Native Hawaiian or Other Pacific Islander | 1 | 0 | * | * | * | * |
| Asian | 22 | 9 | 1 | 6 | * | 3 |
| Two or More Races | 13 | 9 | 12 | 7 | 11 | 5 |
| Hispanic or Latino | 22 | 23 | 17 | 19 | 16 | 12 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 64 | 86 | 53 | 81 | 44 | 79 |
| Medicaid/CHIP ² | 39 | 62 | 36 | 60 | 34 | 56 |
| Other ³ | 48 | 83 | 42 | 79 | 31 | 78 |
| No Coverage | 29 | 31 | 21 | 20 | 16 | 16 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 48 | 44 | 41 | 38 | 31 | 36 |
| Part-Time | 16 | 34 | 8 | 31 | 6 | 30 |
| Unemployed | 26 | 26 | 21 | 20 | 16 | 19 |
| Other ⁴ | 68 | 85 | 59 | 81 | 50 | 77 |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48D Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic/Health Characteristic | Attempted Suicide (2009) | Attempted Suicide (2010) | Got Medical Attention for Suicide Attempt (2009) | Got Medical Attention for Suicide Attempt (2010) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2009) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010) |
|---|---------------------------------|---------------------------------|---|---|--|--|
| TOTAL | 0.04 | 0.05 | 0.03 | 0.04 | 0.03 | 0.04 |
| AGE | | | | | | |
| 18-25 | 0.09 | 0.09 | 0.06 | 0.06 | 0.06 | 0.04 |
| 26-49 | 0.06 | 0.06 | 0.05 | 0.05 | 0.04 | 0.05 |
| 50 or Older | 0.06 | 0.08 | 0.06 | 0.08 | 0.04 | 0.08 |
| GENDER | | | | | | |
| Male | 0.05 | 0.07 | 0.05 | 0.06 | 0.04 | 0.06 |
| Female | 0.06 | 0.06 | 0.05 | 0.06 | 0.04 | 0.06 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.04 | 0.05 | 0.04 | 0.05 | 0.03 | 0.05 |
| White | 0.05 | 0.06 | 0.04 | 0.05 | 0.03 | 0.05 |
| Black or African American | 0.16 | 0.21 | 0.14 | 0.20 | 0.13 | 0.19 |
| American Indian or Alaska Native | 0.68 | 0.65 | 0.67 | 0.36 | 0.65 | 0.24 |
| Native Hawaiian or Other Pacific Islander | 0.14 | 0.05 | * | * | * | * |
| Asian | 0.22 | 0.09 | 0.01 | 0.06 | * | 0.03 |
| Two or More Races | 0.54 | 0.36 | 0.48 | 0.27 | 0.47 | 0.18 |
| Hispanic or Latino | 0.07 | 0.07 | 0.05 | 0.06 | 0.05 | 0.04 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.04 | 0.06 | 0.03 | 0.05 | 0.03 | 0.05 |
| Medicaid/CHIP ² | 0.20 | 0.29 | 0.19 | 0.28 | 0.18 | 0.27 |
| Other ³ | 0.09 | 0.15 | 0.08 | 0.15 | 0.06 | 0.15 |
| No Coverage | 0.08 | 0.08 | 0.06 | 0.05 | 0.04 | 0.04 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.04 | 0.04 | 0.04 | 0.03 | 0.03 | 0.03 |
| Part-Time | 0.05 | 0.10 | 0.02 | 0.09 | 0.02 | 0.09 |
| Unemployed | 0.18 | 0.18 | 0.14 | 0.14 | 0.11 | 0.13 |
| Other ⁴ | 0.10 | 0.13 | 0.09 | 0.12 | 0.08 | 0.12 |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48P Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic/Health Characteristic | Attempted Suicide (2009) | Attempted Suicide (2010) | Got Medical Attention for Suicide Attempt (2009) | Got Medical Attention for Suicide Attempt (2010) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2009) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010) |
|---|---------------------------------|---------------------------------|---|---|--|--|
| TOTAL | 0.5693 | | 0.3080 | | 0.2188 | |
| AGE | | | | | | |
| 18-25 | 0.7286 | | 0.5857 | | 0.5230 | |
| 26-49 | 0.5142 | | 0.8974 | | 0.8447 | |
| 50 or Older | 0.2171 | | 0.2650 | | 0.0983 | |
| GENDER | | | | | | |
| Male | 0.4367 | | 0.7425 | | 0.5513 | |
| Female | 0.9476 | | 0.2755 | | 0.2603 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.6683 | | 0.3700 | | 0.1662 | |
| White | 0.7503 | | 0.5593 | | 0.1352 | |
| Black or African American | 0.5682 | | 0.4342 | | 0.5774 | |
| American Indian or Alaska Native | 0.8269 | | 0.4432 | | 0.3092 | |
| Native Hawaiian or Other Pacific Islander | 0.4954 | | * | | * | |
| Asian | 0.6769 | | 0.0742 | | * | |
| Two or More Races | 0.7623 | | 0.6886 | | 0.3688 | |
| Hispanic or Latino | 0.4955 | | 0.4690 | | 0.4663 | |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.4203 | | 0.1743 | | 0.0774 | |
| Medicaid/CHIP ² | 0.3435 | | 0.4148 | | 0.7135 | |
| Other ³ | 0.0842 | | 0.0963 | | 0.0648 | |
| No Coverage | 0.8368 | | 0.7895 | | 0.6644 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.4079 | | 0.4871 | | 1.0000 | |
| Part-Time | 0.3086 | | 0.0779 | | 0.2009 | |
| Unemployed | 0.3817 | | 0.3614 | | 0.6429 | |
| Other ⁴ | 0.2584 | | 0.1814 | | 0.2352 | |

*Low precision; no estimate reported.

NOTE: Estimates in this table are based only on responses to suicide items in the Mental Health module. Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.