

Table 1.4C (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	269	283	73	74	199	216	157	158
GENDER								
Male	210	203	51	53	158	162	125	117
Female	168	196	51	55	124	144	93	110
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	247	261	65	65	181	199	147	145
White	231	237	62	62	167	187	135	125
Black or African American	103	104	26	29	81	77	51	67
American Indian or Alaska Native	11	23	6	5	8	10	*	*
Native Hawaiian or Other Pacific Islander	5	6	*	*	*	*	*	*
Asian	34	42	11	15	25	35	*	*
Two or More Races	37	25	10	14	20	20	*	*
Hispanic or Latino	104	122	32	34	80	97	54	63
CURRENT EMPLOYMENT								
Full-Time	193	177	44	41	155	161	99	58
Part-Time	108	109	38	45	77	81	56	56
Unemployed	94	97	30	32	71	67	49	59
Other ¹	142	173	35	37	89	111	101	126

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4D (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.12	0.12	0.22	0.22	0.20	0.22	0.17	0.16
GENDER								
Male	0.19	0.18	0.30	0.31	0.32	0.33	0.29	0.26
Female	0.14	0.17	0.31	0.32	0.25	0.29	0.18	0.21
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.13	0.13	0.24	0.24	0.22	0.24	0.17	0.16
White	0.14	0.15	0.28	0.28	0.26	0.29	0.19	0.17
Black or African American	0.38	0.38	0.51	0.56	0.64	0.61	0.55	0.70
American Indian or Alaska Native	0.99	2.10	2.72	2.81	1.78	2.08	*	*
Native Hawaiian or Other Pacific Islander	0.74	0.95	*	*	*	*	*	*
Asian	0.34	0.40	0.75	0.94	0.47	0.66	*	*
Two or More Races	1.46	0.97	2.18	2.46	1.82	1.88	*	*
Hispanic or Latino	0.33	0.38	0.52	0.52	0.47	0.57	0.68	0.76
CURRENT EMPLOYMENT								
Full-Time	0.16	0.15	0.34	0.32	0.23	0.24	0.27	0.16
Part-Time	0.34	0.33	0.40	0.45	0.64	0.63	0.52	0.49
Unemployed	0.62	0.63	0.63	0.66	0.96	0.97	1.52	1.60
Other ¹	0.21	0.25	0.44	0.46	0.61	0.76	0.23	0.27

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4P (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.9441		0.7899		0.8435		0.7536	
GENDER								
Male	0.4772		0.9846		0.7790		0.4972	
Female	0.4925		0.6804		0.5183		0.7650	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.8800		0.7679		0.9540		0.8172	
White	0.5186		0.8546		0.9298		0.4743	
Black or African American	0.2352		0.4060		0.8359		0.1461	
American Indian or Alaska Native	0.2957		0.8587		0.9557		*	
Native Hawaiian or Other Pacific Islander	0.7367		*		*		*	
Asian	0.8290		0.9229		0.3757		*	
Two or More Races	0.2670		0.3535		0.5331		*	
Hispanic or Latino	0.8601		0.9343		0.7220		0.7890	
CURRENT EMPLOYMENT								
Full-Time	0.3619		0.2610		0.8136		0.0627	
Part-Time	0.8429		0.0907		0.3362		0.9628	
Unemployed	0.7399		0.4139		0.3943		0.7877	
Other ¹	0.2161		0.4336		0.1301		0.4610	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5C (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	269	283	73	74	199	216	157	158
GEOGRAPHIC REGION								
Northeast	99	122	32	31	75	97	45	76
Midwest	105	109	28	26	84	77	56	77
South	177	156	40	41	122	127	119	77
West	139	161	39	44	111	117	69	89
COUNTY TYPE								
Large Metro	208	214	61	61	167	168	101	115
Small Metro	167	165	40	47	110	123	111	93
250K – 1 Mil. Pop.	137	141	33	37	81	110	101	75
< 250K Pop.	94	88	21	31	78	57	47	56
Nonmetro	101	96	25	24	79	70	51	61
Urbanized	78	69	16	15	59	58	42	34
Less Urbanized	60	64	18	15	50	37	28	49
Completely Rural	23	20	7	8	14	15	*	10
POVERTY LEVEL¹								
Less Than 100%	133	124	41	42	83	94	88	62
100-199%	134	139	35	38	104	96	75	89
200% or More	205	219	52	52	160	178	106	114
GOVERNMENT ASSISTANCE²								
Yes	147	164	34	37	113	123	81	98
No	233	234	68	71	171	187	136	123
HEALTH INSURANCE³								
Private	198	193	55	55	148	164	117	97
Medicaid/CHIP ⁴	106	128	29	29	81	93	62	79
Other ⁵	117	127	20	26	82	69	78	104
No Coverage	135	137	42	42	103	112	70	61

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5D (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.12	0.12	0.22	0.22	0.20	0.22	0.17	0.16
GEOGRAPHIC REGION								
Northeast	0.23	0.29	0.53	0.52	0.42	0.55	0.25	0.41
Midwest	0.21	0.22	0.38	0.35	0.39	0.37	0.26	0.36
South	0.21	0.19	0.33	0.33	0.33	0.35	0.35	0.22
West	0.27	0.30	0.48	0.55	0.47	0.50	0.34	0.42
COUNTY TYPE								
Large Metro	0.16	0.17	0.32	0.31	0.29	0.29	0.21	0.23
Small Metro	0.23	0.23	0.35	0.37	0.36	0.39	0.38	0.32
250K – 1 Mil. Pop.	0.29	0.29	0.45	0.48	0.40	0.51	0.52	0.38
< 250K Pop.	0.39	0.37	0.52	0.62	0.77	0.56	0.46	0.58
Nonmetro	0.26	0.25	0.42	0.46	0.51	0.47	0.29	0.34
Urbanized	0.45	0.43	0.53	0.67	0.87	0.91	0.56	0.45
Less Urbanized	0.33	0.35	0.65	0.61	0.67	0.52	0.36	0.57
Completely Rural	0.57	0.55	2.07	2.02	1.18	1.21	*	0.55
POVERTY LEVEL¹								
Less Than 100%	0.46	0.41	0.48	0.44	0.63	0.72	1.21	0.73
100-199%	0.30	0.29	0.42	0.43	0.55	0.45	0.43	0.48
200% or More	0.13	0.14	0.30	0.31	0.23	0.26	0.15	0.16
GOVERNMENT ASSISTANCE²								
Yes	0.40	0.39	0.48	0.46	0.66	0.62	0.67	0.69
No	0.12	0.12	0.24	0.25	0.20	0.23	0.16	0.15
HEALTH INSURANCE³								
Private	0.13	0.13	0.29	0.28	0.21	0.24	0.17	0.14
Medicaid/CHIP ⁴	0.53	0.57	0.58	0.55	0.92	0.95	1.03	1.11
Other ⁵	0.22	0.24	0.92	1.09	1.21	0.98	0.17	0.23
No Coverage	0.36	0.34	0.42	0.43	0.51	0.51	1.02	0.74

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5P (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic/Socioeconomic Characteristic	Total (2009)	Total (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26-49 (2009)	Aged 26-49 (2010)	Aged 50+ (2009)	Aged 50+ (2010)
TOTAL	0.9441		0.7899		0.8435		0.7536	
GEOGRAPHIC REGION								
Northeast	0.0544		0.6723		0.0578		0.2167	
Midwest	0.1701		0.3034		0.0511		0.5935	
South	0.3563		0.8688		0.9172		0.0933	
West	0.6514		0.1802		0.8637		0.9420	
COUNTY TYPE								
Large Metro	0.3109		0.9532		0.3301		0.4258	
Small Metro	0.3906		0.4887		0.6567		0.1896	
250K – 1 Mil. Pop.	0.9033		0.1945		0.2561		0.0532	
< 250K Pop.	0.1922		0.5627		0.0237		0.5227	
Nonmetro	0.3375		0.7262		0.3358		0.9242	
Urbanized	0.6038		0.6251		0.4588		0.9773	
Less Urbanized	0.0484		0.2837		0.0235		0.9132	
Completely Rural	0.7559		0.9496		0.4338		*	
POVERTY LEVEL¹								
Less Than 100%	0.2057		0.3189		0.8913		0.1241	
100-199%	0.3872		0.4077		0.0770		0.8434	
200% or More	0.3539		0.7118		0.2653		0.8289	
GOVERNMENT ASSISTANCE²								
Yes	0.6595		0.8747		0.6887		0.9555	
No	0.7680		0.7677		0.9413		0.5973	
HEALTH INSURANCE³								
Private	0.7015		0.8480		0.3621		0.5181	
Medicaid/CHIP ⁴	0.7442		0.8053		0.9686		0.7003	
Other ⁵	0.4634		0.4613		0.5805		0.2782	
No Coverage	0.1387		0.6345		0.2411		0.6022	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.