

**Table 1.62C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2002-2010**

| Demographic Characteristic | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TOTAL | 570 | 561 | 554 | 573 | 577 | 602 | 646 | 599 | 615 |
| AGE | | | | | | | | | |
| 18-25 | 78 | 89 | 85 | 88 | 92 | 90 | 91 | 90 | 92 |
| 26-49 | 361 | 354 | 338 | 338 | 372 | 347 | 339 | 358 | 360 |
| 50 or Older | 424 | 425 | 423 | 449 | 420 | 469 | 524 | 484 | 506 |
| GENDER | | | | | | | | | |
| Male | 318 | 319 | 327 | 344 | 334 | 359 | 373 | 367 | 379 |
| Female | 474 | 448 | 443 | 435 | 452 | 446 | 503 | 464 | 479 |
| HISPANIC ORIGIN AND RACE | | | | | | | | | |
| Not Hispanic or Latino | 554 | 527 | 552 | 541 | 549 | 564 | 616 | 560 | 583 |
| White | 555 | 580 | 559 | 555 | 574 | 581 | 656 | 619 | 605 |
| Black or African American | 153 | 169 | 175 | 178 | 171 | 145 | 204 | 178 | 195 |
| American Indian or Alaska Native | 40 | 32 | 35 | 37 | 25 | 29 | 32 | * | 29 |
| Native Hawaiian or Other Pacific Islander | 10 | * | * | * | 25 | * | * | * | * |
| Asian | 124 | 94 | 83 | 67 | 102 | 70 | 96 | 70 | 113 |
| Two or More Races | 60 | 65 | 52 | 59 | 93 | 56 | 95 | 72 | 98 |
| Hispanic or Latino | 153 | 163 | 156 | 170 | 161 | 185 | 167 | 191 | 192 |

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 1.62D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Percentages, 2002-2010**

| Demographic Characteristic | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TOTAL | 0.27 | 0.26 | 0.26 | 0.26 | 0.26 | 0.27 | 0.29 | 0.26 | 0.27 |
| AGE | | | | | | | | | |
| 18-25 | 0.25 | 0.28 | 0.26 | 0.27 | 0.28 | 0.27 | 0.28 | 0.27 | 0.27 |
| 26-49 | 0.36 | 0.35 | 0.34 | 0.34 | 0.37 | 0.35 | 0.34 | 0.36 | 0.37 |
| 50 or Older | 0.54 | 0.53 | 0.51 | 0.53 | 0.48 | 0.52 | 0.57 | 0.51 | 0.52 |
| GENDER | | | | | | | | | |
| Male | 0.32 | 0.31 | 0.32 | 0.33 | 0.31 | 0.34 | 0.34 | 0.34 | 0.34 |
| Female | 0.43 | 0.41 | 0.40 | 0.39 | 0.40 | 0.39 | 0.43 | 0.40 | 0.41 |
| HISPANIC ORIGIN AND RACE | | | | | | | | | |
| Not Hispanic or Latino | 0.30 | 0.28 | 0.29 | 0.29 | 0.29 | 0.29 | 0.32 | 0.29 | 0.30 |
| White | 0.35 | 0.33 | 0.33 | 0.33 | 0.33 | 0.34 | 0.37 | 0.34 | 0.34 |
| Black or African American | 0.59 | 0.64 | 0.69 | 0.67 | 0.64 | 0.54 | 0.73 | 0.62 | 0.68 |
| American Indian or Alaska Native | 3.12 | 3.02 | 2.96 | 3.05 | 2.52 | 2.62 | 3.08 | * | 2.66 |
| Native Hawaiian or Other Pacific Islander | 1.49 | * | * | * | 2.99 | * | * | * | * |
| Asian | 1.47 | 1.02 | 0.92 | 0.74 | 1.07 | 0.74 | 0.94 | 0.70 | 1.05 |
| Two or More Races | 2.65 | 2.74 | 2.29 | 2.42 | 3.63 | 2.25 | 3.42 | 2.58 | 3.21 |
| Hispanic or Latino | 0.61 | 0.64 | 0.58 | 0.62 | 0.56 | 0.63 | 0.55 | 0.62 | 0.61 |

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 1.62P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009**

| Demographic Characteristic | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 |
|---|--------|--------|--------|--------|--------|--------|--------|--------|------|
| TOTAL | 0.0598 | 0.1664 | 0.0170 | 0.0510 | 0.0299 | 0.2464 | 0.4197 | 0.3155 | |
| AGE | | | | | | | | | |
| 18-25 | 0.3571 | 0.5519 | 0.8360 | 0.3762 | 0.8290 | 0.1594 | 0.8845 | 0.5874 | |
| 26-49 | 0.5679 | 0.5945 | 0.3887 | 0.0708 | 0.1325 | 0.3083 | 0.1113 | 0.6412 | |
| 50 or Older | 0.0369 | 0.0925 | 0.0109 | 0.1599 | 0.0946 | 0.6014 | 0.9358 | 0.2965 | |
| GENDER | | | | | | | | | |
| Male | 0.1068 | 0.0408 | 0.1246 | 0.2240 | 0.2263 | 0.5597 | 0.7159 | 0.6526 | |
| Female | 0.2044 | 0.7671 | 0.0543 | 0.1026 | 0.0559 | 0.2826 | 0.4332 | 0.3305 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | | |
| Not Hispanic or Latino | 0.0170 | 0.0763 | 0.0107 | 0.0244 | 0.0351 | 0.2524 | 0.6002 | 0.3554 | |
| White | 0.0014 | 0.0382 | 0.0047 | 0.0140 | 0.0331 | 0.7151 | 0.5969 | 0.5626 | |
| Black or African American | 0.6718 | 0.7459 | 0.7222 | 0.9266 | 0.1152 | 0.0154 | 0.8701 | 0.2036 | |
| American Indian or Alaska Native | 0.3050 | 0.8208 | 0.8307 | 0.6198 | 0.6422 | 0.6250 | 0.9310 | * | |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * | |
| Asian | 0.0874 | 0.7847 | 0.7150 | 0.3529 | 0.8022 | 0.2774 | 0.5737 | 0.1712 | |
| Two or More Races | 0.7108 | 0.8712 | 0.5533 | 0.3452 | 0.4772 | 0.5154 | 0.8952 | 0.8220 | |
| Hispanic or Latino | 0.7386 | 0.9781 | 0.5881 | 0.9602 | 0.3213 | 0.5344 | 0.1652 | 0.5453 | |

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.