

Table 1.63C Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2010

Demographic Characteristic	2005	2006	2007	2008	2009	2010
TOTAL	408	384	405	403	412	435
AGE						
18-25	83	76	78	80	82	85
26-49	268	289	253	262	254	262
50 or Older	273	255	300	317	300	332
GENDER						
Male	231	241	255	241	247	277
Female	321	294	312	329	332	327
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	375	367	382	377	389	405
White	335	343	358	367	384	373
Black or African American	153	142	132	125	129	123
American Indian or Alaska Native	20	25	36	13	17	27
Native Hawaiian or Other Pacific Islander	17	15	*	*	*	*
Asian	59	56	52	76	60	74
Two or More Races	36	58	54	49	44	73
Hispanic or Latino	150	115	146	150	145	163

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2010 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2005-2010.

Table 1.63D Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2010

Demographic Characteristic	2005	2006	2007	2008	2009	2010
TOTAL	0.19	0.18	0.18	0.18	0.18	0.19
AGE						
18-25	0.26	0.23	0.24	0.24	0.24	0.25
26-49	0.27	0.29	0.26	0.26	0.26	0.27
50 or Older	0.32	0.29	0.34	0.35	0.32	0.35
GENDER						
Male	0.22	0.23	0.24	0.22	0.23	0.25
Female	0.29	0.26	0.27	0.28	0.28	0.28
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.20	0.19	0.20	0.20	0.20	0.21
White	0.22	0.21	0.22	0.23	0.23	0.23
Black or African American	0.58	0.53	0.50	0.47	0.46	0.47
American Indian or Alaska Native	1.84	2.41	3.14	1.34	1.58	2.47
Native Hawaiian or Other Pacific Islander	2.68	1.89	*	*	*	*
Asian	0.67	0.60	0.56	0.77	0.60	0.72
Two or More Races	1.67	2.46	2.22	1.97	1.75	2.57
Hispanic or Latino	0.55	0.40	0.50	0.50	0.47	0.52

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2010 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2005-2010.

Table 1.63P Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2005-2009

Demographic Characteristic	2005	2006	2007	2008	2009	2010
TOTAL	0.3856	0.2259	0.6708	0.1566	0.3398	
AGE						
18-25	0.1025	0.7230	0.5932	0.7288	0.5245	
26-49	0.8170	0.6079	0.7541	0.8217	0.7168	
50 or Older	0.0259	0.0158	0.3934	0.0671	0.1276	
GENDER						
Male	0.1957	0.3546	0.2951	0.1274	0.4073	
Female	0.8696	0.3891	0.7688	0.5383	0.5465	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2383	0.3888	0.6906	0.1777	0.2486	
White	0.1774	0.3999	0.8704	0.2646	0.3621	
Black or African American	0.8106	0.9145	0.5431	0.4123	0.6080	
American Indian or Alaska Native	0.7417	0.6810	0.8096	0.5139	0.6721	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	
Asian	0.5287	0.2446	0.1983	0.5282	0.5318	
Two or More Races	0.7286	0.5912	0.7816	0.9210	0.8963	
Hispanic or Latino	0.6527	0.1728	0.8252	0.6191	0.7383	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2010 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2005-2010.