

**Table 1.64C Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2010**

<b>Demographic Characteristic</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
<b>TOTAL</b>	481	473	468	500	482	487
<b>AGE</b>						
18-25	104	118	111	106	110	119
26-49	326	334	313	317	332	321
50 or Older	318	320	330	378	315	337
<b>GENDER</b>						
Male	279	308	305	306	296	302
Female	384	350	365	383	378	376
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	427	439	430	472	450	445
White	392	415	410	471	437	418
Black or African American	194	167	179	165	164	178
American Indian or Alaska Native	48	72	36	17	24	31
Native Hawaiian or Other Pacific Islander	*	30	15	*	26	*
Asian	87	107	81	116	75	84
Two or More Races	51	93	47	62	49	79
Hispanic or Latino	191	192	195	180	169	199

\*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the Results from the 2008 National Survey on Drug Use and Health: National Findings.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2005-2010.

**Table 1.64D Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2010**

<b>Demographic Characteristic</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
<b>TOTAL</b>	0.22	0.21	0.21	0.22	0.21	0.21
<b>AGE</b>						
18-25	0.32	0.36	0.34	0.32	0.33	0.35
26-49	0.33	0.33	0.31	0.32	0.33	0.33
50 or Older	0.37	0.37	0.37	0.41	0.33	0.35
<b>GENDER</b>						
Male	0.27	0.29	0.28	0.28	0.27	0.27
Female	0.34	0.31	0.32	0.33	0.32	0.32
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.22	0.23	0.22	0.24	0.23	0.23
White	0.25	0.25	0.25	0.28	0.27	0.25
Black or African American	0.70	0.59	0.66	0.59	0.57	0.60
American Indian or Alaska Native	3.80	4.72	3.07	1.79	2.28	2.68
Native Hawaiian or Other Pacific Islander	*	3.56	2.45	*	3.57	*
Asian	0.94	1.13	0.83	1.13	0.74	0.83
Two or More Races	2.21	3.57	1.98	2.35	1.91	2.67
Hispanic or Latino	0.69	0.66	0.66	0.59	0.54	0.62

\*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the Results from the 2008 National Survey on Drug Use and Health: National Findings.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2005-2010.

**Table 1.64P Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2005-2009**

<b>Demographic Characteristic</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
<b>TOTAL</b>	0.1934	0.0821	0.9146	0.7644	0.9013	
<b>AGE</b>						
18-25	0.2543	0.5886	0.7923	0.4654	0.6148	
26-49	0.8653	0.0818	0.8363	0.6051	0.5475	
50 or Older	0.6126	0.7688	1.0000	0.6682	0.4291	
<b>GENDER</b>						
Male	0.6495	0.2736	0.7060	0.5182	0.3996	
Female	0.0489	0.1792	0.6805	0.3889	0.6253	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3248	0.0789	0.7691	0.6025	0.8068	
White	0.5981	0.3551	0.7446	0.6066	0.4271	
Black or African American	0.5486	0.6721	0.9210	0.6551	0.3669	
American Indian or Alaska Native	0.0592	0.0183	0.7804	0.4602	0.9186	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	
Asian	0.7776	0.2917	0.9223	0.2786	0.4382	
Two or More Races	0.7715	0.0562	0.9511	0.8749	0.9311	
Hispanic or Latino	0.2983	0.7970	0.6780	0.6302	0.3537	

\*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the Results from the 2008 National Survey on Drug Use and Health: National Findings.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2005-2010.