

**Table 2.10C Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE):  
Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Dependence or Abuse</b>	<b>Total<sup>1</sup> (2009)</b>	<b>Total<sup>1</sup> (2010)</b>	<b>MDE (2009)</b>	<b>MDE (2010)</b>	<b>No MDE (2009)</b>	<b>No MDE (2010)</b>
<b>DEPENDENCE OR ABUSE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	44	47	21	21	39	42
Marijuana	40	40	17	16	35	36
Illicit Drugs Other Than Marijuana <sup>3</sup>	26	30	15	18	20	24
Alcohol	49	49	21	20	42	45
Both Illicit Drugs and Alcohol <sup>3</sup>	29	31	13	15	25	26
Illicit Drugs or Alcohol <sup>3</sup>	57	60	27	25	51	57
<b>DEPENDENCE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	33	34	17	15	27	30
Marijuana	29	29	13	12	25	26
Illicit Drugs Other Than Marijuana <sup>3</sup>	18	21	12	11	14	17
Alcohol	31	30	16	14	26	26
Both Illicit Drugs and Alcohol <sup>3</sup>	15	16	10	8	12	14
Illicit Drugs or Alcohol <sup>3</sup>	42	42	22	18	36	38

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

<sup>2</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.10D Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2009 and 2010**

<b>Dependence or Abuse</b>	<b>Total<sup>1</sup> (2009)</b>	<b>Total<sup>1</sup> (2010)</b>	<b>MDE (2009)</b>	<b>MDE (2010)</b>	<b>No MDE (2009)</b>	<b>No MDE (2010)</b>
<b>DEPENDENCE OR ABUSE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	0.18	0.19	1.03	1.06	0.17	0.18
Marijuana	0.16	0.16	0.86	0.79	0.15	0.16
Illicit Drugs Other Than Marijuana <sup>3</sup>	0.11	0.12	0.76	0.92	0.09	0.11
Alcohol	0.20	0.20	1.03	1.00	0.19	0.20
Both Illicit Drugs and Alcohol <sup>3</sup>	0.12	0.13	0.66	0.78	0.11	0.12
Illicit Drugs or Alcohol <sup>3</sup>	0.23	0.25	1.23	1.19	0.22	0.24
<b>DEPENDENCE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	0.13	0.14	0.86	0.77	0.12	0.13
Marijuana	0.12	0.12	0.67	0.60	0.11	0.12
Illicit Drugs Other Than Marijuana <sup>3</sup>	0.07	0.09	0.62	0.58	0.06	0.08
Alcohol	0.13	0.12	0.80	0.70	0.12	0.11
Both Illicit Drugs and Alcohol <sup>3</sup>	0.06	0.07	0.48	0.41	0.05	0.06
Illicit Drugs or Alcohol <sup>3</sup>	0.17	0.17	1.03	0.94	0.16	0.17

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

<sup>2</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.10P Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Dependence or Abuse</b>	<b>Total<sup>1</sup> (2009)</b>	<b>Total<sup>1</sup> (2010)</b>	<b>MDE (2009)</b>	<b>MDE (2010)</b>	<b>No MDE (2009)</b>	<b>No MDE (2010)</b>
<b>DEPENDENCE OR ABUSE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	0.1209		0.2551		0.2555	
Marijuana	0.4618		0.8939		0.5276	
Illicit Drugs Other Than Marijuana <sup>3</sup>	0.0471		0.1825		0.0897	
Alcohol	0.8208		0.7522		0.6469	
Both Illicit Drugs and Alcohol <sup>3</sup>	0.5622		0.2881		0.8483	
Illicit Drugs or Alcohol <sup>3</sup>	0.4694		0.5347		0.6889	
<b>DEPENDENCE<sup>2</sup></b>						
Illicit Drugs <sup>3</sup>	0.2853		0.6764		0.1627	
Marijuana	0.6142		0.4196		0.4115	
Illicit Drugs Other Than Marijuana <sup>3</sup>	0.1003		0.7392		0.0800	
Alcohol	0.1201		0.3230		0.1470	
Both Illicit Drugs and Alcohol <sup>3</sup>	0.9323		0.4495		0.5861	
Illicit Drugs or Alcohol <sup>3</sup>	0.8044		0.4512		0.8899	

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

<sup>2</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.