

Table 2.12C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2009)	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2010)	Saw or Talked to Medical Doctor or Other Professional Only (2009)	Saw or Talked to Medical Doctor or Other Professional Only (2010)	Used Prescription Medication Only (2009)	Used Prescription Medication Only (2010)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2009)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2010)
TOTAL	35	37	27	27	9	12	21	20
GENDER								
Male	17	17	14	13	3	6	8	10
Female	30	32	22	24	9	10	19	17
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	31	32	24	23	6	10	19	18
White	26	30	19	21	6	10	17	17
Black or African American	13	9	11	8	2	*	*	5
American Indian or Alaska Native	*	*	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	*	*	*	*	*	*
Two or More Races	*	*	*	*	1	*	*	*
Hispanic or Latino	16	17	11	13	6	7	8	8
POVERTY LEVEL¹								
Less Than 100%	13	14	10	10	3	1	8	10
100-199%	17	22	12	16	6	10	9	10
200% or More	27	27	21	20	5	7	17	14
GOVERNMENT ASSISTANCE²								
Yes	14	18	10	14	3	5	9	11
No	32	33	25	25	8	11	18	17
HEALTH INSURANCE³								
Private	27	28	21	19	4	11	18	17
Medicaid/CHIP ⁴	18	22	14	17	5	6	10	13
Other ⁵	*	*	*	*	*	*	*	*
No Coverage	10	12	6	*	*	2	4	5

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.12D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2009)	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2010)	Saw or Talked to Medical Doctor or Other Professional Only (2009)	Saw or Talked to Medical Doctor or Other Professional Only (2010)	Used Prescription Medication Only (2009)	Used Prescription Medication Only (2010)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2009)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2010)
TOTAL	1.52	1.51	1.24	1.28	0.46	0.63	1.01	0.96
GENDER								
Male	2.55	2.66	2.23	2.21	0.47	1.09	1.42	1.70
Female	1.79	1.83	1.47	1.57	0.63	0.71	1.29	1.17
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.60	1.70	1.33	1.38	0.40	0.63	1.10	1.10
White	1.82	1.92	1.43	1.59	0.51	0.81	1.33	1.33
Black or African American	4.11	3.36	3.57	3.08	0.70	*	*	1.85
American Indian or Alaska Native	*	*	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	*	*	*	*	*	*
Two or More Races	*	*	*	*	1.25	*	*	*
Hispanic or Latino	3.67	3.70	2.92	3.20	1.74	1.87	2.19	2.01
POVERTY LEVEL¹								
Less Than 100%	3.35	3.54	2.74	2.72	0.93	0.38	2.09	2.72
100-199%	3.09	3.07	2.49	2.66	1.38	1.74	1.80	1.86
200% or More	1.96	1.97	1.62	1.72	0.46	0.69	1.37	1.27
GOVERNMENT ASSISTANCE²								
Yes	2.80	2.96	2.08	2.58	0.69	1.04	2.01	2.15
No	1.77	1.76	1.47	1.53	0.55	0.75	1.13	1.11
HEALTH INSURANCE³								
Private	1.90	1.85	1.57	1.50	0.34	0.92	1.39	1.30
Medicaid/CHIP ⁴	2.66	2.78	2.26	2.38	0.89	0.90	1.72	1.99
Other ⁵	*	*	*	*	*	*	*	*
No Coverage	4.68	5.57	3.31	*	*	0.98	2.37	2.72

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.12P Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2009)	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2010)	Saw or Talked to Medical Doctor or Other Professional Only (2009)	Saw or Talked to Medical Doctor or Other Professional Only (2010)	Used Prescription Medication Only (2009)	Used Prescription Medication Only (2010)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2009)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2010)
TOTAL	0.1612		0.5226		0.3844		0.3607	
GENDER								
Male	0.4401		0.4553		0.0482		0.2005	
Female	0.2472		0.2483		0.9968		0.7330	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2949		0.9321		0.1596		0.2844	
White	0.1808		0.8445		0.1077		0.3932	
Black or African American	0.6592		0.9319		*		*	
American Indian or Alaska Native	*		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		*		*		*	
Two or More Races	*		*		*		*	
Hispanic or Latino	0.2867		0.1162		0.7079		0.9709	
POVERTY LEVEL¹								
Less Than 100%	0.8330		0.8218		0.0510		0.2713	
100-199%	0.1139		0.4931		0.5064		0.2317	
200% or More	0.4373		0.5623		0.2418		0.9239	
GOVERNMENT ASSISTANCE²								
Yes	0.1188		0.2685		0.8702		0.3758	
No	0.4147		0.8396		0.3709		0.6069	
HEALTH INSURANCE³								
Private	0.2196		0.7939		0.0133		0.4453	
Medicaid/CHIP ⁴	0.2152		0.7249		0.4913		0.0745	
Other ⁵	*		*		*		*	
No Coverage	0.5030		*		*		0.8932	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.