

Table 2.13C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004-2010

Demographic Characteristic	2004	2005	2006	2007	2008	2009	2010
TOTAL	62	63	60	63	60	59	57
AGE							
12-13	29	27	27	25	27	26	25
14-15	37	40	34	36	37	39	34
16-17	48	42	45	44	44	41	41
GENDER							
Male	32	32	32	33	30	32	30
Female	51	52	50	51	50	46	45
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	56	56	51	57	54	52	50
White	53	53	45	52	49	48	49
Black or African American	26	27	22	26	25	27	22
American Indian or Alaska Native	3	3	3	2	5	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	1
Asian	17	12	21	15	19	14	12
Two or More Races	10	7	12	7	10	6	9
Hispanic or Latino	28	29	29	26	27	26	27

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2004-2010.

Table 2.13D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004-2010

Demographic Characteristic	2004	2005	2006	2007	2008	2009	2010
TOTAL	0.25	0.25	0.24	0.25	0.24	0.24	0.24
AGE							
12-13	0.33	0.33	0.34	0.32	0.34	0.34	0.32
14-15	0.42	0.44	0.38	0.41	0.42	0.44	0.42
16-17	0.54	0.47	0.48	0.49	0.47	0.45	0.46
GENDER							
Male	0.25	0.25	0.25	0.26	0.24	0.26	0.25
Female	0.42	0.42	0.41	0.43	0.42	0.39	0.39
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.27	0.27	0.25	0.28	0.27	0.27	0.26
White	0.31	0.32	0.27	0.33	0.31	0.31	0.33
Black or African American	0.63	0.64	0.52	0.63	0.62	0.70	0.59
American Indian or Alaska Native	2.03	1.44	2.44	1.60	2.89	2.03	1.77
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	1.06
Asian	1.64	1.17	1.97	1.43	1.80	1.39	1.11
Two or More Races	2.15	1.62	2.53	1.61	1.84	1.24	1.69
Hispanic or Latino	0.67	0.68	0.65	0.58	0.58	0.56	0.56

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2004-2010.

Table 2.13P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2004-2009

Demographic Characteristic	2004	2005	2006	2007	2008	2009	2010
TOTAL	0.0046	0.0205	0.8163	0.6185	0.4308	0.7416	
AGE							
12-13	0.0111	0.0437	0.1576	1.0000	0.2256	0.5379	
14-15	0.6694	0.3707	0.0791	0.4302	0.4395	0.8730	
16-17	0.0144	0.1338	0.8498	0.1552	0.3999	0.8200	
GENDER							
Male	0.0607	0.7565	0.7162	0.4945	0.8618	0.3793	
Female	0.0267	0.0085	0.9373	0.8802	0.2929	0.8174	
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.0160	0.0688	0.6975	0.3374	0.2915	0.6548	
White	0.1063	0.1808	0.3771	0.7069	0.6814	0.6971	
Black or African American	0.2856	0.3352	0.6428	0.2382	0.7519	0.2129	
American Indian or Alaska Native	0.8809	0.5762	0.5345	0.1674	0.4353	0.9785	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	
Asian	0.1622	0.7793	0.3704	0.4979	0.3512	0.2534	
Two or More Races	0.4050	0.6261	0.2456	0.8020	0.3009	0.4770	
Hispanic or Latino	0.1537	0.1376	0.8282	0.3787	0.7054	0.8574	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2004-2010.