

## LIST OF TABLES

### Table

1.1C	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012
1.1D	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012
1.1P	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.2C	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.2D	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.2P	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.3C	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.3D	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.3P	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.4C	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.4D	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.4P	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.5C	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.5D	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.5P	Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.6C	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012
1.6D	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012
1.6P	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.7C	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.7D	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.7P	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.8C Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.8D Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.8P Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.9C Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.9D Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.9P Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.10C Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.10D Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.10P Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.11C Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.11D Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.11P Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.12C Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.12D Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.12P Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.13C Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.13D Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
- 1.13P Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.14C Tobacco Product and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.14D Tobacco Product and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
- 1.14P Tobacco Product and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Level of Mental Illness: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

1.15C	Any Mental Illness and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Numbers in Thousands, 2011 and 2012
1.15D	Any Mental Illness and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Percentages, 2011 and 2012
1.15P	Any Mental Illness and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Dependence or Abuse Status: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.16C	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
1.16D	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
1.16P	Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.17C	Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
1.17D	Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2011 and 2012
1.17P	Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.18C	Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
1.18D	Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2011 and 2012
1.18P	Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.19C	Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
1.19D	Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2011 and 2012
1.19P	Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Gender, and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.20C	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.20D	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.20P	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.21C	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.21D	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.21P	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.22C	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.22D	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.22P	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.23C Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.23D Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.23P Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.24C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.24D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.24P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.25C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.25D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.25P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.26C Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.26D Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.26P Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.27C Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.27D Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.27P Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.28C Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.28D Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.28P Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.29C Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.29D Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
- 1.29P Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.30C Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.30D Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
- 1.30P Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.31C Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.31D Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
- 1.31P Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Past Year Level of Mental Illness: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.32C Type and Location of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.32D Type and Location of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
- 1.32P Type and Location of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.33C Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.33D Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012
- 1.33P Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.34C Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.34D Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2011 and 2012
- 1.34P Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.35C Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.35D Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2011 and 2012
- 1.35P Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.36C Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.36D Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2011 and 2012
- 1.36P Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.37C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.37D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.37P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.38C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.38D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.38P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.39C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.39D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.39P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.40C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.40D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.40P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.41C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.41D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.41P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.42C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.42D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.42P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.43C Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.43D Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2011 and 2012
- 1.43P Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.44C Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness and an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.44D Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness and an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2011 and 2012
- 1.44P Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness and an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.45C Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness and an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.45D Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness and an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2011 and 2012
- 1.45P Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness and an Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.46C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.46D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012
- 1.46P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.47C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.47D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.47P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.48C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.48D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.48P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.49C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.49D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.49P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.50C Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.50D Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.50P Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.51C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in the Past Year: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.51D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in the Past Year: Standard Errors of Percentages, 2011 and 2012
- 1.51P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in the Past Year: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.52C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Tobacco Product and Alcohol Use in the Past Year and Past Month: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.52D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Tobacco Product and Alcohol Use in the Past Year and Past Month: Standard Errors of Percentages, 2011 and 2012
- 1.52P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Tobacco Product and Alcohol Use in the Past Year and Past Month: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.53C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.53D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.53P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.54C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.54D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.54P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.55C Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.55D Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012
- 1.55P Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.56C Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.56D Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012
- 1.56P Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Males Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.57C Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.57D Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012
- 1.57P Suicide Behavior and Treatment, Level of Mental Illness, Major Depressive Episode, and Mental Health Service Use among Females Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

1.58C	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Major Depressive Episode, Mental Health Service Use, and Substance Use Disorder: Standard Errors of Numbers in Thousands, 2011 and 2012
1.58D	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Major Depressive Episode, Mental Health Service Use, and Substance Use Disorder: Standard Errors of Percentages, 2011 and 2012
1.58P	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Major Depressive Episode, Mental Health Service Use, and Substance Use Disorder: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.59C	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012
1.59D	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012
1.59P	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.60C	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
1.60D	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: Standard Errors of Percentages, 2011 and 2012
1.60P	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.61C	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.61D	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
1.61P	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011
1.62C	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
1.62D	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012
1.62P	Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 1.63C Substance Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.63D Substance Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2011 and 2012
- 1.63P Substance Use in the Past Year and Past Month among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.64C Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.64D Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2011 and 2012
- 1.64P Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.65C Type of Professional Seen among Persons Aged 18 or Older with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Professional about Depression in the Past Year: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.65D Type of Professional Seen among Persons Aged 18 or Older with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Professional about Depression in the Past Year: Standard Errors of Percentages, 2011 and 2012
- 1.65P Type of Professional Seen among Persons Aged 18 or Older with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Professional about Depression in the Past Year: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.66C Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.66D Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.66P Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.67C Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.67D Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012
- 1.67P Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.68C Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 1.68D Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012
- 1.68P Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 1.69C Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012
- 1.69D Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2012
- 1.69P Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2008-2011

## LIST OF TABLES (Continued)

### Table

1.70C	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012
1.70D	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2008-2012
1.70P	Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2008-2011
1.71C	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012
1.71D	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2012
1.71P	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2008-2011
1.72C	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012
1.72D	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2008-2012
1.72P	Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2008-2011
1.73C	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002-2012
1.73D	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002-2012
1.73P	Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2002-2011
1.74C	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012
1.74D	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2012
1.74P	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2008-2011
1.75C	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012
1.75D	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2008-2012
1.75P	Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2008-2011
1.76C	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2012
1.76D	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2012
1.76P	Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2005-2011
1.77C	Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012
1.77D	Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2012
1.77P	Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: <i>P</i> Values from Tests of Differences of Percentages, 2012 Versus 2008-2011

## LIST OF TABLES (Continued)

### Table

- 1.78C Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2012
- 1.78D Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2012
- 1.78P Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2005-2011
- 2.1C Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.1D Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: Standard Errors of Percentages, 2011 and 2012
- 2.1P Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.2C Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.2D Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 2.2P Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.3C Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.3D Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 2.3P Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.4C Past Year Receipt of Mental Health Services and Reasons for Receiving Most Recent Mental Health Service in the Past Year among Persons Aged 12 to 17 Who Received Respective Mental Health Services in the Past Year: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.4D Past Year Receipt of Mental Health Services and Reasons for Receiving Most Recent Mental Health Service in the Past Year among Persons Aged 12 to 17 Who Received Respective Mental Health Services in the Past Year: Standard Errors of Percentages, 2011 and 2012
- 2.4P Past Year Receipt of Mental Health Services and Reasons for Receiving Most Recent Mental Health Service in the Past Year among Persons Aged 12 to 17 Who Received Respective Mental Health Services in the Past Year: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.5C Number of Visits or Overnight Stays in the Past Year for Specialty Mental Health Services among Persons Aged 12 to 17 Who Received Respective Specialty Mental Health Services in the Past Year: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.5D Number of Visits or Overnight Stays in the Past Year for Specialty Mental Health Services among Persons Aged 12 to 17 Who Received Respective Specialty Mental Health Services in the Past Year: Standard Errors of Percentages, 2011 and 2012
- 2.5P Number of Visits or Overnight Stays in the Past Year for Specialty Mental Health Services among Persons Aged 12 to 17 Who Received Respective Specialty Mental Health Services in the Past Year: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.6C Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.6D Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012
- 2.6P Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 2.7C Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.7D Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: Standard Errors of Percentages, 2011 and 2012
- 2.7P Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.8C Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.8D Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012
- 2.8P Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.9C Substance Use in the Past Year and Past Month among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.9D Substance Use in the Past Year and Past Month among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2011 and 2012
- 2.9P Substance Use in the Past Year and Past Month among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.10C Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.10D Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2011 and 2012
- 2.10P Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.11C Type of Professional Seen among Persons Aged 12 to 17 with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Professional about Depression in the Past Year: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.11D Type of Professional Seen among Persons Aged 12 to 17 with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Professional about Depression in the Past Year: Standard Errors of Percentages, 2011 and 2012
- 2.11P Type of Professional Seen among Persons Aged 12 to 17 with Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year Who Saw or Talked to a Professional about Depression in the Past Year: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011
- 2.12C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012
- 2.12D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012
- 2.12P Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

## LIST OF TABLES (Continued)

### Table

- 2.13C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004-2012
- 2.13D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004-2012
- 2.13P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2004-2011
- 2.14C Source of Mental Health Service in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012
- 2.14D Source of Mental Health Service in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2012
- 2.14P Source of Mental Health Service in the Past Year among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2012 Versus 2002-2011
- 3.1C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Gender and Detailed Age Category: 2011 and 2012
- 3.2C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Demographic Characteristics: 2011 and 2012
- 3.3C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group and Demographic Characteristics: 2011 and 2012
- 3.4C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups, Geographic, Socioeconomic, and Health Characteristics: 2011 and 2012
- 3.5C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group, Geographic, Socioeconomic, and Health Characteristics: 2011 and 2012
- 3.6C Standard Errors of Numbers (in Thousands) of Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2011 and 2012
- 3.7C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: 2011 and 2012
- 3.8C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Past Year Parole/Supervised Release Status and Demographic Characteristics: 2011 and 2012