

**Table 1.1A Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2011 and 2012**

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
<b>TOTAL</b>	41,381 <sup>a</sup>	43,714	15,895	16,856	25,486	26,858
18	772	816	272	276	500	540
19	794	792	268	314	527	479
20	857	802	384	308	473	494
21	775	856	324	360	451	496
22	777	852	330	323	448	530
23	763	858	269	310	495	548
24	800	869	330	366	470	503
25	817	929	309	390	508	539
26-29	3,666	3,825	1,399	1,660	2,266	2,165
30-34	3,954 <sup>a</sup>	4,616	1,543	1,727	2,411 <sup>a</sup>	2,889
35-39	4,119	4,118	1,471	1,630	2,648	2,488
40-44	3,865	3,938	1,349	1,617	2,516	2,321
45-49	4,333	4,280	1,718	1,601	2,616	2,680
50-54	4,299	4,050	1,751	1,661	2,548	2,389
55-59	3,248	3,573	1,280	1,274	1,968	2,299
60-64	2,871	2,949	1,128	1,187	1,742	1,762
65 or Older	4,671 <sup>a</sup>	5,591	1,772	1,855	2,900 <sup>a</sup>	3,737

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.1B Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2011 and 2012**

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
<b>TOTAL</b>	17.8	18.6	14.2	14.9	21.1	22.0
18	16.3	17.3	11.1	11.4	21.9	23.7
19	18.5	18.6	12.4	14.5	24.6	22.9
20	19.1	18.6	17.6	14.0	20.5	23.4
21	17.7	19.4	14.7	15.9	20.9	22.9
22	18.1	19.2	15.0	15.0	21.2	23.1
23	19.1	19.6	14.3	14.7	23.5	24.2
24	19.2	21.3	15.3	17.8	23.3	24.8
25	20.7	23.3	16.0	19.6	25.2	26.8
26-29	21.5	22.3	16.4	18.9	26.7	25.9
30-34	20.4 <sup>a</sup>	23.4	16.5	18.4	24.1 <sup>a</sup>	27.8
35-39	20.9	21.2	15.1	16.8	26.6	25.6
40-44	19.0	19.5	14.0	16.6	23.4	22.3
45-49	20.1	20.0	15.9	15.4	24.3	24.3
50-54	18.6	17.3	16.0	14.7	21.1	19.8
55-59	17.2	17.4	13.8	12.7	20.3	21.9
60-64	15.9	17.6	12.8	14.9	18.7	20.0
65 or Older	11.6	13.4	10.1	10.1	12.8 <sup>a</sup>	15.9

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.2A Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Total (2011)</b>	<b>Total (2012)</b>	<b>Aged 18-25 (2011)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 26-49 (2011)</b>	<b>Aged 26-49 (2012)</b>	<b>Aged 50+ (2011)</b>	<b>Aged 50+ (2012)</b>
<b>TOTAL</b>	41,381 <sup>a</sup>	43,714	6,356 <sup>a</sup>	6,774	19,936	20,777	15,089	16,163
<b>GENDER</b>								
Male	15,895	16,856	2,485	2,645	7,479	8,235	5,931	5,976
Female	25,486	26,858	3,871	4,128	12,457	12,542	9,158	10,187
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	36,793	38,049	5,219	5,442	17,543	17,898	14,031	14,709
White	29,552	30,066	3,867	4,130	13,976	13,989	11,710	11,947
Black or African American	4,364	5,044	745	710	2,235	2,466	1,384	1,868
American Indian or Alaska Native	357	366	38	68	146	153	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	33	*	*	*	*
Asian	1,473	1,608	386	312	693	873	394	424
Two or More Races	847	709	165	188	373	334	*	187
Hispanic or Latino	4,589 <sup>b</sup>	5,665	1,137 <sup>a</sup>	1,332	2,394	2,879	1,058	1,454
<b>CURRENT EMPLOYMENT</b>								
Full-Time	16,838	17,933	2,117 <sup>a</sup>	2,352	10,531	11,404	4,190	4,176
Part-Time	6,523	6,485	1,750	1,957	3,038	2,796	1,735	1,732
Unemployed	3,181	3,465	1,013	955	1,466	1,764	702	747
Other <sup>1</sup>	14,839	15,831	1,476	1,510	4,900	4,813	8,462	9,508

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.2B Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Total (2011)</b>	<b>Total (2012)</b>	<b>Aged 18-25 (2011)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 26-49 (2011)</b>	<b>Aged 26-49 (2012)</b>	<b>Aged 50+ (2011)</b>	<b>Aged 50+ (2012)</b>
<b>TOTAL</b>	17.8	18.6	18.5 <sup>a</sup>	19.6	20.3	21.2	15.0	15.8
<b>GENDER</b>								
Male	14.2	14.9	14.5	15.3	15.6	17.1	12.7	12.5
Female	21.1	22.0	22.6	23.9	24.9	25.1	17.1	18.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	18.5	19.0	19.2	19.8	21.9	22.5	15.4	15.8
White	19.0	19.3	19.7 <sup>a</sup>	21.1	23.4	23.6	15.4	15.5
Black or African American	16.3	18.6	15.9	14.5	18.5	20.6	13.9	18.1
American Indian or Alaska Native	27.7	28.3	17.4	25.6	30.3	29.3	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	17.5	*	*	*	*
Asian	13.1	13.9	20.5	17.5	11.9	14.1	11.2	11.6
Two or More Races	25.8	20.7	23.2	24.7	29.6	25.4	*	13.9
Hispanic or Latino	13.5 <sup>b</sup>	16.3	16.1 <sup>a</sup>	18.6	13.3	15.7	11.9	15.5
<b>CURRENT EMPLOYMENT</b>								
Full-Time	14.5	15.2	17.0	17.5	16.0 <sup>a</sup>	17.4	11.2	10.8
Part-Time	20.1	19.8	18.7 <sup>a</sup>	20.8	26.3	24.3	15.0	14.6
Unemployed	23.4	25.5	22.6	23.2	24.9	29.7	21.7	21.2
Other <sup>1</sup>	20.9	22.3	18.5	19.8	33.3	32.4	17.6	19.5

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.3A Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
<b>TOTAL</b>	41,381 <sup>a</sup>	43,714	6,356 <sup>a</sup>	6,774	19,936	20,777	15,089	16,163
<b>GEOGRAPHIC REGION</b>								
Northeast	6,966 <sup>a</sup>	7,723	1,093	1,222	3,250 <sup>a</sup>	3,703	2,624	2,798
Midwest	9,020	9,173	1,473	1,444	4,546	4,387	3,000	3,342
South	15,362	16,282	2,104	2,288	7,281	7,382	5,978	6,612
West	10,033	10,536	1,686	1,820	4,860	5,304	3,487	3,411
<b>COUNTY TYPE</b>								
Large Metro	20,781 <sup>a</sup>	22,619	3,337 <sup>a</sup>	3,709	9,802 <sup>b</sup>	11,122	7,642	7,788
Small Metro	13,668	13,943	2,132	2,176	6,674	6,612	4,862	5,155
250K – 1 Mil. Pop.	9,045	8,899	1,358	1,395	4,481	4,338	3,205	3,166
< 250K Pop.	4,623	5,044	774	781	2,193	2,273	1,657	1,989
Nonmetro	6,932	7,151	887	889	3,460	3,043	2,585 <sup>a</sup>	3,220
Urbanized	2,986	3,138	448	403	1,551	1,334	987 <sup>a</sup>	1,401
Less Urbanized	3,318	3,343	378	407	1,647	1,431	1,293	1,505
Completely Rural	628	670	61	79	262	278	306	314
<b>POVERTY LEVEL<sup>1</sup></b>								
Less Than 100%	8,428 <sup>b</sup>	9,945	1,816	1,914	4,179	4,587	2,433 <sup>b</sup>	3,444
100-199%	9,813	9,890	1,620	1,576	4,573	4,517	3,619	3,796
200% or More	23,005	23,669	2,784 <sup>a</sup>	3,073	11,184	11,673	9,037	8,923
<b>EDUCATION</b>								
< High School	6,567	7,491	1,047	1,032	2,898	2,874	2,622 <sup>a</sup>	3,585
High School Graduate	11,838 <sup>a</sup>	13,037	2,134	2,158	4,984	5,504	4,720	5,375
Some College	11,877	12,307	2,313	2,548	5,805	5,989	3,759	3,770
College Graduate	11,099	10,880	862 <sup>a</sup>	1,036	6,249	6,410	3,988	3,434
<b>HEALTH INSURANCE<sup>2</sup></b>								
Private	22,565	23,589	3,364 <sup>b</sup>	3,833	10,940	11,023	8,261	8,733
Medicaid/CHIP <sup>3</sup>	6,664	7,085	1,069	1,154	3,305	3,224	2,291	2,706
Other <sup>4</sup>	9,727 <sup>b</sup>	11,458	479	550	1,964 <sup>a</sup>	2,441	7,285 <sup>a</sup>	8,468
No Coverage	8,095	8,423	1,667	1,482	4,785	5,225	1,643	1,717

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>4</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.3B Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
<b>TOTAL</b>	17.8	18.6	18.5 <sup>a</sup>	19.6	20.3	21.2	15.0	15.8
<b>GEOGRAPHIC REGION</b>								
Northeast	16.3	18.0	17.9	19.9	18.5 <sup>a</sup>	21.2	13.9	14.5
Midwest	18.0	18.2	20.1	19.6	22.0	21.4	13.5	14.8
South	17.9	18.7	16.7	17.9	20.0	20.3	16.2	17.5
West	18.6	19.3	20.5	21.9	20.7	22.6	15.7	15.0
<b>COUNTY TYPE</b>								
Large Metro	16.8 <sup>a</sup>	18.0	18.1 <sup>a</sup>	19.6	18.1 <sup>a</sup>	20.1	15.0	15.1
Small Metro	18.8	19.6	19.1	20.1	22.2	23.1	15.4	16.3
250K – 1 Mil. Pop.	18.4	18.6	19.2	20.3	21.8	22.0	14.9	14.9
< 250K Pop.	19.6	21.6	19.0	19.9	23.2	25.5	16.4	19.0
Nonmetro	19.1	18.7	18.7	18.3	24.8 <sup>a</sup>	21.7	14.7	16.6
Urbanized	19.8	18.8	20.3	18.1	25.4	21.1	14.5	17.2
Less Urbanized	19.1	19.3	18.1	18.7	25.1	22.5	14.8	17.2
Completely Rural	16.3	15.4	13.6	17.6	20.1	20.3	14.6	12.4
<b>POVERTY LEVEL<sup>1</sup></b>								
Less Than 100%	25.8	26.8	19.7	20.2	28.5	28.3	27.6	30.1
100-199%	20.5	21.8	18.7	19.0	22.5	23.5	19.3	21.2
200% or More	15.2	15.6	18.0	19.4	17.7	18.7	12.4	12.2
<b>EDUCATION</b>								
< High School	19.9	21.9	18.2	19.4	21.9	21.6	18.7	22.9
High School Graduate	17.0 <sup>a</sup>	18.7	18.3	18.3	19.6	21.5	14.5	16.6
Some College	19.3	19.7	19.3	20.6	22.3	23.4	15.9	15.3
College Graduate	16.3	15.9	17.6 <sup>a</sup>	20.2	18.7	19.1	13.3	11.5
<b>HEALTH INSURANCE<sup>2</sup></b>								
Private	14.9	15.4	17.8 <sup>a</sup>	19.4	17.4	17.6	11.8	12.4
Medicaid/CHIP <sup>3</sup>	28.7	30.5	19.7	21.3	32.3	33.5	30.2	33.1
Other <sup>4</sup>	17.4 <sup>a</sup>	19.5	21.5	21.0	30.2	34.8	15.5	17.2
No Coverage	21.3	22.3	19.2	18.9	22.2	24.3	21.3	20.5

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>4</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.