

Table 1.20A Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total¹ (2011)	Total¹ (2012)	On Probation (2011)	On Probation (2012)	Not on Probation (2011)	Not on Probation (2012)
TOTAL 18 OR OLDER	41,381 ^a	43,714	1,526	1,663	39,819	41,989
AGE						
18-49	26,292 ^a	27,551	1,244	1,377	25,031	26,139
18-25	6,356 ^a	6,774	427	416	5,926 ^a	6,353
26-34	7,619 ^a	8,441	441	413	7,178 ^a	8,026
35-49	12,317	12,336	376	548	11,926	11,760
GENDER/AGE						
Male 18 or Older	15,895	16,856	869	1,050	15,013	15,779
Male 18-49	9,964 ^a	10,880	674	895	9,278	9,966
Female 18 or Older	25,486	26,858	656	613	24,806	26,211
Female 18-49	16,328	16,671	570	482	15,753	16,173

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.20B Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total¹ (2011)	Total¹ (2012)	On Probation (2011)	On Probation (2012)	Not on Probation (2011)	Not on Probation (2012)
TOTAL 18 OR OLDER	17.8	18.6	32.7	33.6	17.5	18.3
AGE						
18-49	19.9 ^a	20.8	31.1	31.6	19.6	20.4
18-25	18.5 ^a	19.6	25.6	26.1	18.2 ^a	19.3
26-34	20.9 ^a	22.9	37.8	31.3	20.4 ^a	22.6
35-49	20.0	20.2	32.4	37.9	19.8	19.8
GENDER/AGE						
Male 18 or Older	14.2	14.9	26.6	29.4	13.9	14.4
Male 18-49	15.3 ^a	16.6	24.5	28.0	14.9	16.1
Female 18 or Older	21.1	22.0	47.0	44.5	20.8	21.8
Female 18-49	24.3	24.8	45.7	41.3	24.0	24.6

*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.21A Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:
Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total¹ (2011)	Total¹ (2012)	On Probation (2011)	On Probation (2012)	Not on Probation (2011)	Not on Probation (2012)
TOTAL 18 OR OLDER	9,011	9,570	513	536	8,498	8,986
AGE						
18-49	6,247	6,488	402	399	5,845	6,059
18-25	1,296	1,423	94	92	1,202	1,330
26-34	1,825	1,909	145	112	1,681	1,796
35-49	3,125	3,156	163	195	2,962	2,933
GENDER/AGE						
Male 18 or Older	3,218	3,619	233	346	2,985	3,255
Male 18-49	2,136	2,495	180	256	1,956	2,221
Female 18 or Older	5,793	5,951	279	190	5,513	5,731
Female 18-49	4,111	3,993	222	143	3,889	3,838

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.21B Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total¹ (2011)	Total¹ (2012)	On Probation (2011)	On Probation (2012)	Not on Probation (2011)	Not on Probation (2012)
TOTAL 18 OR OLDER	3.9	4.1	11.0	10.8	3.7	3.9
AGE						
18-49	4.7	4.9	10.0	9.1	4.6	4.7
18-25	3.8	4.1	5.6	5.7	3.7	4.0
26-34	5.0	5.2	12.4	8.5	4.8	5.1
35-49	5.1	5.2	14.0	13.5	4.9	4.9
GENDER/AGE						
Male 18 or Older	2.9	3.2	7.1	9.7	2.8	3.0
Male 18-49	3.3	3.8	6.5	8.0	3.1	3.6
Female 18 or Older	4.8	4.9	20.0	13.8	4.6	4.8
Female 18-49	6.1	5.9	17.7	12.2	5.9	5.8

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.