

**Table 1.24A Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	31,642 <sup>b</sup>	34,122	16,847	17,874	5,838	6,004	4,726 <sup>a</sup>	5,455	6,283	6,416	14,795 <sup>a</sup>	16,248
<b>AGE</b>												
18-25	3,899	4,120	2,086 <sup>a</sup>	2,332	673	753	557	669	857	910	1,813	1,788
26-49	14,543	14,811	8,190	8,708	3,144	3,216	2,274	2,631	2,771	2,861	6,354	6,103
50 or Older	13,200 <sup>b</sup>	15,191	6,571	6,834	2,021	2,035	1,894	2,154	2,656	2,644	6,629 <sup>b</sup>	8,357
<b>GENDER</b>												
Male	11,051	11,519	5,434	5,562	1,902	2,082	1,541	1,733	1,990	1,747	5,617	5,958
Female	20,592 <sup>b</sup>	22,603	11,413	12,312	3,936	3,922	3,184	3,721	4,293	4,669	9,178 <sup>a</sup>	10,290
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	29,180 <sup>b</sup>	31,651	15,647	16,308	5,453	5,307	4,324	4,975	5,871	6,026	13,532 <sup>b</sup>	15,343
White	25,656 <sup>a</sup>	27,638	13,523	13,866	4,779	4,451	3,625	4,202	5,119	5,213	12,133 <sup>b</sup>	13,772
Black or African American	2,035 <sup>b</sup>	2,770	1,266 <sup>a</sup>	1,717	408	551	295 <sup>a</sup>	558	563	608	770	1,054
American Indian or Alaska Native	210	199	*	*	*	*	*	*	*	*	43	59
Native Hawaiian or Other Pacific Islander	21	52	*	*	*	*	*	*	*	*	16	16
Asian	728	505	301	265	*	*	*	*	83	61	426	240
Two or More Races	529	485	*	283	*	*	*	*	*	*	144	202
Hispanic or Latino	2,463	2,471	1,199	1,566	386 <sup>a</sup>	697	402	480	412	389	1,263	905
<b>CURRENT EMPLOYMENT</b>												
Full-Time	12,842	13,804	6,062	6,456	1,725	1,859	1,829	2,093	2,508	2,505	6,780	7,348
Part-Time	4,857	5,223	2,645	2,455	929	677	685	805	1,031	974	2,212 <sup>a</sup>	2,767
Unemployed	1,920	2,150	1,103	1,375	366 <sup>a</sup>	607	370	359	367	410	817	775
Other <sup>1</sup>	12,023	12,945	7,037	7,588	2,818	2,861	1,841	2,199	2,378	2,528	4,986	5,357

\*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.24B Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	13.6 <sup>a</sup>	14.5	40.8	41.0	64.9	62.9	45.8	45.9	28.6	29.0	7.8 <sup>a</sup>	8.5
<b>AGE</b>												
18-25	11.4	12.0	32.9	34.5	52.1	53.1	33.6	36.7	25.2	25.8	6.5	6.5
26-49	14.9	15.2	41.1	42.0	63.6	63.5	43.6	46.9	28.4	28.4	8.2	7.9
50 or Older	13.2 <sup>a</sup>	14.8	43.6	42.4	73.2	66.3	55.0	48.2	30.0	30.9	7.8 <sup>b</sup>	9.7
<b>GENDER</b>												
Male	9.9	10.2	34.2	33.1	59.3	57.8	42.4	36.9	22.0	20.5	5.9	6.2
Female	17.1 <sup>b</sup>	18.6	44.9	46.0	68.0	66.0	47.6	51.7	33.1	34.2	9.7 <sup>a</sup>	10.8
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	14.7 <sup>b</sup>	15.8	42.6	43.0	66.9	66.2	47.0	48.2	30.3	30.7	8.4 <sup>b</sup>	9.5
White	16.6 <sup>a</sup>	17.8	45.9	46.2	69.4	67.4	49.3	51.0	33.6	34.4	9.7 <sup>b</sup>	11.0
Black or African American	7.6 <sup>b</sup>	10.2	29.0	34.1	54.9	60.4	31.0	42.2	21.1	21.7	3.5	4.8
American Indian or Alaska Native	16.3	15.4	*	*	*	*	*	*	*	*	4.6	6.4
Native Hawaiian or Other Pacific Islander	2.5	5.3	*	*	*	*	*	*	*	*	2.4	2.2
Asian	6.5	4.4	20.5	16.5	*	*	*	*	11.0	6.0	4.4	2.4
Two or More Races	16.2	14.2	*	40.1	*	*	*	*	*	*	5.9	7.5
Hispanic or Latino	7.3	7.1	26.2	27.8	45.5	45.7	36.3	30.7	15.7	15.3	4.3	3.1
<b>CURRENT EMPLOYMENT</b>												
Full-Time	11.1	11.8	36.1	36.1	55.8	58.1	41.1	41.5	27.1	25.9	6.9	7.4
Part-Time	15.0	16.0	40.6	37.9	62.2	52.9	45.9	47.3	29.2	27.8	8.6 <sup>a</sup>	10.6
Unemployed	14.2	15.9	34.7	39.7	49.7	57.2	44.0	41.7	22.9	26.6	7.9	7.7
Other <sup>1</sup>	17.0	18.3	47.5	48.1	76.7	71.4	52.2	51.2	31.3	33.9	8.9	9.7

\*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.25A Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	31,642 <sup>b</sup>	34,122	16,847	17,874	5,838	6,004	4,726 <sup>a</sup>	5,455	6,283	6,416	14,795 <sup>a</sup>	16,248
<b>GEOGRAPHIC REGION</b>												
Northeast	5,978	6,113	3,177	3,298	932	1,036	902	1,111	1,343	1,151	2,801	2,815
Midwest	7,531	7,858	3,954	4,163	1,470	1,361	1,113	1,181	1,371	1,620	3,577	3,696
South	11,236 <sup>b</sup>	12,632	5,997	6,600	1,885	2,231	1,677	2,111	2,436	2,258	5,238	6,032
West	6,897	7,519	3,719	3,813	1,551	1,375	1,034	1,052	1,134	1,387	3,178	3,706
<b>COUNTY TYPE</b>												
Large Metro	15,675 <sup>a</sup>	17,241	8,120	8,697	2,612	2,907	2,230	2,648	3,278	3,142	7,555 <sup>a</sup>	8,543
Small Metro	10,794	11,095	5,859	6,023	2,193	2,055	1,761	1,831	1,905	2,136	4,936	5,073
250K – 1 Mil. Pop.	6,997	7,208	3,821	3,849	1,358	1,287	1,241	1,193	1,221	1,369	3,176	3,359
< 250K Pop.	3,797	3,888	2,037	2,174	834	769	519	637	684	767	1,760	1,714
Nonmetro	5,173	5,786	2,868	3,154	1,034	1,041	735	976	1,099	1,137	2,305	2,632
Urbanized	2,263	2,680	1,235	1,394	408	451	*	392	522	551	1,028	1,285
Less Urbanized	2,443	2,573	1,366	1,463	533	490	357	499	476	474	1,078	1,110
Completely Rural	467	533	*	*	*	*	*	*	*	*	199	236
<b>POVERTY LEVEL<sup>1</sup></b>												
Less Than 100%	5,179 <sup>a</sup>	5,939	3,435 <sup>a</sup>	4,033	1,611	1,633	861 <sup>a</sup>	1,195	963	1,205	1,744	1,906
100-199%	6,472	6,295	3,938	3,808	1,355	1,445	1,075	1,044	1,507	1,319	2,535	2,487
200% or More	19,871 <sup>a</sup>	21,721	9,422	9,952	2,849	2,895	2,777	3,186	3,797	3,872	10,449 <sup>a</sup>	11,769
<b>EDUCATION</b>												
< High School	3,933	3,854	2,359	2,422	930	814	621	727	808	881	1,574	1,432
High School Graduate	7,817 <sup>b</sup>	9,476	4,323 <sup>a</sup>	4,990	1,518	1,871	1,308	1,352	1,498	1,767	3,494 <sup>b</sup>	4,485
Some College	9,380	9,651	5,072	5,376	1,900	1,827	1,425	1,659	1,747	1,891	4,308	4,274
College Graduate	10,512	11,142	5,092	5,085	1,490	1,492	1,372	1,717	2,230	1,876	5,420	6,057
<b>HEALTH INSURANCE<sup>2</sup></b>												
Private	19,879 <sup>a</sup>	21,618	9,436	9,909	2,536	2,777	2,874	3,229	4,026	3,903	10,443 <sup>a</sup>	11,709
Medicaid/CHIP <sup>3</sup>	5,133	4,936	3,350	3,345	1,520	1,336	785	1,036	1,045	973	1,783	1,591
Other <sup>4</sup>	8,128 <sup>b</sup>	9,604	4,549	5,069	1,529	1,836	1,187	1,471	1,833	1,762	3,580 <sup>a</sup>	4,535
No Coverage	3,334	3,906	2,086	2,527	956	990	580	718	549 <sup>a</sup>	819	1,248	1,379

\*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>4</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.25B Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	13.6 <sup>a</sup>	14.5	40.8	41.0	64.9	62.9	45.8	45.9	28.6	29.0	7.8 <sup>a</sup>	8.5
<b>GEOGRAPHIC REGION</b>												
Northeast	14.1	14.3	45.6	42.7	64.9	66.0	52.9	50.3	35.1	29.2	7.9	8.0
Midwest	15.0	15.6	43.9	45.5	69.7	68.8	49.6	48.1	29.4	34.4	8.7	9.0
South	13.1 <sup>a</sup>	14.5	39.1	40.7	60.9	62.7	42.0	46.7	29.6	27.7	7.4 <sup>a</sup>	8.5
West	12.9	13.8	37.2	36.3	65.9	56.3	43.6	38.7	21.5	25.9	7.3	8.4
<b>COUNTY TYPE</b>												
Large Metro	12.7 <sup>a</sup>	13.7	39.1	38.5	63.0	60.4	43.6	42.8	28.5	27.2	7.4 <sup>a</sup>	8.3
Small Metro	14.9	15.6	42.9	43.3	67.3	64.6	49.6	48.9	27.9	30.6	8.4	8.9
250K – 1 Mil. Pop.	14.3	15.1	42.3	43.3	65.1	64.4	50.8	52.0	27.1	29.9	8.0	8.7
< 250K Pop.	16.1	16.7	44.1	43.2	71.2	65.0	46.9	44.0	29.3	32.0	9.3	9.4
Nonmetro	14.3	15.1	41.6	44.3	65.2	67.1	44.3	49.6	30.1	31.6	7.9	8.5
Urbanized	15.0	16.1	41.4	44.4	59.5 <sup>a</sup>	75.0	*	48.2	31.6	32.0	8.5	9.5
Less Urbanized	14.1	14.9	41.6	44.1	70.1	64.5	43.1	51.3	28.2	30.0	7.7	8.0
Completely Rural	12.1	12.3	*	*	*	*	*	*	*	*	6.2	6.4
<b>POVERTY LEVEL<sup>1</sup></b>												
Less Than 100%	15.9	16.1	40.8	40.8	64.9	60.9	41.2	44.9	25.0	26.5	7.2	7.1
100-199%	13.6	13.9	40.2	38.6	61.9	61.8	44.1	40.9	29.2	26.5	6.7	7.0
200% or More	13.2 <sup>a</sup>	14.3	41.1	42.1	66.5	64.5	48.3	48.3	29.4	30.9	8.2 <sup>a</sup>	9.2
<b>EDUCATION</b>												
< High School	12.0	11.3	35.9	32.6	59.9	49.7	40.8	37.9	23.1	22.7	6.0	5.4
High School Graduate	11.2 <sup>b</sup>	13.6	36.6	38.3	63.4	60.7	44.8	42.5	23.1	26.2	6.1 <sup>b</sup>	7.9
Some College	15.2	15.4	42.7	43.7	66.1	66.6	43.0	45.1	30.8	32.2	8.7	8.5
College Graduate	15.4	16.3	46.0	46.9	68.6	71.6	53.6	55.2	35.2	33.2	9.5	10.5
<b>HEALTH INSURANCE<sup>2</sup></b>												
Private	13.1 <sup>a</sup>	14.2	41.9	42.1	63.9	68.0	48.7	48.7	31.8	30.4	8.1 <sup>a</sup>	9.1
Medicaid/CHIP <sup>3</sup>	22.2	21.4	50.5	47.5	74.9	68.0	52.7	52.9	33.6	31.3	10.8	9.9
Other <sup>4</sup>	14.6 <sup>a</sup>	16.4	46.9	44.4	78.8	71.5	57.9	47.5	32.1	30.7	7.8 <sup>a</sup>	9.6
No Coverage	8.8 <sup>a</sup>	10.4	25.8	30.1	48.8	43.2	27.4	34.4	13.7 <sup>a</sup>	20.4	4.2	4.7

\*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>4</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.26A Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	1,779	1,872	1,346	1,326	796	590	296	297	254	439	433	546
<b>AGE</b>												
18-25	361	397	249	259	104	121	62	57	84	81	111	138
26-49	766	675	569	487	394 <sup>a</sup>	244	110	152	65	91	197	188
50 or Older	653	801	529	581	299	226	124	87	106	267	124	220
<b>GENDER</b>												
Male	875	929	582	585	340	229	121	118	120	238	293	345
Female	904	943	765	742	456	361	174	178	134	202	139	201
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	1,568	1,666	1,193	1,243	730	537	243	278	220 <sup>a</sup>	427	374	423
White	1,124	1,123	856	860	623	414	128	157	104 <sup>a</sup>	289	268	263
Black or African American	291	444	200	298	60	91	62	95	78	113	90	146
American Indian or Alaska Native	*	29	*	29	*	*	*	*	*	*	*	0
Native Hawaiian or Other Pacific Islander	2	6	*	*	*	*	*	*	*	*	1	*
Asian	94	19	86	14	*	*	*	*	35	6	8	5
Two or More Races	30	45	24	*	*	*	*	*	2	*	6	9
Hispanic or Latino	212	207	153	84	67	53	52	18	34	12	59	123
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	491	566	339	386	187	174	78	102	75	110	152	180
Medicaid/CHIP <sup>2</sup>	725	719	563	513	349	222	128	141	86	150	162	206
Other <sup>3</sup>	603	712	462	503	235	176	112	122	115	204	140	209
No Coverage	339	354	263	251	154	136	56	36	53	80	76	103
<b>CURRENT EMPLOYMENT</b>												
Full-Time	374	366	267	194	136	95	85	44	46	55	108	172
Part-Time	212	177	179	115	120	54	12	36	46	25	33	62
Unemployed	187	249	120	172	64	62	31	41	24	*	67	77
Other <sup>4</sup>	1,006	1,080	781	845	476	380	167	175	138 <sup>a</sup>	290	226	235

\*Low precision; no estimate reported.

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.26B Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Percentages, 2011 and 2012**

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	0.8	0.8	3.3	3.0	8.8 <sup>a</sup>	6.2	2.9	2.5	1.2	2.0	0.2	0.3
<b>AGE</b>												
18-25	1.1	1.1	3.9	3.8	8.0	8.5	3.7	3.1	2.5	2.3	0.4	0.5
26-49	0.8	0.7	2.9	2.3	8.0 <sup>a</sup>	4.8	2.1	2.7	0.7	0.9	0.3	0.2
50 or Older	0.7	0.8	3.5	3.6	10.8	7.3	3.6	1.9	1.2	3.1	0.1	0.3
<b>GENDER</b>												
Male	0.8	0.8	3.7	3.5	10.6	6.3	3.3	2.5	1.3	2.8	0.3	0.4
Female	0.7	0.8	3.0	2.8	7.9	6.1	2.6	2.5	1.0	1.5	0.1	0.2
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	0.8	0.8	3.2	3.3	8.9	6.7	2.6	2.7	1.1 <sup>a</sup>	2.2	0.2	0.3
White	0.7	0.7	2.9	2.9	9.0	6.3	1.7	1.9	0.7 <sup>a</sup>	1.9	0.2	0.2
Black or African American	1.1	1.6	4.6	5.9	8.1	9.8	6.5	7.2	2.9	4.0	0.4	0.7
American Indian or Alaska Native	*	2.2	*	7.8	*	*	*	*	*	*	*	0.0
Native Hawaiian or Other Pacific Islander	0.2	0.6	*	*	*	*	*	*	*	*	0.2	*
Asian	0.8	0.2	5.8	0.9	*	*	*	*	4.7	0.6	0.1	0.1
Two or More Races	0.9	1.3	2.8	*	*	*	*	*	0.5	*	0.3	0.3
Hispanic or Latino	0.6	0.6	3.3 <sup>a</sup>	1.5	7.9	3.5	4.7	1.2	1.3	0.5	0.2	0.4
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	0.3	0.4	1.5	1.6	4.7	4.2	1.3	1.5	0.6	0.9	0.1	0.1
Medicaid/CHIP <sup>2</sup>	3.1	3.1	8.5	7.2	17.2	11.3	8.6	7.1	2.7	4.8	1.0	1.3
Other <sup>3</sup>	1.1	1.2	4.8	4.4	12.1	6.9	5.5	3.9	2.0	3.5	0.3	0.4
No Coverage	0.9	0.9	3.3	3.0	7.8	5.9	2.6	1.7	1.3	2.0	0.3	0.4
<b>CURRENT EMPLOYMENT</b>												
Full-Time	0.3	0.3	1.6	1.1	4.4	2.9	1.9	0.9	0.5	0.6	0.1	0.2
Part-Time	0.7	0.5	2.7	1.8	8.0	4.2	0.8	2.1	1.3	0.7	0.1	0.2
Unemployed	1.4	1.8	3.8	5.0	8.7	5.9	3.7	4.8	1.5	*	0.6	0.8
Other <sup>4</sup>	1.4	1.5	5.3	5.3	12.9	9.5	4.7	4.0	1.8 <sup>a</sup>	3.9	0.4	0.4

\*Low precision; no estimate reported.

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.27A Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	15,477	15,468	9,902	9,732	3,962	3,706	2,672	3,085	3,268	2,941	5,576	5,736
<b>AGE</b>												
18-25	2,126	2,239	1,324	1,479	480	506	357	445	487	528	802	761
26-49	7,640	7,411	4,989	4,878	2,108	2,029	1,348	1,517	1,533	1,331	2,650	2,533
50 or Older	5,711	5,818	3,588	3,376	1,374	1,170	967	1,124	1,248	1,082	2,123	2,442
<b>GENDER</b>												
Male	5,363	5,019	3,251	2,913	1,216	1,180	894	901	1,141 <sup>a</sup>	832	2,111	2,105
Female	10,115	10,450	6,650	6,819	2,745	2,526	1,778	2,185	2,127	2,109	3,465	3,631
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	14,144	14,330	9,066	8,909	3,672	3,316	2,434	2,801	2,960	2,792	5,078	5,421
White	12,232	12,273	7,797	7,427	3,172	2,776	2,007	2,253	2,619	2,398	4,434	4,846
Black or African American	1,114	1,436	769	1,035	338	352	*	409	260	275	345	400
American Indian or Alaska Native	102	88	*	*	*	*	*	*	*	*	20	6
Native Hawaiian or Other Pacific Islander	16	12	*	*	*	*	*	*	*	*	10	7
Asian	381	255	166	176	*	*	*	*	41	45	214	79
Two or More Races	300	266	*	183	*	*	*	*	32	*	53	83
Hispanic or Latino	1,333	1,138	835	824	289	390	238	285	308 <sup>a</sup>	149	498	315
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	9,517	9,740	5,545	5,490	1,772	1,776	1,614	1,846	2,159	1,868	3,972	4,250
Medicaid/CHIP <sup>2</sup>	2,900 <sup>a</sup>	2,413	2,244	1,873	1,130	908	573	558	541	407	656	540
Other <sup>3</sup>	3,816	3,682	2,625	2,316	1,077	1,065	623	638	926 <sup>a</sup>	613	1,191	1,367
No Coverage	1,543	1,733	1,096	1,315	542	488	296	435	258	392	447	417
<b>CURRENT EMPLOYMENT</b>												
Full-Time	5,867	6,280	3,357	3,515	1,052	1,160	957	1,181	1,348	1,174	2,511	2,765
Part-Time	2,428	2,534	1,650	1,489	700 <sup>b</sup>	403	397	509	553	576	778	1,046
Unemployed	1,027	1,112	647	864	220 <sup>a</sup>	417	*	229	198	218	380	248
Other <sup>4</sup>	6,155	5,542	4,248	3,865	1,990	1,725	1,088	1,167	1,169	972	1,907	1,677

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.27B Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Percentages, 2011 and 2012**

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	6.7	6.6	24.0	22.4	44.1 <sup>a</sup>	39.0	26.0	26.0	14.9	13.3	2.9	3.0
<b>AGE</b>												
18-25	6.2	6.5	20.9	21.9	37.2	35.8	21.6	24.4	14.4	15.0	2.9	2.7
26-49	7.8	7.6	25.1	23.6	42.8	40.3	25.9	27.1	15.8	13.2	3.4	3.3
50 or Older	5.7	5.7	23.8	21.0	49.7 <sup>a</sup>	38.2	28.2	25.2	14.1	12.7	2.5	2.8
<b>GENDER</b>												
Male	4.8	4.5	20.5 <sup>a</sup>	17.4	37.9	32.9	24.7	19.2	12.7	9.8	2.2	2.2
Female	8.4	8.6	26.2	25.5	47.6	42.6	26.7	30.4	16.4	15.5	3.6	3.8
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	7.1	7.2	24.7	23.5	45.2	41.5	26.5	27.2	15.3	14.3	3.1	3.3
White	7.9	7.9	26.5	24.8	46.2	42.2	27.4	27.3	17.2	15.9	3.5	3.9
Black or African American	4.2	5.3	17.6	20.7	45.6	38.6	*	31.6	9.7	9.8	1.5	1.8
American Indian or Alaska Native	7.9	6.8	*	*	*	*	*	*	*	*	2.2	0.7
Native Hawaiian or Other Pacific Islander	1.8	1.2	*	*	*	*	*	*	*	*	1.6	0.9
Asian	3.4	2.2	11.3	10.9	*	*	*	*	5.4	4.4	2.2	0.8
Two or More Races	9.2	7.8	*	26.0	*	*	*	*	7.3	*	2.2	3.1
Hispanic or Latino	3.9	3.3	18.3	14.6	34.1	25.5	21.8	18.2	11.7 <sup>a</sup>	5.9	1.7	1.1
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	6.3	6.4	24.7	23.4	44.9	43.7	27.3	27.9	17.1	14.6	3.1	3.3
Medicaid/CHIP <sup>2</sup>	12.5 <sup>a</sup>	10.5	33.8 <sup>b</sup>	26.7	55.7	46.4	38.5	28.6	17.3	13.1	4.0	3.4
Other <sup>3</sup>	6.9	6.3	27.1 <sup>b</sup>	20.4	55.5 <sup>a</sup>	41.6	30.6 <sup>a</sup>	20.6	16.2 <sup>a</sup>	10.8	2.6	2.9
No Coverage	4.1	4.6	13.6	15.7	27.6	21.3	14.1	20.9	6.5	9.7	1.5	1.4
<b>CURRENT EMPLOYMENT</b>												
Full-Time	5.1	5.3	20.0	19.7	34.2	36.3	21.5	23.4	14.6	12.2	2.5	2.8
Part-Time	7.5	7.8	25.4	23.0	46.9 <sup>b</sup>	31.8	26.6	29.9	15.7	16.5	3.0	4.0
Unemployed	7.6	8.2	20.5	25.0	29.9	39.3	*	26.8	12.3	14.2	3.7	2.5
Other <sup>4</sup>	8.7	7.8	28.7 <sup>a</sup>	24.6	54.1 <sup>b</sup>	43.3	30.9	27.2	15.4	13.1	3.4	3.0

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.28A Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	26,777 <sup>b</sup>	29,027	14,700	15,422	5,242	5,527	4,100	4,559	5,359	5,336	12,077 <sup>a</sup>	13,605
<b>AGE</b>												
18-25	3,005	3,109	1,609 <sup>a</sup>	1,815	531 <sup>a</sup>	648	439	491	638	676	1,396	1,294
26-49	12,006	12,669	7,100	7,695	2,831	2,971	1,934	2,242	2,335	2,482	4,905	4,974
50 or Older	11,767 <sup>a</sup>	13,249	5,992	5,911	1,880	1,907	1,726	1,826	2,385	2,178	5,775 <sup>b</sup>	7,338
<b>GENDER</b>												
Male	9,199	9,668	4,626	4,788	1,675	1,906	1,283	1,513	1,668	1,368	4,573	4,880
Female	17,578 <sup>b</sup>	19,359	10,074	10,634	3,567	3,620	2,817	3,046	3,691	3,967	7,504 <sup>a</sup>	8,726
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	24,842 <sup>b</sup>	26,988	13,738	14,054	4,928	4,871	3,797	4,150	5,013	5,033	11,104 <sup>b</sup>	12,934
White	22,129 <sup>a</sup>	23,908	11,918	12,169	4,313	4,114	3,221	3,621	4,384	4,435	10,211 <sup>b</sup>	11,739
Black or African American	1,592 <sup>a</sup>	2,075	1,097	1,308	375	473	*	363	484	471	496	767
American Indian or Alaska Native	192	173	*	*	*	*	*	*	*	*	31	57
Native Hawaiian or Other Pacific Islander	18	44	*	*	*	*	*	*	*	*	12	12
Asian	443	384	198	206	*	*	*	*	59	30	246	178
Two or More Races	468	405	*	225	*	*	*	*	*	64	108	180
Hispanic or Latino	1,935	2,039	963 <sup>a</sup>	1,367	314 <sup>b</sup>	656	303	409	345	303	972	671
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	16,545 <sup>a</sup>	18,140	8,153	8,436	2,304	2,487	2,530	2,743	3,319	3,206	8,392 <sup>a</sup>	9,704
Medicaid/CHIP <sup>2</sup>	4,440	4,303	2,955	2,992	1,353	1,242	680	864	921	886	1,485	1,311
Other <sup>3</sup>	7,382 <sup>a</sup>	8,532	4,166	4,487	1,439	1,690	1,058	1,305	1,668	1,492	3,217 <sup>a</sup>	4,045
No Coverage	2,709 <sup>a</sup>	3,232	1,723	2,112	797	919	459	525	467	668	986	1,120
<b>CURRENT EMPLOYMENT</b>												
Full-Time	10,458	11,462	5,066	5,445	1,486	1,643	1,567	1,756	2,013	2,045	5,393	6,017
Part-Time	4,060	4,222	2,250	1,949	760	616	585	623	904	710	1,810 <sup>a</sup>	2,273
Unemployed	1,553	1,784	967	1,176	340 <sup>a</sup>	546	317	257	310	373	587	608
Other <sup>4</sup>	10,705	11,559	6,418	6,852	2,656	2,722	1,630	1,922	2,131	2,207	4,288	4,707

\*Low precision; no estimate reported.

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.28B Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Percentages, 2011 and 2012**

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
<b>TOTAL</b>	11.5 <sup>a</sup>	12.4	35.6	35.3	58.2	57.8	39.7	38.3	24.3	24.0	6.3 <sup>a</sup>	7.1
<b>AGE</b>												
18-25	8.8	9.0	25.3	26.8	41.0	45.5	26.5	26.9	18.8	19.2	5.0	4.7
26-49	12.3	13.0	35.6	37.1	57.2	58.7	37.0	40.0	23.9	24.6	6.3	6.5
50 or Older	11.8	12.9	39.8	36.7	68.1	61.9	50.3	40.9	26.9	25.4	6.8 <sup>b</sup>	8.5
<b>GENDER</b>												
Male	8.2	8.6	29.1	28.4	52.1	52.7	35.2	32.2	18.5	16.1	4.8	5.1
Female	14.6 <sup>a</sup>	15.9	39.6	39.7	61.6	60.8	42.2	42.3	28.4	29.0	7.9 <sup>b</sup>	9.2
<b>HISPANIC ORIGIN AND RACE</b>												
Not Hispanic or Latino	12.5 <sup>a</sup>	13.5	37.4	37.0	60.4	60.6	41.2	40.2	25.9	25.7	6.9 <sup>b</sup>	8.0
White	14.3 <sup>a</sup>	15.4	40.4	40.6	62.6	62.3	43.8	44.0	28.7	29.2	8.1 <sup>b</sup>	9.3
Black or African American	6.0 <sup>a</sup>	7.6	25.1	25.9	50.5	51.1	*	27.5	18.1	16.9	2.2 <sup>a</sup>	3.5
American Indian or Alaska Native	14.9	13.3	*	*	*	*	*	*	*	*	3.3	6.1
Native Hawaiian or Other Pacific Islander	2.1	4.5	*	*	*	*	*	*	*	*	1.9	1.7
Asian	3.9	3.3	13.4	12.8	*	*	*	*	7.7	3.0	2.5	1.8
Two or More Races	14.3	11.9	*	31.7	*	*	*	*	*	19.0	4.5	6.7
Hispanic or Latino	5.7	5.9	21.0	24.1	37.1	42.8	27.3	26.2	13.1	11.8	3.3	2.3
<b>HEALTH INSURANCE<sup>1</sup></b>												
Private	10.9 <sup>a</sup>	11.9	36.1	35.8	58.1	60.6	42.8	41.4	26.2	25.0	6.5 <sup>b</sup>	7.5
Medicaid/CHIP <sup>2</sup>	19.2	18.6	44.5	42.5	66.6	63.2	45.6	44.1	29.6	28.5	9.0	8.2
Other <sup>3</sup>	13.3	14.5	42.9	39.3	74.2	65.8	51.6	42.1	29.2	26.0	7.0 <sup>a</sup>	8.5
No Coverage	7.2 <sup>a</sup>	8.6	21.3	25.1	40.5	40.1	21.7	25.2	11.7	16.5	3.3	3.8
<b>CURRENT EMPLOYMENT</b>												
Full-Time	9.0	9.8	30.1	30.4	48.0	51.1	35.1	34.8	21.7	21.1	5.5	6.0
Part-Time	12.5	12.9	34.5	30.1	50.9	48.0	39.2	36.7	25.6	20.3	7.0 <sup>a</sup>	8.7
Unemployed	11.5	13.2	30.5	33.9	46.1	51.4	38.2	29.9	19.4	24.2	5.7	6.1
Other <sup>4</sup>	15.1	16.3	43.3	43.4	72.3	67.9	46.2	44.8	28.0	29.6	7.7	8.5

\*Low precision; no estimate reported.

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.