

Table 1.46A Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2011 and 2012

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	8,540	9,031	3,771	4,064	4,770	4,967
18	384	434	179	167	205	267
19	379	373	133	156	245	217
20	342	354	171	151	170	203
21	314	316	156	160	158	155
22	255	280	107	125	147	155
23	242	289	107	129	136	161
24	209	214	94	109	115	105
25	205	229	101	117	104	112
26-29	765	759	332	369	432	389
30-34	536 ^a	777	273	333	264 ^a	443
35-39	822	726	282	332	541	394
40-44	680	838	211 ^a	406	469	431
45-49	784	965	316	484	467	481
50-54	931 ^a	602	474	259	457	343
55-59	656	528	244	195	412	333
60-64	401	548	236	242	165	306
65 or Older	636	800	353	329	283	471

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.46B Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2011 and 2012

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	3.7	3.9	3.4	3.6	4.0	4.1
18	8.2	9.3	7.4	6.9	9.0 ^a	11.8
19	8.9	8.8	6.2	7.3	11.5	10.4
20	7.6	8.3	7.9	6.9	7.4	9.7
21	7.2	7.2	7.1	7.1	7.4	7.2
22	6.0	6.3	4.9	5.8	7.0	6.8
23	6.1	6.6	5.7	6.2	6.5	7.1
24	5.0	5.3	4.4	5.4	5.7	5.2
25	5.2	5.8	5.3	5.9	5.2	5.6
26-29	4.5	4.4	3.9	4.2	5.1	4.7
30-34	2.8 ^a	3.9	2.9	3.6	2.6 ^a	4.3
35-39	4.2	3.7	2.9	3.4	5.4	4.1
40-44	3.4	4.2	2.2 ^b	4.2	4.4	4.2
45-49	3.6	4.5	2.9	4.7	4.4	4.4
50-54	4.0 ^a	2.6	4.3	2.3	3.8	2.8
55-59	3.5	2.6	2.6	2.0	4.3	3.2
60-64	2.2	3.3	2.7	3.1	1.8	3.5
65 or Older	1.6	1.9	2.0	1.8	1.3	2.0

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.47A Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	8,540	9,031	2,329	2,489	3,587	4,064	2,624	2,478
GENDER								
Male	3,771	4,064	1,048	1,114	1,414 ^b	1,925	1,308	1,025
Female	4,770	4,967	1,281	1,375	2,173	2,139	1,316	1,453
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7,691	7,821	1,943	1,983	3,190	3,530	2,558	2,307
White	6,140	6,200	1,346	1,459	2,582	2,794	2,212	1,946
Black or African American	885	965	341	306	383	423	161	237
American Indian or Alaska Native	169	77	15	21	36	30	*	*
Native Hawaiian or Other Pacific Islander	*	15	*	8	*	*	*	*
Asian	322	379	153	100	122	205	*	74
Two or More Races	141	185	77	88	49	78	15	19
Hispanic or Latino	849 ^a	1,210	386 ^a	506	397	534	66	170
CURRENT EMPLOYMENT								
Full-Time	3,019 ^b	3,739	635 ^b	836	1,632 ^b	2,284	753	619
Part-Time	1,639 ^a	1,310	697	689	565	455	377	167
Unemployed	908	975	472	419	335	377	101	179
Other ¹	2,974	3,008	526	545	1,056	949	1,393	1,513

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.47B Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	3.7	3.9	6.8	7.2	3.7	4.2	2.6	2.4
GENDER								
Male	3.4	3.6	6.1	6.5	2.9 ^b	4.0	2.8	2.2
Female	4.0	4.1	7.5	8.0	4.4	4.3	2.5	2.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.9	3.9	7.2	7.3	4.0	4.4	2.8	2.5
White	4.0	4.0	6.9	7.5	4.3	4.7	2.9	2.5
Black or African American	3.3	3.6	7.3	6.3	3.2	3.6	1.6	2.3
American Indian or Alaska Native	13.1	5.9	6.8	8.0	7.4	5.8	*	*
Native Hawaiian or Other Pacific Islander	*	1.5	*	4.6	*	*	*	*
Asian	2.9	3.3	8.1	5.7	2.1	3.3	*	2.0
Two or More Races	4.4	5.5	11.0	11.6	4.0	6.0	1.2	1.4
Hispanic or Latino	2.5 ^a	3.5	5.5 ^a	7.1	2.2	2.9	0.7	1.8
CURRENT EMPLOYMENT								
Full-Time	2.6 ^a	3.2	5.1 ^a	6.2	2.5 ^b	3.5	2.0	1.6
Part-Time	5.1 ^a	4.0	7.5	7.4	4.9	4.0	3.3	1.4
Unemployed	6.7	7.2	10.6	10.3	5.7	6.4	3.1	5.2
Other ¹	4.2	4.2	6.6	7.2	7.2	6.4	2.9	3.1

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.48A Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	8,540	9,031	2,329	2,489	3,587	4,064	2,624	2,478
GEOGRAPHIC REGION								
Northeast	1,514	1,655	392	440	651	774	471	441
Midwest	2,020	1,951	532	552	893	905	595	494
South	2,944	3,203	780	855	1,263	1,267	901	1,081
West	2,062	2,222	625	643	781 ^a	1,117	657	462
COUNTY TYPE								
Large Metro	4,045 ^a	4,703	1,179	1,354	1,600 ^b	2,279	1,267	1,070
Small Metro	3,091	2,942	842	791	1,301	1,217	948	934
250K – 1 Mil. Pop.	1,994	1,849	529	490	901	813	565	546
< 250K Pop.	1,097	1,093	313	301	401	404	384	388
Nonmetro	1,404	1,387	308	345	686	568	409	474
Urbanized	613	601	151	176	319	232	143	193
Less Urbanized	633	617	126	135	289	273	217	209
Completely Rural	158	169	31	35	78	63	49	71
POVERTY LEVEL¹								
Less Than 100%	2,147	2,145	707	729	956	979	484	437
100-199%	2,047	2,281	628	576	891	992	529	714
200% or More	4,292	4,527	941 ^a	1,106	1,741	2,094	1,611	1,327
EDUCATION								
< High School	1,434	1,523	470	461	639	675	325	387
High School Graduate	2,560	2,772	861	919	873	1,051	826	801
Some College	2,625	2,750	775	857	1,075	1,207	775	687
College Graduate	1,922	1,987	223	252	1,001	1,131	698	604
HEALTH INSURANCE²								
Private	4,203	4,405	1,189	1,328	1,696	1,947	1,318	1,130
Medicaid/CHIP ³	1,526	1,493	389	446	689	680	448	367
Other ⁴	1,672	2,088	164	186	377	515	1,131	1,387
No Coverage	2,067	2,236	656	628	1,045	1,166	365	442

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.48B Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	3.7	3.9	6.8	7.2	3.7	4.2	2.6	2.4
GEOGRAPHIC REGION								
Northeast	3.6	3.9	6.4	7.2	3.7	4.4	2.5	2.3
Midwest	4.0	3.9	7.3	7.5	4.3	4.4	2.7	2.2
South	3.4	3.7	6.2	6.7	3.5	3.5	2.4	2.9
West	3.8	4.1	7.6	7.8	3.3 ^a	4.8	3.0	2.0
COUNTY TYPE								
Large Metro	3.3	3.8	6.4	7.2	3.0 ^b	4.1	2.5	2.1
Small Metro	4.3	4.2	7.6	7.4	4.3	4.3	3.0	3.0
250K – 1 Mil. Pop.	4.1	3.9	7.5	7.2	4.4	4.1	2.6	2.6
< 250K Pop.	4.6	4.7	7.7	7.7	4.2	4.5	3.8	3.7
Nonmetro	3.9	3.6	6.5	7.1	4.9	4.1	2.3	2.4
Urbanized	4.1	3.6	6.9	7.9	5.2	3.7	2.1	2.4
Less Urbanized	3.7	3.6	6.1	6.2	4.4	4.3	2.5	2.4
Completely Rural	4.1	3.9	7.1	7.8	6.1	4.6	2.3	2.8
POVERTY LEVEL¹								
Less Than 100%	6.6	5.8	7.7	7.8	6.6	6.1	5.6	3.8
100-199%	4.3	5.0	7.3	7.0	4.4	5.2	2.8	4.0
200% or More	2.8	3.0	6.1 ^a	7.0	2.8 ^a	3.4	2.2	1.8
EDUCATION								
< High School	4.4	4.5	8.3	8.8	4.9	5.1	2.3	2.5
High School Graduate	3.7	4.0	7.4	7.9	3.5	4.1	2.5	2.5
Some College	4.3	4.4	6.5	7.0	4.1	4.7	3.3	2.8
College Graduate	2.8	2.9	4.6	4.9	3.0	3.4	2.3	2.0
HEALTH INSURANCE²								
Private	2.8	2.9	6.3	6.8	2.7	3.1	1.9	1.6
Medicaid/CHIP ³	6.6	6.5	7.2	8.3	6.8	7.1	6.0	4.5
Other ⁴	3.0	3.6	7.4	7.2	5.8	7.4	2.4	2.8
No Coverage	5.5	5.9	7.6	8.1	4.9	5.4	4.7	5.3

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.49A Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic/Socioeconomic Characteristic	Had Serious Thoughts of Suicide (2011)	Had Serious Thoughts of Suicide (2012)	Made Any Suicide Plans (2011)	Made Any Suicide Plans (2012)	Attempted Suicide (2011)	Attempted Suicide (2012)
TOTAL	8,540	9,031	2,406	2,681	1,135	1,290
AGE						
18-25	2,329	2,489	663 ^a	813	415	508
26-49	3,587	4,064	1,076	1,272	443	502
50 or Older	2,624	2,478	667	596	278	279
GENDER						
Male	3,771	4,064	1,125	1,225	437	513
Female	4,770	4,967	1,281	1,455	698	777
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	7,691	7,821	2,147	2,315	959	1,045
White	6,140	6,200	1,666	1,786	629	746
Black or African American	885	965	237	308	179	192
American Indian or Alaska Native	169	77	*	26	*	18
Native Hawaiian or Other Pacific Islander	*	15	2	4	2	3
Asian	322	379	111	143	97	61
Two or More Races	141	185	45	50	23	26
Hispanic or Latino	849 ^a	1,210	259	366	176	245
HEALTH INSURANCE¹						
Private	4,203	4,405	959	1,078	350 ^a	531
Medicaid/CHIP ²	1,526	1,493	588	512	405	274
Other ³	1,672	2,088	520	678	200	273
No Coverage	2,067	2,236	606	744	347	391
CURRENT EMPLOYMENT						
Full-Time	3,019 ^b	3,739	657 ^a	961	250 ^b	495
Part-Time	1,639 ^a	1,310	316	384	242	187
Unemployed	908	975	335	352	175	162
Other ⁴	2,974	3,008	1,098	984	469	446

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.49B Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Percentages, 2011 and 2012

Demographic/Socioeconomic Characteristic	Had Serious Thoughts of Suicide (2011)	Had Serious Thoughts of Suicide (2012)	Made Any Suicide Plans (2011)	Made Any Suicide Plans (2012)	Attempted Suicide (2011)	Attempted Suicide (2012)
TOTAL	3.7	3.9	1.0	1.1	0.5	0.6
AGE						
18-25	6.8	7.2	1.9 ^a	2.4	1.2	1.5
26-49	3.7	4.2	1.1	1.3	0.5	0.5
50 or Older	2.6	2.4	0.7	0.6	0.3	0.3
GENDER						
Male	3.4	3.6	1.0	1.1	0.4	0.5
Female	4.0	4.1	1.1	1.2	0.6	0.6
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3.9	3.9	1.1	1.2	0.5	0.5
White	4.0	4.0	1.1	1.1	0.4	0.5
Black or African American	3.3	3.6	0.9	1.1	0.7	0.7
American Indian or Alaska Native	13.1	5.9	*	2.0	*	1.4
Native Hawaiian or Other Pacific Islander	*	1.5	0.2	0.4	0.2	0.3
Asian	2.9	3.3	1.0	1.2	0.9	0.5
Two or More Races	4.4	5.5	1.4	1.5	0.7	0.8
Hispanic or Latino	2.5 ^a	3.5	0.8	1.1	0.5	0.7
HEALTH INSURANCE¹						
Private	2.8	2.9	0.6	0.7	0.2 ^a	0.3
Medicaid/CHIP ²	6.6	6.5	2.6	2.2	1.8	1.2
Other ³	3.0	3.6	0.9	1.2	0.4	0.5
No Coverage	5.5	5.9	1.6	2.0	0.9	1.0
CURRENT EMPLOYMENT						
Full-Time	2.6 ^a	3.2	0.6 ^a	0.8	0.2 ^b	0.4
Part-Time	5.1 ^a	4.0	1.0	1.2	0.7	0.6
Unemployed	6.7	7.2	2.5	2.6	1.3	1.2
Other ⁴	4.2	4.2	1.6	1.4	0.7	0.6

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.50A Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Numbers in Thousands, 2011 and 2012

Demographic/Health Characteristic	Attempted Suicide (2011)	Attempted Suicide (2012)	Got Medical Attention for Suicide Attempt (2011)	Got Medical Attention for Suicide Attempt (2012)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2012)
TOTAL	1,135	1,290	633	729	442	500
AGE						
18-25	415	508	168 ^a	240	99	141
26-49	443	502	248	298	173	211
50 or Older	278	279	216	192	170	147
GENDER						
Male	437	513	262	241	189	174
Female	698	777	370	488	252	326
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	959	1,045	567	614	396	443
White	629	746	377	443	254	340
Black or African American	179	192	74	119	44	68
American Indian or Alaska Native	*	18	*	13	*	12
Native Hawaiian or Other Pacific Islander	2	3	*	2	*	2
Asian	97	61	81	28	65	21
Two or More Races	23	26	9	10	7	*
Hispanic or Latino	176	245	66	115	46	57
HEALTH INSURANCE¹						
Private	350 ^a	531	159 ^a	293	109	217
Medicaid/CHIP ²	405	274	260	179	192	144
Other ³	200	273	153	162	103	116
No Coverage	347	391	195	198	136	101
CURRENT EMPLOYMENT						
Full-Time	250 ^b	495	112 ^a	254	63 ^a	178
Part-Time	242	187	127	88	113	66
Unemployed	175	162	86	100	55	45
Other ⁴	469	446	308	288	210	209

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.50B Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Percentages, 2011 and 2012

Demographic/Health Characteristic	Attempted Suicide (2011)	Attempted Suicide (2012)	Got Medical Attention for Suicide Attempt (2011)	Got Medical Attention for Suicide Attempt (2012)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2012)
TOTAL	0.5	0.6	0.3	0.3	0.2	0.2
AGE						
18-25	1.2	1.5	0.5	0.7	0.3	0.4
26-49	0.5	0.5	0.3	0.3	0.2	0.2
50 or Older	0.3	0.3	0.2	0.2	0.2	0.1
GENDER						
Male	0.4	0.5	0.2	0.2	0.2	0.2
Female	0.6	0.6	0.3	0.4	0.2	0.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5	0.5	0.3	0.3	0.2	0.2
White	0.4	0.5	0.2	0.3	0.2	0.2
Black or African American	0.7	0.7	0.3	0.4	0.2	0.3
American Indian or Alaska Native	*	1.4	*	1.0	*	1.0
Native Hawaiian or Other Pacific Islander	0.2	0.3	*	0.2	*	0.2
Asian	0.9	0.5	0.7	0.2	0.6	0.2
Two or More Races	0.7	0.8	0.3	0.3	0.2	*
Hispanic or Latino	0.5	0.7	0.2	0.3	0.1	0.2
HEALTH INSURANCE¹						
Private	0.2 ^a	0.3	0.1 ^a	0.2	0.1	0.1
Medicaid/CHIP ²	1.8	1.2	1.1	0.8	0.8	0.6
Other ³	0.4	0.5	0.3	0.3	0.2	0.2
No Coverage	0.9	1.0	0.5	0.5	0.4	0.3
CURRENT EMPLOYMENT						
Full-Time	0.2 ^b	0.4	0.1 ^a	0.2	0.1 ^a	0.2
Part-Time	0.7	0.6	0.4	0.3	0.3	0.2
Unemployed	1.3	1.2	0.6	0.7	0.4	0.3
Other ⁴	0.7	0.6	0.4	0.4	0.3	0.3

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.