

Table 1.4A Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	6,813 ^b	8,409	2,060 ^a	2,338	3,629 ^b	4,687	1,124	1,384
GENDER								
Male	3,459 ^b	4,676	984 ^a	1,134	1,863 ^b	2,665	612	877
Female	3,354	3,733	1,076	1,204	1,766	2,021	512	507
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5,945 ^b	7,242	1,677 ^a	1,916	3,199 ^b	4,020	1,069	1,306
White	4,835 ^b	5,885	1,316 ^a	1,534	2,686 ^a	3,286	833	1,065
Black or African American	729	887	199	222	384	524	145	141
American Indian or Alaska Native	120	181	19	*	32	50	*	*
Native Hawaiian or Other Pacific Islander	22	13	*	10	*	*	*	*
Asian	118	130	87	55	29	75	3	*
Two or More Races	121	146	42	57	59	82	*	7
Hispanic or Latino	868 ^a	1,167	384	422	430	666	54	79
CURRENT EMPLOYMENT								
Full-Time	2,957 ^b	4,016	705 ^a	869	1,986 ^b	2,605	265 ^a	542
Part-Time	1,137	1,343	537 ^a	683	530	534	69	126
Unemployed	855	1,090	374	350	393 ^a	627	88	114
Other ¹	1,865	1,960	444	437	720	920	702	603

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.4B Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	2.9 ^b	3.6	6.0 ^a	6.8	3.7 ^b	4.8	1.1	1.3
GENDER								
Male	3.1 ^b	4.1	5.7	6.5	3.9 ^b	5.5	1.3	1.8
Female	2.8	3.1	6.3	7.0	3.5	4.1	1.0	0.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.0 ^b	3.6	6.2 ^a	7.0	4.0 ^b	5.0	1.2	1.4
White	3.1 ^b	3.8	6.7 ^b	7.9	4.5 ^b	5.5	1.1	1.4
Black or African American	2.7	3.3	4.2	4.5	3.2	4.4	1.5	1.4
American Indian or Alaska Native	9.3	14.0	8.8	*	6.7	9.7	*	*
Native Hawaiian or Other Pacific Islander	2.5	1.3	*	5.2	*	*	*	*
Asian	1.1	1.1	4.6	3.1	0.5	1.2	0.1	*
Two or More Races	3.7	4.3	5.9	7.5	4.7	6.3	*	0.5
Hispanic or Latino	2.6	3.4	5.4	5.9	2.4	3.6	0.6	0.8
CURRENT EMPLOYMENT								
Full-Time	2.6 ^b	3.4	5.6	6.5	3.0 ^b	4.0	0.7 ^a	1.4
Part-Time	3.5	4.1	5.7 ^a	7.3	4.6	4.6	0.6	1.1
Unemployed	6.3	8.0	8.3	8.5	6.7 ^a	10.5	2.7	3.2
Other ¹	2.6	2.8	5.6	5.7	4.9	6.2	1.5	1.2

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.5A Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	6,813 ^b	8,409	2,060 ^a	2,338	3,629 ^b	4,687	1,124	1,384
GEOGRAPHIC REGION								
Northeast	1,250	1,496	374	447	687	862	189	187
Midwest	1,664	1,911	467	504	849 ^a	1,069	348	338
South	2,132 ^b	2,840	619 ^a	757	1,158 ^a	1,557	355	527
West	1,767	2,162	601	630	935	1,199	232	333
COUNTY TYPE								
Large Metro	3,735 ^b	4,645	1,143	1,284	2,003 ^b	2,632	590	729
Small Metro	2,261	2,637	683	774	1,189	1,411	390	452
250K – 1 Mil. Pop.	1,481	1,548	444	475	785	846	251	227
< 250K Pop.	780 ^a	1,089	238	299	404	565	138	225
Nonmetro	817 ^b	1,127	235	280	437 ^a	643	145	203
Urbanized	443	510	135	120	216	275	92	115
Less Urbanized	306 ^b	513	82 ^a	132	180	303	45	79
Completely Rural	68	104	18	29	42	66	7	9
POVERTY LEVEL¹								
Less Than 100%	1,643 ^a	2,075	575	630	769 ^b	1,130	299	315
100-199%	1,580	1,888	490	537	835	1,104	255	248
200% or More	3,539 ^b	4,375	944	1,101	2,025	2,453	570	821
EDUCATION								
< High School	1,150	1,398	347	329	543 ^a	836	260	233
High School Graduate	1,910 ^b	2,591	661	741	934 ^b	1,323	315	527
Some College	2,259	2,564	768 ^a	905	1,176	1,363	315	296
College Graduate	1,494	1,856	284	364	977	1,164	233	328
HEALTH INSURANCE²								
Private	3,392 ^b	4,230	1,168 ^a	1,390	1,782	2,112	441 ^a	728
Medicaid/CHIP ³	1,217	1,227	274	335	594	725	349 ^a	166
Other ⁴	931 ^a	1,276	162	206	320 ^a	555	449	516
No Coverage	1,776 ^a	2,309	530	488	1,084 ^b	1,570	162	250

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.5B Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	2.9 ^b	3.6	6.0 ^a	6.8	3.7 ^b	4.8	1.1	1.3
GEOGRAPHIC REGION								
Northeast	2.9	3.5	6.1	7.3	3.9	4.9	1.0	1.0
Midwest	3.3	3.8	6.4	6.8	4.1 ^a	5.2	1.6	1.5
South	2.5 ^b	3.3	4.9 ^a	5.9	3.2 ^a	4.3	1.0	1.4
West	3.3	4.0	7.3	7.6	4.0	5.1	1.0	1.5
COUNTY TYPE								
Large Metro	3.0 ^b	3.7	6.2	6.8	3.7 ^a	4.8	1.2	1.4
Small Metro	3.1 ^a	3.7	6.1	7.2	4.0	4.9	1.2	1.4
250K – 1 Mil. Pop.	3.0	3.2	6.3	6.9	3.8	4.3	1.2	1.1
< 250K Pop.	3.3 ^a	4.7	5.9	7.6	4.3	6.3	1.4	2.2
Nonmetro	2.2 ^a	2.9	4.9	5.8	3.1 ^a	4.6	0.8	1.0
Urbanized	2.9	3.1	6.1	5.4	3.5	4.3	1.4	1.4
Less Urbanized	1.8 ^b	3.0	3.9 ^a	6.0	2.7 ^a	4.8	0.5	0.9
Completely Rural	1.8	2.4	4.1	6.4	3.2	4.8	0.4	0.4
POVERTY LEVEL¹								
Less Than 100%	5.0	5.6	6.2	6.7	5.2 ^a	7.0	3.4	2.8
100-199%	3.3 ^a	4.2	5.7	6.5	4.1 ^a	5.8	1.4	1.4
200% or More	2.3 ^b	2.9	6.1	7.0	3.2 ^a	3.9	0.8	1.1
EDUCATION								
< High School	3.5	4.1	6.0	6.2	4.1 ^a	6.3	1.9	1.5
High School Graduate	2.7 ^b	3.7	5.7	6.3	3.7 ^b	5.2	1.0	1.6
Some College	3.7	4.1	6.4	7.3	4.5	5.3	1.3	1.2
College Graduate	2.2	2.7	5.8	7.1	2.9	3.5	0.8	1.1
HEALTH INSURANCE²								
Private	2.2 ^b	2.8	6.2	7.0	2.8	3.4	0.6 ^a	1.0
Medicaid/CHIP ³	5.2	5.3	5.1	6.2	5.8	7.5	4.6 ^a	2.0
Other ⁴	1.7	2.2	7.3	7.9	4.9 ^a	7.9	1.0	1.0
No Coverage	4.7 ^b	6.1	6.1	6.2	5.0 ^b	7.3	2.1	3.0

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.