

Table 1.6A Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2011 and 2012

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	9,011	9,570	3,218	3,619	5,793	5,951
18	142	149	56	46	86	103
19	178	158	50	47	128	111
20	198	176	69	58	129	118
21	180	208	74	86	106	122
22	121 ^a	177	29 ^a	59	92	117
23	164	211	60	68	104	143
24	157	167	46	75	111	92
25	156	177	62	79	94	98
26-29	890	822	354	361	536	461
30-34	936	1,087	390	399	546	688
35-39	1,029	1,096	306	404	723	693
40-44	1,021	952	280	381	740	571
45-49	1,075	1,108	360	433	715	675
50-54	1,322	961	578	397	743	564
55-59	625	672	181	233	443	439
60-64	547	704	258	289	289	414
65 or Older	271 ^b	745	64	204	207 ^b	541

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.6B Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2011 and 2012

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	3.9	4.1	2.9	3.2	4.8	4.9
18	3.0	3.2	2.3	1.9	3.8	4.5
19	4.1	3.7	2.3	2.2	6.0	5.3
20	4.4	4.1	3.1	2.6	5.6	5.6
21	4.1	4.7	3.4	3.8	4.9	5.6
22	2.8 ^a	4.0	1.3 ^a	2.7	4.4	5.1
23	4.1	4.8	3.2	3.2	4.9	6.3
24	3.8	4.1	2.1	3.6	5.5	4.5
25	3.9	4.4	3.2	4.0	4.7	4.9
26-29	5.2	4.8	4.2	4.1	6.3	5.5
30-34	4.8	5.5	4.2	4.3	5.4	6.6
35-39	5.2	5.6	3.1	4.2	7.3	7.1
40-44	5.0	4.7	2.9	3.9	6.9	5.5
45-49	5.0	5.2	3.3	4.2	6.6	6.1
50-54	5.7	4.1	5.3	3.5	6.1	4.7
55-59	3.3	3.3	2.0	2.3	4.6	4.2
60-64	3.0	4.2	2.9	3.6	3.1	4.7
65 or Older	0.7 ^b	1.8	0.4	1.1	0.9 ^b	2.3

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.7A Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	9,011	9,570	1,296	1,423	4,951	5,065	2,764	3,082
GENDER								
Male	3,218	3,619	446	518	1,690	1,977	1,082	1,123
Female	5,793	5,951	850	905	3,260	3,088	1,682	1,958
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	8,163	8,038	1,090	1,181	4,467	4,163	2,606	2,694
White	6,899	6,608	846	964	3,827	3,426	2,225	2,218
Black or African American	743	927	125	116	441	465	176	345
American Indian or Alaska Native	126	111	5	8	44	45	*	*
Native Hawaiian or Other Pacific Islander	*	17	*	3	*	*	*	*
Asian	214	233	61	36	86	157	*	40
Two or More Races	151	144	40	53	50	63	62	27
Hispanic or Latino	848 ^b	1,531	206	242	483 ^b	902	158 ^a	387
CURRENT EMPLOYMENT								
Full-Time	3,099	3,216	378	441	2,084	2,144	637	631
Part-Time	1,497	1,282	409	382	812	667	276	233
Unemployed	737 ^a	1,062	202	256	412 ^a	621	122	186
Other ¹	3,679	4,009	307	345	1,643	1,633	1,729	2,031

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.7B Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	3.9	4.1	3.8	4.1	5.0	5.2	2.8	3.0
GENDER								
Male	2.9	3.2	2.6	3.0	3.5	4.1	2.3	2.4
Female	4.8	4.9	5.0	5.2	6.5	6.2	3.1	3.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	4.1	4.0	4.0	4.3	5.6	5.2	2.9	2.9
White	4.4	4.2	4.3	4.9	6.4	5.8	2.9	2.9
Black or African American	2.8	3.4	2.7	2.4	3.6	3.9	1.8	3.3
American Indian or Alaska Native	9.8	8.5	2.5	3.1	9.2	8.5	*	*
Native Hawaiian or Other Pacific Islander	*	1.8	*	1.7	*	*	*	*
Asian	1.9	2.0	3.2	2.0	1.5	2.5	*	1.1
Two or More Races	4.6	4.2	5.6	6.9	4.0	4.8	4.7	2.0
Hispanic or Latino	2.5 ^b	4.4	2.9	3.4	2.7 ^b	4.9	1.8 ^a	4.1
CURRENT EMPLOYMENT								
Full-Time	2.7	2.7	3.0	3.3	3.2	3.3	1.7	1.6
Part-Time	4.6	3.9	4.4	4.1	7.0	5.8	2.4	2.0
Unemployed	5.4 ^a	7.8	4.5 ^a	6.2	7.0 ^a	10.4	3.8	5.3
Other ¹	5.2	5.6	3.9	4.5	11.2	11.0	3.6	4.2

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.8A Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	9,011	9,570	1,296	1,423	4,951	5,065	2,764	3,082
GEOGRAPHIC REGION								
Northeast	1,436	1,569	204	243	772	862	461	464
Midwest	2,109	1,983	308	337	1,216	1,127	585	519
South	3,108	3,572	449	482	1,715	1,639	944 ^a	1,451
West	2,357	2,445	336	362	1,248	1,437	774	647
COUNTY TYPE								
Large Metro	4,153	4,826	649	730	2,190 ^a	2,696	1,314	1,400
Small Metro	3,268	3,190	499	494	1,761	1,595	1,008	1,101
250K – 1 Mil. Pop.	2,092	2,004	302	317	1,195	987	595	700
< 250K Pop.	1,176	1,186	197	177	566	608	413	401
Nonmetro	1,590	1,553	148 ^a	199	1,000 ^a	774	442	580
Urbanized	686	602	76	84	417	303	194	214
Less Urbanized	765	760	59	82	502	378	204	301
Completely Rural	138	191	12	33	82	93	45	65
POVERTY LEVEL¹								
Less Than 100%	2,481	2,685	366	408	1,324	1,443	791	834
100-199%	2,199	2,338	319	332	1,261	1,153	619	853
200% or More	4,293	4,503	574	640	2,366	2,469	1,354	1,395
EDUCATION								
< High School	1,552	1,640	221	199	891	779	440	663
High School Graduate	2,399 ^b	3,089	413	501	1,206	1,459	779	1,129
Some College	2,883	2,744	508	569	1,598	1,517	778	658
College Graduate	2,177	2,096	154	154	1,256	1,310	768	632
HEALTH INSURANCE²								
Private	3,967	4,106	713	777	2,210	2,088	1,044	1,241
Medicaid/CHIP ³	2,033	1,965	200	240	1,219	1,061	614	665
Other ⁴	1,941 ^a	2,569	102	97	646	783	1,193	1,689
No Coverage	1,972	2,290	320	358	1,217	1,489	435	443

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.8B Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	3.9	4.1	3.8	4.1	5.0	5.2	2.8	3.0
GEOGRAPHIC REGION								
Northeast	3.4	3.7	3.3	3.9	4.4	4.9	2.4	2.4
Midwest	4.2	3.9	4.2	4.6	5.9	5.5	2.6	2.3
South	3.6	4.1	3.6	3.8	4.7	4.5	2.6 ^a	3.8
West	4.4	4.5	4.1	4.3	5.3	6.1	3.5	2.8
COUNTY TYPE								
Large Metro	3.4	3.8	3.5	3.9	4.1	4.9	2.6	2.7
Small Metro	4.5	4.5	4.5	4.6	5.9	5.6	3.2	3.5
250K – 1 Mil. Pop.	4.3	4.2	4.3	4.6	5.8	5.0	2.8	3.3
< 250K Pop.	5.0	5.1	4.9	4.5	6.0	6.8	4.1	3.8
Nonmetro	4.4	4.1	3.1	4.1	7.2 ^a	5.5	2.5	3.0
Urbanized	4.5	3.6	3.4	3.8	6.8	4.8	2.9	2.6
Less Urbanized	4.4	4.4	2.8	3.7	7.6	6.0	2.3	3.4
Completely Rural	3.6	4.4	2.8	7.4	6.3	6.8	2.1	2.6
POVERTY LEVEL¹								
Less Than 100%	7.6	7.2	4.0	4.3	9.0	8.9	9.0	7.3
100-199%	4.6	5.2	3.7	4.0	6.2	6.0	3.3	4.8
200% or More	2.8	3.0	3.7	4.0	3.8	3.9	1.9	1.9
EDUCATION								
< High School	4.7	4.8	3.9	3.7	6.7	5.9	3.1	4.2
High School Graduate	3.4 ^b	4.4	3.5	4.2	4.8	5.7	2.4	3.5
Some College	4.7	4.4	4.2	4.6	6.1	5.9	3.3	2.7
College Graduate	3.2	3.1	3.1	3.0	3.8	3.9	2.6	2.1
HEALTH INSURANCE²								
Private	2.6	2.7	3.8	3.9	3.5	3.3	1.5	1.8
Medicaid/CHIP ³	8.7	8.5	3.7	4.4	11.9	11.0	8.1	8.1
Other ⁴	3.5	4.4	4.6	3.7	9.9	11.2	2.5	3.4
No Coverage	5.2	6.1	3.7	4.6	5.6	6.9	5.6	5.3

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.