

**Table 1.73A Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Numbers in Thousands, 2002-2012**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	27,215 ^b	27,939 ^b	27,502 ^b	28,166 ^b	28,405 ^b	29,556 ^b	30,201 ^b	30,341 ^b	31,490 ^b	31,642 ^b	34,122
AGE											
18-25	3,256 ^b	3,511 ^b	3,459 ^b	3,615 ^b	3,526 ^b	3,387 ^b	3,612 ^b	3,740 ^b	3,717 ^b	3,899	4,120
26-49	14,492	14,476	14,348	13,889	14,054	14,311	14,030	14,481	14,627	14,543	14,811
50 or Older	9,466 ^b	9,952 ^b	9,695 ^b	10,661 ^b	10,825 ^b	11,857 ^b	12,559 ^b	12,120 ^b	13,146 ^b	13,200 ^b	15,191
GENDER											
Male	8,772 ^b	8,689 ^b	9,044 ^b	9,308 ^b	9,484 ^b	9,876 ^b	10,141 ^b	10,131 ^b	10,519	11,051	11,519
Female	18,442 ^b	19,250 ^b	18,458 ^b	18,858 ^b	18,921 ^b	19,680 ^b	20,060 ^b	20,210 ^b	20,970 ^a	20,592 ^b	22,603
HISPANIC ORIGIN AND RACE											
Not Hispanic or Latino	25,172 ^b	25,919 ^b	25,523 ^b	25,999 ^b	26,372 ^b	27,394 ^b	28,137 ^b	28,071 ^b	28,981 ^b	29,180 ^b	31,651
White	21,943 ^b	22,914 ^b	22,512 ^b	22,890 ^b	23,330 ^b	24,785 ^b	24,818 ^b	24,888 ^b	25,418 ^a	25,656 ^a	27,638
Black or African American	1,953 ^b	2,021 ^b	2,052 ^b	2,193 ^a	1,856 ^b	1,711 ^b	2,231	2,044 ^b	2,353	2,035 ^b	2,770
American Indian or Alaska Native	227	136	143	169	130	128	124	*	145	210	199
Native Hawaiian or Other Pacific Islander	29	*	*	*	58	*	*	*	*	21	52
Asian	668	424	422	365	518	382	442	358	545	728	505
Two or More Races	352	373	335	317 ^a	480	363	469	467	481	529	485
Hispanic or Latino	2,043	2,020	1,979 ^a	2,166	2,033	2,162	2,064	2,270	2,509	2,463	2,471

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 1.73B Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002-2012

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	13.0 ^b	13.2 ^b	12.8 ^b	13.0 ^b	12.9 ^b	13.3 ^b	13.5 ^b	13.4 ^b	13.8 ^a	13.6 ^a	14.5
AGE											
18-25	10.5 ^b	11.1 ^a	10.8 ^b	11.2	10.8 ^b	10.4 ^b	11.0 ^a	11.2	11.0 ^a	11.4	12.0
26-49	14.5	14.5	14.4	13.9 ^a	14.0 ^a	14.3	14.1 ^a	14.6	14.9	14.9	15.2
50 or Older	12.0 ^b	12.3 ^b	11.7 ^b	12.5 ^b	12.4 ^b	13.2 ^a	13.7	12.9 ^b	13.6	13.2 ^a	14.8
GENDER											
Male	8.7 ^b	8.5 ^b	8.8 ^b	8.9 ^b	8.9 ^b	9.2 ^a	9.4	9.3 ^a	9.5	9.9	10.2
Female	16.9 ^b	17.5	16.6 ^b	16.8 ^b	16.6 ^b	17.1 ^a	17.3 ^a	17.2 ^a	17.8	17.1 ^b	18.6
HISPANIC ORIGIN AND RACE											
Not Hispanic or Latino	13.6 ^b	13.9 ^b	13.6 ^b	13.7 ^b	13.8 ^b	14.2 ^b	14.5 ^b	14.3 ^b	14.7 ^b	14.7 ^b	15.8
White	14.7 ^b	15.2 ^b	14.9 ^b	15.1 ^b	15.3 ^b	16.1 ^b	16.1 ^b	16.0 ^b	16.3 ^b	16.6 ^a	17.8
Black or African American	8.5	8.5	8.5	8.9	7.4 ^b	6.8 ^b	8.7	7.8 ^b	8.9	7.6 ^b	10.2
American Indian or Alaska Native	17.7	12.6	12.6	15.4	11.9	11.6	13.2	*	13.5	16.3	15.4
Native Hawaiian or Other Pacific Islander	3.9	*	*	*	7.0	*	*	*	*	2.5	5.3
Asian	8.3 ^a	4.9	4.7	4.0	5.6	4.0	4.5	3.6	5.3	6.5	4.4
Two or More Races	16.6	17.5	15.8	14.4	21.6	15.8	18.9	19.2	18.2	16.2	14.2
Hispanic or Latino	8.2	7.8	7.4	7.8	7.1	7.3	6.8	7.3	7.9	7.3	7.1

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.