

Table 1.11C Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	694	725	325	341	345	393	523	535	694	725
AGE										
18-25	126	122	59	59	68	70	96	95	126	122
26-49	417	434	213	228	226	227	304	303	417	434
50 or Older	530	561	224	254	257	301	422	430	530	561
GENDER										
Male	452	434	190	211	221	258	347	310	452	434
Female	513	537	261	258	271	290	389	428	513	537
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	641	660	309	300	332	363	481	500	641	660
White	650	679	284	284	299	337	469	470	1,761	1,778
Black or African American	232	291	84	104	94	138	194	222	704	696
American Indian or Alaska Native	68	59	45	35	34	33	34	32	101	109
Native Hawaiian or Other Pacific Islander	*	*	*	7	20	*	*	*	*	*
Asian	169	182	60	59	91	70	119	152	568	529
Two or More Races	105	74	36	26	71	43	72	52	183	234
Hispanic or Latino	259	271	99	155	115	154	212	184	259	271
CURRENT EMPLOYMENT										
Full-Time	490	475	185	184	239	256	345	326	1,446	1,428
Part-Time	279	279	131	110	125	144	208	205	601	584
Unemployed	174	194	77	112	92	95	122	128	337	357
Other ¹	483	538	223	258	220	259	366	367	1,136	1,070

*Low precision; no estimate reported.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.11D Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.30	0.31	0.14	0.14	0.15	0.17	0.22	0.23	0.30	0.31
AGE										
18-25	0.37	0.35	0.17	0.17	0.20	0.20	0.28	0.27	0.37	0.35
26-49	0.43	0.44	0.22	0.23	0.23	0.23	0.31	0.31	0.43	0.44
50 or Older	0.53	0.55	0.22	0.25	0.26	0.29	0.42	0.42	0.53	0.55
GENDER										
Male	0.40	0.38	0.17	0.19	0.20	0.23	0.31	0.27	0.40	0.38
Female	0.42	0.44	0.22	0.21	0.22	0.24	0.32	0.35	0.42	0.44
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.32	0.33	0.16	0.15	0.17	0.18	0.24	0.25	0.32	0.33
White	0.36	0.36	0.18	0.17	0.19	0.21	0.28	0.27	0.36	0.36
Black or African American	0.75	0.93	0.31	0.37	0.34	0.49	0.65	0.76	0.75	0.93
American Indian or Alaska Native	3.89	3.80	3.34	2.52	2.33	2.51	2.42	2.17	3.89	3.80
Native Hawaiian or Other Pacific Islander	*	*	*	0.76	2.36	*	*	*	*	*
Asian	1.38	1.36	0.52	0.50	0.79	0.59	1.02	1.18	1.38	1.36
Two or More Races	2.78	2.18	1.08	0.79	2.07	1.23	2.09	1.56	2.78	2.18
Hispanic or Latino	0.76	0.78	0.29	0.44	0.34	0.44	0.62	0.53	0.76	0.78
CURRENT EMPLOYMENT										
Full-Time	0.39	0.36	0.16	0.15	0.20	0.21	0.28	0.26	0.39	0.36
Part-Time	0.76	0.74	0.40	0.33	0.37	0.43	0.60	0.57	0.76	0.74
Unemployed	1.11	1.23	0.55	0.79	0.65	0.68	0.84	0.89	1.11	1.23
Other ¹	0.61	0.65	0.32	0.35	0.30	0.35	0.47	0.48	0.61	0.65

*Low precision; no estimate reported.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.11P Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.0584		0.3361		0.0045		0.9379		0.0584	
AGE										
18-25	0.0357		0.1673		0.1432		0.4498		0.0357	
26-49	0.1296		0.7013		0.2385		0.3892		0.1296	
50 or Older	0.3578		0.4759		0.0149		0.4227		0.3578	
GENDER										
Male	0.2108		0.2021		0.0039		0.1946		0.2108	
Female	0.1334		0.7894		0.2264		0.3465		0.1334	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.3066		0.6576		0.0296		0.9144		0.3066	
White	0.6152		0.4137		0.0451		0.7909		0.6152	
Black or African American	0.0651		0.1974		0.0319		0.7503		0.0651	
American Indian or Alaska Native	0.9070		0.7696		0.9321		0.5035		0.9070	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*	
Asian	0.6898		0.8945		0.1872		0.2143		0.6898	
Two or More Races	0.1363		0.7590		0.5741		0.1990		0.1363	
Hispanic or Latino	0.0082		0.0004		0.0285		0.6664		0.0082	
CURRENT EMPLOYMENT										
Full-Time	0.1950		0.7994		0.1552		0.5806		0.1950	
Part-Time	0.7632		0.1853		0.3100		0.8119		0.7632	
Unemployed	0.2028		0.0135		0.8739		0.7276		0.2028	
Other ¹	0.1288		0.3373		0.0132		0.7336		0.1288	

*Low precision; no estimate reported.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.12C Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic/Socioeconomic Characteristic	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	694	725	325	341	345	393	523	535	694	725
GEOGRAPHIC REGION										
Northeast	275	271	126	136	138	160	205	194	275	271
Midwest	271	274	127	119	138	144	194	202	271	274
South	404	462	188	227	226	250	325	329	404	462
West	405	379	184	174	184	195	296	283	405	379
COUNTY TYPE										
Large Metro	602	648	239	266	267	300	445	458	1,766	1,642
Small Metro	452	492	191	208	216	225	302	301	1,358	1,263
250K – 1 Mil. Pop.	373	379	157	142	182	176	240	234	1,110	1,041
< 250K Pop.	270	330	103	151	111	131	184	192	832	769
Nonmetro	313	328	125	125	133	161	207	215	878	925
Urbanized	206	208	81	68	79	93	145	147	610	618
Less Urbanized	223	228	85	98	104	120	148	139	693	667
Completely Rural	84	113	29	46	45	59	51	68	345	404
POVERTY LEVEL¹										
Less Than 100%	333	365	182	185	153	177	219	246	647	662
100-199%	339	367	148	163	161	190	266	266	796	784
200% or More	606	610	231	243	284	297	450	425	1,867	1,869
EDUCATION										
< High School	341	350	132	149	143	182	251	253	691	661
High School Graduate	374	423	156	190	183	194	293	307	994	970
Some College	390	394	186	181	202	219	251	262	964	954
College Graduate	418	395	171	168	199	194	309	291	1,176	1,227
HEALTH INSURANCE²										
Private	585	594	217	209	281	300	426	416	1,820	1,800
Medicaid/CHIP ³	296	299	159	160	128	154	216	204	524	530
Other ⁴	415	482	160	231	178	230	337	332	1,078	1,091
No Coverage	317	333	143	162	151	151	223	236	691	640

*Low precision; no estimate reported.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.12D Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic/Socioeconomic Characteristic	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.30	0.31	0.14	0.14	0.15	0.17	0.22	0.23	0.30	0.31
GEOGRAPHIC REGION										
Northeast	0.64	0.63	0.30	0.32	0.32	0.37	0.48	0.45	0.64	0.63
Midwest	0.54	0.54	0.25	0.23	0.27	0.29	0.39	0.40	0.54	0.54
South	0.47	0.53	0.22	0.26	0.26	0.29	0.38	0.38	0.47	0.53
West	0.75	0.69	0.34	0.32	0.34	0.36	0.55	0.52	0.75	0.69
COUNTY TYPE										
Large Metro	0.42	0.43	0.19	0.20	0.21	0.23	0.33	0.33	0.42	0.43
Small Metro	0.51	0.53	0.25	0.28	0.29	0.30	0.36	0.35	0.51	0.53
250K – 1 Mil. Pop.	0.62	0.63	0.30	0.29	0.36	0.34	0.43	0.41	0.62	0.63
< 250K Pop.	0.90	1.01	0.41	0.59	0.45	0.52	0.66	0.66	0.90	1.01
Nonmetro	0.69	0.69	0.33	0.31	0.35	0.39	0.47	0.51	0.69	0.69
Urbanized	1.08	0.95	0.52	0.39	0.52	0.51	0.77	0.75	1.08	0.95
Less Urbanized	0.94	1.06	0.46	0.54	0.55	0.65	0.70	0.72	0.94	1.06
Completely Rural	1.96	2.14	0.74	0.98	1.09	1.26	1.26	1.48	1.96	2.14
POVERTY LEVEL¹										
Less Than 100%	0.85	0.82	0.53	0.47	0.46	0.45	0.61	0.62	0.85	0.82
100-199%	0.64	0.69	0.31	0.35	0.33	0.40	0.51	0.54	0.64	0.69
200% or More	0.35	0.35	0.15	0.16	0.18	0.19	0.27	0.26	0.35	0.35
EDUCATION										
< High School	0.91	0.85	0.39	0.42	0.42	0.51	0.69	0.68	0.91	0.85
High School Graduate	0.50	0.53	0.22	0.26	0.26	0.27	0.40	0.41	0.50	0.53
Some College	0.57	0.57	0.29	0.28	0.32	0.33	0.39	0.41	0.57	0.57
College Graduate	0.54	0.51	0.24	0.24	0.28	0.28	0.42	0.39	0.54	0.51
HEALTH INSURANCE²										
Private	0.34	0.34	0.14	0.14	0.18	0.19	0.26	0.25	0.34	0.34
Medicaid/CHIP ³	1.07	1.11	0.65	0.66	0.54	0.65	0.85	0.82	1.07	1.11
Other ⁴	0.67	0.71	0.29	0.38	0.32	0.38	0.56	0.53	0.67	0.71
No Coverage	0.73	0.71	0.37	0.41	0.38	0.38	0.55	0.57	0.73	0.71

*Low precision; no estimate reported.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.12P Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic/Socioeconomic Characteristic	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.0584		0.3361		0.0045		0.9379		0.0584	
GEOGRAPHIC REGION										
Northeast	0.0669		0.5127		0.0209		0.7485		0.0669	
Midwest	0.7835		0.4336		0.3350		0.8526		0.7835	
South	0.2316		0.1444		0.1361		0.6594		0.2316	
West	0.4942		0.8317		0.2464		0.9947		0.4942	
COUNTY TYPE										
Large Metro	0.0495		0.0931		0.0121		0.8410		0.0495	
Small Metro	0.2543		0.9911		0.3196		0.3723		0.2543	
250K – 1 Mil. Pop.	0.7909		0.8731		0.7063		0.4353		0.7909	
< 250K Pop.	0.1500		0.8793		0.0220		0.6539		0.1500	
Nonmetro	0.6771		0.4794		0.2197		0.3152		0.6771	
Urbanized	0.4945		0.1415		0.3944		0.5739		0.4945	
Less Urbanized	0.8529		1.0000		0.2722		0.4920		0.8529	
Completely Rural	0.7333		0.5094		0.7547		0.5332		0.7333	
POVERTY LEVEL¹										
Less Than 100%	0.3951		0.6173		0.1800		0.5535		0.3951	
100-199%	0.1778		0.2363		0.3331		0.7801		0.1778	
200% or More	0.4199		0.5596		0.0351		0.4264		0.4199	
EDUCATION										
< High School	0.1177		0.8727		0.1001		0.4108		0.1177	
High School Graduate	0.0197		0.0044		0.3299		0.5336		0.0197	
Some College	0.6023		0.4805		0.2772		0.7260		0.6023	
College Graduate	0.5677		0.7021		0.0431		0.0581		0.5677	
HEALTH INSURANCE²										
Private	0.2218		0.6938		0.0799		0.8716		0.2218	
Medicaid/CHIP ³	0.2291		0.7660		0.0117		0.9818		0.2291	
Other ⁴	0.0370		0.0646		0.0010		0.5215		0.0370	
No Coverage	0.3314		0.1185		0.8960		0.8108		0.3314	

*Low precision; no estimate reported.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.