

**Table 1.20C Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2011)</b>	<b>Total<sup>1</sup> (2012)</b>	<b>On Probation (2011)</b>	<b>On Probation (2012)</b>	<b>Not on Probation (2011)</b>	<b>Not on Probation (2012)</b>
<b>TOTAL 18 OR OLDER</b>	694	725	121	135	775	847
<b>AGE</b>						
18-49	437	459	95	115	505	519
18-25	126	122	33	39	159	157
26-34	245	254	64	68	286	282
35-49	338	343	62	87	370	377
<b>GENDER/AGE</b>						
Male 18 or Older	452	434	93	105	476	470
Male 18-49	286	296	68	92	305	314
Female 18 or Older	513	537	79	87	575	627
Female 18-49	324	325	70	71	382	380

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.20D Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2011)</b>	<b>Total<sup>1</sup> (2012)</b>	<b>On Probation (2011)</b>	<b>On Probation (2012)</b>	<b>Not on Probation (2011)</b>	<b>Not on Probation (2012)</b>
<b>TOTAL 18 OR OLDER</b>	0.30	0.31	2.09	2.03	0.30	0.31
<b>AGE</b>						
18-49	0.33	0.35	1.94	2.02	0.33	0.35
18-25	0.37	0.35	1.68	1.96	0.37	0.36
26-34	0.67	0.69	4.48	4.23	0.68	0.70
35-49	0.55	0.56	4.42	4.56	0.55	0.56
<b>GENDER/AGE</b>						
Male 18 or Older	0.40	0.38	2.43	2.34	0.41	0.39
Male 18-49	0.44	0.45	2.22	2.33	0.45	0.46
Female 18 or Older	0.42	0.44	4.01	4.15	0.42	0.44
Female 18-49	0.48	0.48	3.97	4.15	0.48	0.48

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.20P Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2011)</b>	<b>Total<sup>1</sup> (2012)</b>	<b>On Probation (2011)</b>	<b>On Probation (2012)</b>	<b>Not on Probation (2011)</b>	<b>Not on Probation (2012)</b>
<b>TOTAL 18 OR OLDER</b>	0.0584		0.7674		0.0736	
<b>AGE</b>						
18-49	0.0424		0.8733		0.0570	
18-25	0.0357		0.8400		0.0311	
26-34	0.0411		0.2933		0.0249	
35-49	0.7651		0.3929		0.9961	
<b>GENDER/AGE</b>						
Male 18 or Older	0.2108		0.4155		0.3038	
Male 18-49	0.0263		0.2836		0.0610	
Female 18 or Older	0.1334		0.6670		0.1237	
Female 18-49	0.4541		0.4389		0.3884	

\*Low precision; no estimate reported.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.21C Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2011)</b>	<b>Total<sup>1</sup> (2012)</b>	<b>On Probation (2011)</b>	<b>On Probation (2012)</b>	<b>Not on Probation (2011)</b>	<b>Not on Probation (2012)</b>
<b>TOTAL 18 OR OLDER</b>	325	341	71	91	321	342
<b>AGE</b>						
18-49	221	237	55	77	226	231
18-25	59	59	16	16	61	62
26-34	129	137	34	45	130	134
35-49	162	187	40	60	166	184
<b>GENDER/AGE</b>						
Male 18 or Older	190	211	47	70	184	206
Male 18-49	127	155	37	58	124	149
Female 18 or Older	261	258	53	58	262	256
Female 18-49	179	171	41	50	185	170

\*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.21D Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:  
Standard Errors of Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2011)</b>	<b>Total<sup>1</sup> (2012)</b>	<b>On Probation (2011)</b>	<b>On Probation (2012)</b>	<b>Not on Probation (2011)</b>	<b>Not on Probation (2012)</b>
<b>TOTAL 18 OR OLDER</b>	0.14	0.14	1.42	1.69	0.14	0.14
<b>AGE</b>						
18-49	0.17	0.18	1.28	1.63	0.17	0.18
18-25	0.17	0.17	0.94	0.95	0.17	0.17
26-34	0.36	0.37	2.80	3.23	0.36	0.37
35-49	0.26	0.31	3.09	3.74	0.27	0.30
<b>GENDER/AGE</b>						
Male 18 or Older	0.17	0.19	1.39	1.85	0.17	0.18
Male 18-49	0.20	0.24	1.30	1.73	0.20	0.23
Female 18 or Older	0.22	0.21	3.24	3.73	0.21	0.21
Female 18-49	0.27	0.26	2.82	3.84	0.27	0.25

\*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.21P Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2011)</b>	<b>Total<sup>1</sup> (2012)</b>	<b>On Probation (2011)</b>	<b>On Probation (2012)</b>	<b>Not on Probation (2011)</b>	<b>Not on Probation (2012)</b>
<b>TOTAL 18 OR OLDER</b>	0.3361		0.9396		0.3876	
<b>AGE</b>						
18-49	0.4696		0.6655		0.4829	
18-25	0.1673		0.9324		0.1564	
26-34	0.7538		0.3623		0.5883	
35-49	0.8034		0.9152		0.9616	
<b>GENDER/AGE</b>						
Male 18 or Older	0.2021		0.2732		0.3708	
Male 18-49	0.0811		0.4949		0.1556	
Female 18 or Older	0.7894		0.2062		0.6681	
Female 18-49	0.6280		0.2456		0.8027	

\*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.