

Table 1.24C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	594	653	452	490	260	262	258	267	286	296	460	510
AGE												
18-25	101	102	81	87	45	46	38	43	49	47	73	68
26-49	356	374	280	304	168	188	151	162	182	164	268	253
50 or Older	471	523	348	369	194	192	198	210	212	232	366	436
GENDER												
Male	364	384	272	253	159	154	146	145	165	133	292	312
Female	456	518	372	409	206	209	205	221	231	259	339	413
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	565	614	445	466	252	247	246	256	276	286	437	497
White	619	676	420	424	234	225	217	235	262	264	403	473
Black or African American	167	199	121	155	66	77	58	97	86	95	104	126
American Indian or Alaska Native	55	45	*	*	*	*	*	*	*	*	12	26
Native Hawaiian or Other Pacific Islander	9	18	*	*	*	*	*	*	*	*	8	8
Asian	136	92	73	62	*	*	*	*	24	21	113	68
Two or More Races	87	58	*	42	*	*	*	*	*	*	35	40
Hispanic or Latino	195	187	124	150	61	104	77	84	74	68	153	113
CURRENT EMPLOYMENT												
Full-Time	420	432	270	266	132	141	154	157	173	163	310	336
Part-Time	223	264	165	177	102	77	83	110	108	110	151	194
Unemployed	142	172	104	137	54	91	72	65	49	70	95	102
Other ¹	401	478	288	339	198	195	167	182	179	194	283	319

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.24D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.26	0.28	0.82	0.82	1.70	1.65	1.77	1.63	1.09	1.07	0.22	0.25
AGE												
18-25	0.30	0.29	0.98	0.96	2.27	2.14	1.86	1.93	1.24	1.12	0.24	0.23
26-49	0.36	0.38	1.09	1.10	2.20	2.27	2.14	2.07	1.56	1.41	0.32	0.31
50 or Older	0.47	0.51	1.75	1.67	3.60	3.62	3.80	3.38	2.01	2.14	0.40	0.48
GENDER												
Male	0.33	0.34	1.37	1.25	2.85	2.84	2.91	2.60	1.60	1.44	0.29	0.31
Female	0.38	0.43	1.09	1.07	2.00	2.11	2.16	2.03	1.50	1.46	0.34	0.40
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.28	0.31	0.87	0.88	1.71	1.78	1.84	1.72	1.16	1.15	0.25	0.28
White	0.34	0.37	1.00	0.97	1.79	1.97	2.06	1.88	1.35	1.35	0.29	0.34
Black or African American	0.59	0.69	2.41	2.61	5.52	5.62	5.47	5.11	2.85	3.07	0.45	0.55
American Indian or Alaska Native	3.64	3.23	*	*	*	*	*	*	*	*	1.31	2.75
Native Hawaiian or Other Pacific Islander	1.09	1.89	*	*	*	*	*	*	*	*	1.18	1.14
Asian	1.15	0.77	4.33	3.58	*	*	*	*	3.32	2.13	1.12	0.68
Two or More Races	2.44	1.79	*	4.81	*	*	*	*	*	*	1.44	1.52
Hispanic or Latino	0.58	0.54	2.33	2.26	5.68	4.89	5.30	4.56	2.63	2.51	0.51	0.38
CURRENT EMPLOYMENT												
Full-Time	0.34	0.33	1.23	1.20	2.90	2.87	2.69	2.48	1.56	1.47	0.30	0.32
Part-Time	0.63	0.73	1.92	2.08	4.10	4.33	4.11	4.23	2.57	2.67	0.55	0.69
Unemployed	0.97	1.17	2.67	2.91	5.20	5.06	5.65	5.62	2.92	3.76	0.88	0.99
Other ¹	0.52	0.60	1.53	1.54	2.48	2.67	3.14	2.95	2.02	2.09	0.48	0.54

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.24P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.0124		0.8557		0.3925		0.9844		0.7985		0.0185	
AGE												
18-25	0.1886		0.2377		0.7486		0.2517		0.7201		0.8496	
26-49	0.5773		0.5726		0.9837		0.2704		0.9897		0.6026	
50 or Older	0.0173		0.6261		0.1871		0.1836		0.7646		0.0021	
GENDER												
Male	0.5073		0.5289		0.7098		0.1483		0.4862		0.4133	
Female	0.0091		0.4735		0.4797		0.1759		0.6067		0.0229	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.0067		0.7784		0.7547		0.6306		0.7974		0.0023	
White	0.0125		0.7898		0.4453		0.5373		0.6553		0.0029	
Black or African American	0.0056		0.1436		0.4874		0.1339		0.8855		0.0753	
American Indian or Alaska Native	0.8444		*		*		*		*		0.5650	
Native Hawaiian or Other Pacific Islander	0.2010		*		*		*		*		0.8773	
Asian	0.1256		0.4753		*		*		0.2151		0.1360	
Two or More Races	0.5018		*		*		*		*		0.4658	
Hispanic or Latino	0.8467		0.6185		0.9795		0.4240		0.9142		0.0551	
CURRENT EMPLOYMENT												
Full-Time	0.1669		1.0000		0.5713		0.8987		0.5939		0.2263	
Part-Time	0.3293		0.3528		0.1151		0.8062		0.7066		0.0236	
Unemployed	0.2370		0.2042		0.3156		0.7635		0.4301		0.8982	
Other ¹	0.1183		0.7804		0.1360		0.8095		0.3656		0.2820	

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.25C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	594	653	452	490	260	262	258	267	286	296	460	510
GEOGRAPHIC REGION												
Northeast	262	250	200	191	100	104	104	112	126	107	187	184
Midwest	237	244	194	192	113	101	105	94	105	118	184	187
South	384	418	286	324	149	175	163	187	192	187	298	328
West	299	362	230	242	147	131	135	119	133	154	241	290
COUNTY TYPE												
Large Metro	507	541	342	336	181	192	189	178	221	217	342	393
Small Metro	382	428	250	295	150	159	147	159	138	157	263	268
250K – 1 Mil. Pop.	308	333	204	231	119	116	121	134	104	124	214	203
< 250K Pop.	246	274	153	185	89	107	79	83	93	97	155	181
Nonmetro	266	284	192	194	105	96	85	116	119	104	162	177
Urbanized	182	194	129	122	66	62	*	65	88	76	116	123
Less Urbanized	192	195	125	129	76	70	61	81	74	61	122	131
Completely Rural	69	97	*	*	*	*	*	*	*	*	39	58
POVERTY LEVEL¹												
Less Than 100%	250	281	200	223	152	137	100	121	95	109	132	163
100-199%	266	308	208	219	113	130	121	113	141	128	166	197
200% or More	587	615	359	364	181	191	201	202	230	236	421	452
EDUCATION												
< High School	221	239	168	186	100	92	105	97	99	117	144	144
High School Graduate	291	373	219	260	133	147	126	132	125	154	206	266
Some College	353	354	240	250	145	148	138	143	134	149	252	250
College Graduate	435	451	275	261	133	147	140	153	186	154	306	340
HEALTH INSURANCE²												
Private	563	596	357	355	163	173	200	203	234	223	403	441
Medicaid/CHIP ³	245	256	198	205	140	121	99	111	105	96	138	136
Other ⁴	362	430	262	284	145	168	142	150	168	177	252	307
No Coverage	196	215	150	169	98	104	88	107	75	96	118	133

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.25D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.26	0.28	0.82	0.82	1.70	1.65	1.77	1.63	1.09	1.07	0.22	0.25
GEOGRAPHIC REGION												
Northeast	0.62	0.58	2.07	1.84	4.02	3.89	3.90	3.63	2.74	2.24	0.49	0.49
Midwest	0.47	0.48	1.49	1.54	2.62	2.80	3.08	2.83	1.97	2.04	0.41	0.42
South	0.45	0.48	1.44	1.44	3.13	2.74	2.99	2.90	1.96	1.92	0.39	0.42
West	0.56	0.66	1.78	1.76	3.61	3.77	3.96	3.57	2.14	2.31	0.52	0.64
COUNTY TYPE												
Large Metro	0.37	0.38	1.25	1.15	2.67	2.46	2.59	2.32	1.64	1.54	0.31	0.35
Small Metro	0.44	0.52	1.31	1.48	2.60	2.95	2.85	2.93	1.72	1.85	0.40	0.44
250K – 1 Mil. Pop.	0.53	0.62	1.61	1.85	3.34	3.64	3.42	3.79	2.02	2.28	0.48	0.50
< 250K Pop.	0.82	0.91	2.39	2.25	4.22	4.82	5.02	4.34	3.23	3.23	0.72	0.89
Nonmetro	0.57	0.62	1.95	1.88	3.45	3.47	4.00	3.56	2.59	2.46	0.48	0.51
Urbanized	0.87	0.96	3.01	2.59	5.67	4.12	*	5.13	3.99	3.62	0.79	0.80
Less Urbanized	0.82	0.93	2.75	2.61	4.70	5.17	5.57	4.96	3.69	3.40	0.73	0.84
Completely Rural	1.68	1.82	*	*	*	*	*	*	*	*	1.13	1.43
POVERTY LEVEL¹												
Less Than 100%	0.68	0.70	1.83	1.77	3.31	3.40	3.59	3.44	2.29	2.11	0.52	0.58
100-199%	0.54	0.61	1.66	1.86	3.32	3.53	3.55	3.39	2.28	2.21	0.43	0.53
200% or More	0.33	0.35	1.13	1.14	2.49	2.49	2.49	2.23	1.43	1.52	0.30	0.33
EDUCATION												
< High School	0.64	0.66	2.11	2.14	3.83	4.53	4.79	4.24	2.57	2.69	0.54	0.53
High School Graduate	0.41	0.49	1.52	1.53	3.16	3.16	3.01	3.05	1.75	1.97	0.35	0.46
Some College	0.52	0.51	1.51	1.50	3.06	2.75	3.04	2.91	1.96	2.06	0.48	0.47
College Graduate	0.55	0.59	1.73	1.72	3.80	3.58	3.73	3.18	2.34	2.14	0.50	0.55
HEALTH INSURANCE²												
Private	0.32	0.34	1.11	1.15	2.55	2.52	2.34	2.28	1.47	1.44	0.29	0.31
Medicaid/CHIP ³	0.93	1.05	2.24	2.27	3.17	3.91	4.14	3.95	3.08	2.79	0.79	0.83
Other ⁴	0.60	0.66	2.07	1.82	3.50	3.63	4.39	3.60	2.47	2.45	0.52	0.61
No Coverage	0.50	0.55	1.61	1.70	3.50	3.41	3.38	3.87	1.76	2.18	0.39	0.45

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.25P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.0124		0.8557		0.3925		0.9844		0.7985		0.0185	
GEOGRAPHIC REGION												
Northeast	0.8216		0.3116		0.8454		0.6244		0.0959		0.8505	
Midwest	0.3748		0.4721		0.8268		0.7231		0.0918		0.6300	
South	0.0194		0.4416		0.6578		0.2522		0.5053		0.0481	
West	0.2738		0.7097		0.0619		0.3663		0.1313		0.1618	
COUNTY TYPE												
Large Metro	0.0407		0.7242		0.4934		0.8065		0.5435		0.0371	
Small Metro	0.2528		0.8491		0.4889		0.8679		0.2708		0.3760	
250K – 1 Mil. Pop.	0.2951		0.6794		0.8867		0.8368		0.3486		0.2983	
< 250K Pop.	0.6170		0.7740		0.3118		0.6590		0.5594		0.9153	
Nonmetro	0.3134		0.3407		0.6970		0.3330		0.6840		0.3819	
Urbanized	0.4061		0.4541		0.0222		*		0.9447		0.3763	
Less Urbanized	0.5248		0.5345		0.4354		0.2733		0.7196		0.7874	
Completely Rural	0.9542		*		*		*		*		0.8848	
POVERTY LEVEL¹												
Less Than 100%	0.8616		1.0000		0.3951		0.4498		0.6264		0.8108	
100-199%	0.6841		0.5260		0.9845		0.5112		0.4021		0.6180	
200% or More	0.0132		0.5093		0.5807		0.9872		0.4736		0.0152	
EDUCATION												
< High School	0.4531		0.2622		0.0802		0.6457		0.9076		0.4105	
High School Graduate	0.0002		0.4227		0.5385		0.5905		0.2432		0.0009	
Some College	0.7598		0.6418		0.9041		0.6191		0.6066		0.8210	
College Graduate	0.3065		0.7312		0.5493		0.7579		0.5399		0.1620	
HEALTH INSURANCE²												
Private	0.0174		0.8865		0.2557		1.0000		0.5170		0.0151	
Medicaid/CHIP ³	0.5530		0.3265		0.1807		0.9752		0.5547		0.4348	
Other ⁴	0.0493		0.3674		0.1468		0.0556		0.6826		0.0261	
No Coverage	0.0350		0.0781		0.2518		0.1803		0.0202		0.3644	

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.26C Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	148	148	130	121	104	74	60	54	53	82	65	83
AGE												
18-25	31	34	26	27	16	18	13	11	16	15	17	21
26-49	88	74	76	61	59	42	41	38	27	24	43	41
50 or Older	107	127	98	105	77	60	42	38	43	77	46	67
GENDER												
Male	106	107	86	86	70	53	41	32	29	59	58	66
Female	101	102	97	89	75	55	44	43	44	56	29	48
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	139	139	121	121	95	73	54	54	50	82	61	68
White	117	119	99	103	90	67	31	35	29	71	57	59
Black or African American	58	68	49	59	18	26	28	36	36	39	22	34
American Indian or Alaska Native	*	11	*	11	*	*	*	*	*	*	*	0
Native Hawaiian or Other Pacific Islander	1	3	*	*	*	*	*	*	*	*	1	*
Asian	41	10	40	9	*	*	*	*	18	5	6	5
Two or More Races	10	22	10	*	*	*	*	*	2	*	3	6
Hispanic or Latino	45	50	41	20	27	18	26	7	17	7	18	46
HEALTH INSURANCE¹												
Private	74	84	60	68	49	36	24	31	25	50	44	54
Medicaid/CHIP ²	90	87	84	71	66	45	37	41	36	33	34	50
Other ³	92	101	79	83	56	46	38	40	42	58	47	57
No Coverage	59	58	54	52	34	40	34	20	24	29	22	27
CURRENT EMPLOYMENT												
Full-Time	66	62	59	39	41	27	40	17	15	25	30	54
Part-Time	54	35	54	28	49	20	6	14	22	14	11	21
Unemployed	35	55	30	51	24	18	17	20	8	*	18	20
Other ⁴	114	115	99	101	77	65	42	46	44	63	53	55

*Low precision; no estimate reported.

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.26D Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.06	0.06	0.31	0.28	1.11	0.77	0.57	0.45	0.24	0.36	0.03	0.04
AGE												
18-25	0.09	0.10	0.40	0.39	1.19	1.18	0.78	0.62	0.46	0.43	0.06	0.07
26-49	0.09	0.08	0.38	0.30	1.17	0.82	0.78	0.67	0.27	0.24	0.06	0.05
50 or Older	0.11	0.12	0.63	0.65	2.61	1.90	1.20	0.83	0.48	0.88	0.05	0.08
GENDER												
Male	0.09	0.09	0.53	0.50	2.06	1.41	1.13	0.69	0.32	0.68	0.06	0.07
Female	0.08	0.08	0.37	0.33	1.25	0.91	0.64	0.59	0.33	0.41	0.03	0.05
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.07	0.07	0.33	0.31	1.12	0.89	0.58	0.52	0.26	0.41	0.04	0.04
White	0.07	0.08	0.33	0.34	1.23	0.98	0.41	0.42	0.19	0.46	0.05	0.05
Black or African American	0.22	0.25	1.10	1.17	2.44	2.76	2.77	2.60	1.32	1.38	0.10	0.15
American Indian or Alaska Native	*	0.82	*	2.88	*	*	*	*	*	*	*	0.04
Native Hawaiian or Other Pacific Islander	0.12	0.32	*	*	*	*	*	*	*	*	0.14	*
Asian	0.36	0.09	2.66	0.54	*	*	*	*	2.39	0.48	0.06	0.05
Two or More Races	0.32	0.65	1.18	*	*	*	*	*	0.43	*	0.14	0.23
Hispanic or Latino	0.13	0.14	0.86	0.36	3.08	1.18	2.32	0.48	0.63	0.29	0.06	0.16
HEALTH INSURANCE¹												
Private	0.05	0.05	0.26	0.29	1.18	0.86	0.40	0.46	0.20	0.39	0.03	0.04
Medicaid/CHIP ²	0.38	0.37	1.22	0.99	2.97	2.24	2.36	1.99	1.12	1.05	0.21	0.31
Other ³	0.17	0.17	0.80	0.72	2.70	1.75	1.82	1.25	0.73	0.99	0.10	0.12
No Coverage	0.15	0.15	0.66	0.60	1.71	1.68	1.57	0.94	0.60	0.71	0.07	0.09
CURRENT EMPLOYMENT												
Full-Time	0.06	0.05	0.35	0.22	1.30	0.84	0.88	0.35	0.17	0.25	0.03	0.05
Part-Time	0.17	0.11	0.81	0.42	3.05	1.55	0.38	0.80	0.63	0.38	0.04	0.08
Unemployed	0.26	0.40	0.94	1.44	3.15	1.69	1.93	2.31	0.52	*	0.17	0.20
Other ⁴	0.16	0.16	0.65	0.64	1.98	1.57	1.18	1.05	0.58	0.82	0.09	0.10

*Low precision; no estimate reported.

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.26P Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.7294		0.6011		0.0415		0.6248		0.0594		0.2864	
AGE												
18-25	0.4815		0.8646		0.7763		0.5863		0.7901		0.3375	
26-49	0.4347		0.2879		0.0231		0.5502		0.5196		0.9119	
50 or Older	0.4372		0.9241		0.2752		0.2533		0.0554		0.2452	
GENDER												
Male	0.7708		0.7895		0.0831		0.5379		0.0560		0.5679	
Female	0.8362		0.6234		0.2322		0.8769		0.3992		0.2667	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.6708		0.9624		0.1068		0.9532		0.0317		0.6046	
White	0.9749		0.9414		0.0741		0.7863		0.0145		0.9420	
Black or African American	0.0972		0.4098		0.6512		0.8616		0.5615		0.1614	
American Indian or Alaska Native	*		*		*		*		*		*	
Native Hawaiian or Other Pacific Islander	0.2541		*		*		*		*		*	
Asian	0.0691		0.0679		*		*		0.0934		0.6946	
Two or More Races	0.5946		*		*		*		*		0.8276	
Hispanic or Latino	0.8811		0.0455		0.1789		0.1351		0.2260		0.1874	
HEALTH INSURANCE¹												
Private	0.5159		0.7315		0.7388		0.7163		0.5444		0.6784	
Medicaid/CHIP ²	0.9534		0.4302		0.1087		0.6347		0.1925		0.4282	
Other ³	0.6020		0.7363		0.1019		0.4787		0.2141		0.3886	
No Coverage	0.8320		0.7602		0.4084		0.6095		0.4898		0.3911	
CURRENT EMPLOYMENT												
Full-Time	0.8773		0.2214		0.3407		0.2871		0.8013		0.3030	
Part-Time	0.5715		0.2870		0.2572		0.1542		0.4229		0.2204	
Unemployed	0.3345		0.4861		0.4275		0.7173		*		0.6537	
Other ⁴	0.6727		0.9419		0.1671		0.6567		0.0409		0.8727	

*Low precision; no estimate reported.

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.27C Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	437	435	348	345	214	205	190	197	212	184	279	298
AGE												
18-25	76	77	65	68	38	37	32	37	38	37	45	43
26-49	275	258	219	213	134	142	117	118	142	107	176	164
50 or Older	337	341	271	258	161	146	146	154	151	144	201	245
GENDER												
Male	265	249	216	188	124	123	110	99	129	91	171	179
Female	325	357	274	281	173	169	149	167	164	159	209	244
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	418	419	339	330	210	191	182	185	198	180	267	290
White	418	427	316	306	193	175	156	171	189	169	246	281
Black or African American	123	132	97	112	63	59	*	79	57	51	74	66
American Indian or Alaska Native	35	21	*	*	*	*	*	*	*	*	10	2
Native Hawaiian or Other Pacific Islander	8	5	*	*	*	*	*	*	*	*	7	4
Asian	96	56	53	49	*	*	*	*	19	19	77	28
Two or More Races	76	42	*	35	*	*	*	*	11	*	19	22
Hispanic or Latino	132	125	101	108	47	78	56	65	68	33	84	63
HEALTH INSURANCE¹												
Private	371	380	273	257	139	142	146	159	179	143	230	259
Medicaid/CHIP ²	191	157	166	138	119	97	92	75	77	51	84	71
Other ³	250	248	207	184	126	124	104	85	120	101	136	161
No Coverage	131	139	108	123	69	70	62	89	59	64	75	58
CURRENT EMPLOYMENT												
Full-Time	274	289	198	198	98	112	112	118	134	103	179	207
Part-Time	159	186	135	144	89	54	65	95	80	89	85	119
Unemployed	106	128	85	116	39	81	*	55	47	59	63	49
Other ⁴	283	267	223	214	166	143	122	122	126	107	179	157

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.27D Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.19	0.19	0.74	0.68	1.78	1.68	1.55	1.43	0.90	0.77	0.14	0.15
AGE												
18-25	0.22	0.22	0.84	0.84	2.20	2.08	1.69	1.74	0.98	0.93	0.15	0.15
26-49	0.28	0.26	0.98	0.89	2.17	2.23	1.91	1.81	1.34	1.01	0.22	0.20
50 or Older	0.34	0.33	1.60	1.40	4.14	3.62	3.42	2.95	1.57	1.56	0.23	0.28
GENDER												
Male	0.24	0.22	1.22	1.02	3.08	2.91	2.59	1.99	1.35	1.02	0.18	0.18
Female	0.27	0.29	0.93	0.90	2.12	2.16	1.90	1.89	1.17	1.07	0.22	0.25
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.21	0.21	0.80	0.75	1.87	1.84	1.65	1.53	0.95	0.84	0.16	0.17
White	0.25	0.25	0.93	0.88	2.06	2.04	1.76	1.75	1.14	1.01	0.19	0.21
Black or African American	0.45	0.48	2.09	2.07	5.81	5.66	*	4.83	2.05	1.82	0.32	0.30
American Indian or Alaska Native	2.65	1.62	*	*	*	*	*	*	*	*	1.08	0.24
Native Hawaiian or Other Pacific Islander	1.00	0.52	*	*	*	*	*	*	*	*	1.04	0.57
Asian	0.83	0.47	3.45	2.90	*	*	*	*	2.53	1.87	0.78	0.27
Two or More Races	2.19	1.28	*	4.30	*	*	*	*	2.61	*	0.78	0.84
Hispanic or Latino	0.39	0.36	2.07	1.79	5.04	4.46	4.52	3.83	2.45	1.33	0.29	0.22
HEALTH INSURANCE¹												
Private	0.23	0.23	1.03	0.97	2.56	2.65	2.06	2.07	1.27	1.04	0.17	0.19
Medicaid/CHIP ²	0.77	0.65	2.09	1.72	3.69	3.93	4.42	3.36	2.36	1.67	0.50	0.44
Other ³	0.44	0.40	1.85	1.44	4.24	3.87	4.08	2.57	1.97	1.65	0.29	0.33
No Coverage	0.34	0.36	1.26	1.33	3.11	2.69	2.70	3.64	1.43	1.50	0.25	0.20
CURRENT EMPLOYMENT												
Full-Time	0.23	0.23	1.04	0.98	2.64	2.77	2.24	2.10	1.31	1.02	0.18	0.20
Part-Time	0.46	0.54	1.77	1.88	4.32	3.76	3.67	4.33	2.10	2.29	0.32	0.44
Unemployed	0.75	0.90	2.39	2.78	4.59	5.41	*	5.36	2.81	3.45	0.60	0.48
Other ⁴	0.40	0.36	1.37	1.20	2.94	2.80	2.84	2.44	1.58	1.36	0.31	0.28

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.27P Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.7794		0.0982		0.0365		0.9968		0.1637		0.6946	
AGE												
18-25	0.3807		0.4014		0.6385		0.2497		0.6485		0.5140	
26-49	0.5601		0.2268		0.4247		0.6511		0.1322		0.7255	
50 or Older	0.9678		0.1916		0.0367		0.4966		0.5293		0.3490	
GENDER												
Male	0.2687		0.0401		0.2293		0.0885		0.0868		0.9650	
Female	0.6352		0.6066		0.1022		0.1580		0.5532		0.5887	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.9003		0.2702		0.1711		0.7601		0.3959		0.3822	
White	0.9958		0.1827		0.1815		0.9873		0.3664		0.2551	
Black or African American	0.0893		0.2982		0.3936		*		0.9739		0.5738	
American Indian or Alaska Native	0.7051		*		*		*		*		0.1813	
Native Hawaiian or Other Pacific Islander	0.5968		*		*		*		*		0.5683	
Asian	0.2123		0.9338		*		*		0.7633		0.0914	
Two or More Races	0.5830		*		*		*		*		0.4424	
Hispanic or Latino	0.2084		0.1741		0.1970		0.5377		0.0369		0.0852	
HEALTH INSURANCE¹												
Private	0.7384		0.3603		0.7624		0.8576		0.1261		0.3969	
Medicaid/CHIP ²	0.0395		0.0084		0.0796		0.0778		0.1359		0.3558	
Other ³	0.3308		0.0044		0.0147		0.0353		0.0340		0.5076	
No Coverage	0.2895		0.2530		0.1131		0.1438		0.1133		0.8231	
CURRENT EMPLOYMENT												
Full-Time	0.4023		0.7915		0.5730		0.5284		0.1506		0.3901	
Part-Time	0.7325		0.3588		0.0081		0.5612		0.8060		0.0778	
Unemployed	0.5798		0.2195		0.1946		*		0.6795		0.1208	
Other ⁴	0.0940		0.0256		0.0065		0.3243		0.2745		0.3734	

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.28C Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	570	612	428	446	249	253	243	240	262	269	427	483
AGE												
18-25	86	87	67	73	39	42	34	35	41	40	64	59
26-49	328	351	255	290	157	181	136	149	168	153	235	232
50 or Older	449	502	334	339	187	186	192	189	197	208	349	420
GENDER												
Male	339	349	248	236	150	150	134	139	150	118	262	279
Female	433	488	351	372	199	201	195	196	214	239	315	388
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	537	574	418	422	242	237	232	227	251	260	398	472
White	568	614	393	389	224	219	204	212	237	237	371	449
Black or African American	139	177	114	135	65	72	*	75	79	89	77	116
American Indian or Alaska Native	54	43	*	*	*	*	*	*	*	*	9	26
Native Hawaiian or Other Pacific Islander	8	18	*	*	*	*	*	*	*	*	7	8
Asian	106	84	61	56	*	*	*	*	21	13	85	62
Two or More Races	85	55	*	37	*	*	*	*	*	15	31	40
Hispanic or Latino	183	172	117	144	58	103	68	81	71	61	139	99
HEALTH INSURANCE¹												
Private	511	541	334	329	158	162	190	190	208	205	372	418
Medicaid/CHIP ²	229	235	189	187	132	116	94	99	98	94	125	124
Other ³	347	407	255	263	143	163	137	138	160	159	241	295
No Coverage	172	195	130	153	88	101	71	79	68	90	100	125
CURRENT EMPLOYMENT												
Full-Time	374	393	247	244	124	130	142	144	154	149	279	312
Part-Time	205	229	152	144	89	75	79	88	104	83	136	181
Unemployed	129	155	100	125	53	86	69	50	47	70	78	94
Other ⁴	381	445	286	314	195	191	162	168	171	180	259	304

*Low precision; no estimate reported.

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.28D Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.25	0.26	0.82	0.79	1.80	1.65	1.75	1.55	1.03	1.02	0.21	0.24
AGE												
18-25	0.25	0.25	0.92	0.88	2.22	2.09	1.72	1.77	1.13	1.01	0.22	0.21
26-49	0.33	0.36	1.05	1.10	2.26	2.25	2.07	2.05	1.47	1.34	0.29	0.29
50 or Older	0.45	0.49	1.77	1.65	3.76	3.66	3.82	3.30	1.97	2.05	0.39	0.46
GENDER												
Male	0.30	0.31	1.29	1.20	3.01	2.89	2.86	2.51	1.49	1.29	0.27	0.28
Female	0.36	0.40	1.07	1.04	2.08	2.09	2.13	2.02	1.44	1.43	0.32	0.39
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.27	0.29	0.86	0.85	1.84	1.80	1.83	1.64	1.09	1.11	0.23	0.27
White	0.32	0.34	0.98	0.94	1.96	2.04	2.02	1.84	1.27	1.28	0.28	0.33
Black or African American	0.50	0.62	2.33	2.34	5.61	5.66	*	4.64	2.67	2.91	0.34	0.51
American Indian or Alaska Native	3.62	3.17	*	*	*	*	*	*	*	*	1.00	2.75
Native Hawaiian or Other Pacific Islander	0.99	1.82	*	*	*	*	*	*	*	*	1.08	1.06
Asian	0.91	0.71	3.74	3.27	*	*	*	*	2.84	1.32	0.86	0.62
Two or More Races	2.39	1.64	*	4.47	*	*	*	*	*	4.58	1.28	1.48
Hispanic or Latino	0.54	0.50	2.30	2.17	5.50	4.94	5.04	4.46	2.55	2.25	0.46	0.34
HEALTH INSURANCE¹												
Private	0.30	0.32	1.09	1.13	2.57	2.60	2.31	2.23	1.37	1.38	0.27	0.31
Medicaid/CHIP ²	0.88	0.96	2.25	2.07	3.69	3.90	4.27	3.84	2.92	2.75	0.72	0.76
Other ³	0.59	0.63	2.08	1.78	3.74	3.70	4.52	3.40	2.43	2.36	0.50	0.59
No Coverage	0.43	0.50	1.47	1.63	3.51	3.39	2.94	3.28	1.61	2.06	0.33	0.42
CURRENT EMPLOYMENT												
Full-Time	0.31	0.31	1.20	1.14	2.89	2.84	2.58	2.35	1.47	1.38	0.27	0.30
Part-Time	0.59	0.66	1.86	1.89	4.35	4.25	4.05	4.09	2.51	2.19	0.51	0.65
Unemployed	0.89	1.07	2.62	2.84	5.23	5.23	5.84	4.96	2.76	3.84	0.74	0.91
Other ⁴	0.51	0.56	1.57	1.45	2.66	2.62	3.23	2.83	1.98	2.02	0.44	0.52

*Low precision; no estimate reported.

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.28P Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic/Health Characteristic	Total (2011)	Total (2012)	Any Mental Illness (2011)	Any Mental Illness (2012)	Serious Mental Illness (2011)	Serious Mental Illness (2012)	Moderate Mental Illness (2011)	Moderate Mental Illness (2012)	Mild Mental Illness (2011)	Mild Mental Illness (2012)	No Mental Illness (2011)	No Mental Illness (2012)
TOTAL	0.0153		0.8331		0.8452		0.5528		0.8387		0.0109	
AGE												
18-25	0.5165		0.2428		0.1288		0.8370		0.8158		0.2479	
26-49	0.1357		0.3196		0.6453		0.3155		0.7258		0.6974	
50 or Older	0.0730		0.1964		0.2302		0.0610		0.5925		0.0041	
GENDER												
Male	0.4446		0.6905		0.8951		0.4187		0.2256		0.4145	
Female	0.0140		0.9659		0.7944		0.9649		0.7765		0.0085	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.0121		0.7481		0.9443		0.6640		0.8941		0.0015	
White	0.0168		0.9017		0.9047		0.9612		0.7677		0.0042	
Black or African American	0.0412		0.8070		0.9408		*		0.7495		0.0447	
American Indian or Alaska Native	0.7463		*		*		*		*		0.3327	
Native Hawaiian or Other Pacific Islander	0.2536		*		*		*		*		0.8985	
Asian	0.5864		0.8996		*		*		0.1323		0.4923	
Two or More Races	0.3848		*		*		*		*		0.2681	
Hispanic or Latino	0.8248		0.3126		0.4309		0.8698		0.6899		0.0731	
HEALTH INSURANCE¹												
Private	0.0208		0.8233		0.4954		0.6676		0.5478		0.0100	
Medicaid/CHIP ²	0.6652		0.5010		0.5356		0.7849		0.7692		0.4251	
Other ³	0.1395		0.1934		0.1098		0.0846		0.3503		0.0454	
No Coverage	0.0281		0.0889		0.9341		0.4320		0.0699		0.3101	
CURRENT EMPLOYMENT												
Full-Time	0.0980		0.8680		0.4457		0.9506		0.7779		0.1435	
Part-Time	0.6822		0.0980		0.6348		0.6607		0.1177		0.0415	
Unemployed	0.1976		0.3772		0.4802		0.2626		0.2966		0.7302	
Other ⁴	0.1286		0.9625		0.2315		0.7328		0.5915		0.2160	

*Low precision; no estimate reported.

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.