

Table 1.33C Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2011 and 2012

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2}	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2}	Mental Health Treatment Only ¹		Substance Use Treatment at a Specialty Facility Only ²		Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2}	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2}
	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)
TOTAL	603	657	591	645	98	102	106	115
DEPENDENCE OR ABUSE	215	253	191	219	64	82	75	101
Any Mental Illness	165	196	144	162	42	65	70	92
Serious Mental Illness	121	136	105	103	27	40	51	81
Moderate Mental Illness	70	97	62	85	19	27	25	37
Mild Mental Illness	88	102	75	85	26	45	41	31
No Mental Illness	134	153	124	138	46	49	22	42
NO DEPENDENCE OR ABUSE	648	692	639	685	72	59	74	63
Any Mental Illness	439	456	430	447	35	24	57	56
Serious Mental Illness	227	229	223	223	13	17	35	35
Moderate Mental Illness	249	253	247	251	11	4	31	24
Mild Mental Illness	276	279	272	276	31	16	32	37
No Mental Illness	445	482	439	482	63	54	47	28

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.33D Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Percentages, 2011 and 2012

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2}	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2}	Mental Health Treatment Only ¹	Mental Health Treatment Only ¹	Substance Use Treatment at a Specialty Facility Only ²	Substance Use Treatment at a Specialty Facility Only ²	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2}	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2}
	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)	(2011)	(2012)
TOTAL	0.26	0.28	0.25	0.28	0.04	0.04	0.05	0.05
DEPENDENCE OR ABUSE	0.99	1.03	0.91	0.94	0.33	0.39	0.39	0.48
Any Mental Illness	1.80	1.68	1.74	1.62	0.60	0.75	1.00	1.05
Serious Mental Illness	3.14	3.10	3.38	3.20	1.22	1.49	2.28	2.78
Moderate Mental Illness	3.33	3.14	3.14	3.04	1.19	1.19	1.54	1.57
Mild Mental Illness	2.48	2.34	2.22	2.13	0.83	1.23	1.28	0.86
No Mental Illness	1.02	1.15	0.96	1.04	0.38	0.39	0.18	0.34
NO DEPENDENCE OR ABUSE	0.27	0.29	0.27	0.28	0.03	0.03	0.03	0.03
Any Mental Illness	0.96	0.95	0.95	0.94	0.10	0.07	0.16	0.16
Serious Mental Illness	1.97	1.98	1.99	2.01	0.18	0.24	0.50	0.49
Moderate Mental Illness	1.98	1.91	1.99	1.90	0.13	0.04	0.35	0.25
Mild Mental Illness	1.21	1.20	1.20	1.19	0.16	0.09	0.17	0.20
No Mental Illness	0.23	0.25	0.23	0.25	0.04	0.03	0.03	0.02

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.33P Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2011)	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2012)	Mental Health Treatment Only ¹ (2011)	Mental Health Treatment Only ¹ (2012)	Substance Use Treatment at a Specialty Facility Only ² (2011)	Substance Use Treatment at a Specialty Facility Only ² (2012)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2011)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2012)
	TOTAL	0.0103		0.0143		0.6341		0.6765
DEPENDENCE OR ABUSE	0.4544		0.8171		0.5948		0.4283	
Any Mental Illness	0.9513		0.7557		0.4947		0.9291	
Serious Mental Illness	0.2954		0.1327		0.7770		0.6720	
Moderate Mental Illness	0.3802		0.6033		0.6562		0.6259	
Mild Mental Illness	0.9246		0.7493		0.6348		0.1782	
No Mental Illness	0.8185		0.6415		0.9139		0.3647	
NO DEPENDENCE OR ABUSE	0.0268		0.0168		0.7230		0.4026	
Any Mental Illness	0.8004		0.7525		0.7298		0.8556	
Serious Mental Illness	0.8575		0.8977		0.2525		0.4919	
Moderate Mental Illness	0.8241		0.9241		0.1714		0.6773	
Mild Mental Illness	0.7481		0.7803		0.5574		0.4922	
No Mental Illness	0.0125		0.0072		0.8145		0.1670	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.