

**Table 1.37C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	338	354	244	261	223	252
<b>AGE</b>						
18-25	85	79	55	57	71	68
26-49	246	238	180	174	174	176
50 or Older	196	241	158	189	114	152
<b>GENDER</b>						
Male	185	200	130	140	133	148
Female	279	285	207	221	176	192
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	323	329	235	248	205	231
White	280	297	206	216	178	205
Black or African American	102	131	65	106	79	76
American Indian or Alaska Native	34	42	*	*	10	27
Native Hawaiian or Other Pacific Islander	8	7	*	*	8	4
Asian	72	55	*	*	53	47
Two or More Races	76	54	*	22	17	50
Hispanic or Latino	101	118	70	89	80	79
<b>CURRENT EMPLOYMENT</b>						
Full-Time	215	221	144	142	156	167
Part-Time	125	142	93	110	83	83
Unemployed	95	90	64	62	68	65
Other <sup>3</sup>	190	232	163	179	103	145

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.37D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.15	0.15	0.72	0.73	0.11	0.12
<b>AGE</b>						
18-25	0.25	0.23	1.12	1.05	0.22	0.21
26-49	0.25	0.24	1.10	1.06	0.21	0.20
50 or Older	0.20	0.24	1.13	1.20	0.13	0.17
<b>GENDER</b>						
Male	0.17	0.18	1.13	1.12	0.13	0.15
Female	0.23	0.23	0.91	0.92	0.18	0.19
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.16	0.16	0.74	0.75	0.12	0.13
White	0.18	0.19	0.75	0.75	0.14	0.16
Black or African American	0.38	0.46	3.12	3.25	0.32	0.31
American Indian or Alaska Native	2.50	2.76	*	*	0.84	2.01
Native Hawaiian or Other Pacific Islander	1.00	0.74	*	*	1.02	0.50
Asian	0.62	0.48	*	*	0.49	0.42
Two or More Races	2.18	1.56	*	4.36	0.65	1.67
Hispanic or Latino	0.30	0.34	2.68	3.09	0.25	0.24
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.18	0.19	1.06	1.02	0.15	0.16
Part-Time	0.38	0.42	1.76	1.89	0.30	0.30
Unemployed	0.66	0.66	2.90	2.84	0.57	0.57
Other <sup>3</sup>	0.27	0.31	1.24	1.25	0.17	0.25

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.37P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.2128		0.4306		0.1137	
<b>AGE</b>						
18-25	0.7286		0.3776		0.8068	
26-49	0.6951		0.5633		0.3517	
50 or Older	0.0676		0.8968		0.0912	
<b>GENDER</b>						
Male	0.6154		0.9619		0.6132	
Female	0.2492		0.3471		0.0931	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4847		0.1709		0.1789	
White	0.6755		0.0904		0.1570	
Black or African American	0.0549		0.1224		0.7251	
American Indian or Alaska Native	0.3943		*		0.0496	
Native Hawaiian or Other Pacific Islander	0.8573		*		0.6072	
Asian	0.3857		*		0.9410	
Two or More Races	0.2058		*		0.4212	
Hispanic or Latino	0.0614		0.0699		0.2730	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.5103		0.8757		0.5563	
Part-Time	0.6657		0.2013		0.7714	
Unemployed	0.7933		0.7688		0.9225	
Other <sup>3</sup>	0.1171		0.8525		0.0449	

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.38C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	338	354	244	261	223	252
<b>GEOGRAPHIC REGION</b>						
Northeast	131	130	90	102	89	94
Midwest	125	132	104	104	71	89
South	206	223	146	168	134	154
West	196	192	141	144	133	141
<b>COUNTY TYPE</b>						
Large Metro	245	269	172	192	168	180
Small Metro	199	207	140	146	125	150
250K – 1 Mil. Pop.	169	166	116	111	103	129
< 250K Pop.	108	130	75	96	69	76
Nonmetro	134	130	101	93	73	89
Urbanized	89	94	65	62	53	70
Less Urbanized	84	81	70	63	42	41
Completely Rural	32	46	24	*	20	35
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	166	174	125	139	104	93
100-199%	142	166	119	139	84	100
200% or More	257	266	179	167	170	210
<b>EDUCATION</b>						
< High School	123	145	87	123	83	81
High School Graduate	145	197	110	148	98	132
Some College	207	194	152	135	136	138
College Graduate	180	174	126	129	118	117
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	253	255	178	168	166	186
Medicaid/CHIP <sup>5</sup>	135	126	125	111	52	68
Other <sup>6</sup>	141	185	126	157	62	101
No Coverage	162	175	104	120	126	125

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.38D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.15	0.15	0.72	0.73	0.11	0.12
<b>GEOGRAPHIC REGION</b>						
Northeast	0.31	0.30	1.44	1.55	0.25	0.25
Midwest	0.25	0.26	1.25	1.23	0.17	0.21
South	0.24	0.26	1.25	1.21	0.18	0.20
West	0.36	0.35	1.85	1.97	0.28	0.29
<b>COUNTY TYPE</b>						
Large Metro	0.20	0.21	1.04	1.09	0.16	0.16
Small Metro	0.26	0.28	1.17	1.17	0.20	0.24
250K – 1 Mil. Pop.	0.33	0.33	1.50	1.44	0.24	0.31
< 250K Pop.	0.44	0.50	1.91	2.01	0.34	0.37
Nonmetro	0.37	0.33	1.79	1.47	0.24	0.27
Urbanized	0.59	0.52	2.70	2.01	0.42	0.49
Less Urbanized	0.48	0.46	2.57	2.31	0.29	0.28
Completely Rural	0.82	0.99	4.68	*	0.57	0.87
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	0.48	0.45	1.95	1.94	0.37	0.30
100-199%	0.30	0.35	1.69	1.88	0.21	0.26
200% or More	0.17	0.17	0.84	0.78	0.13	0.16
<b>EDUCATION</b>						
< High School	0.37	0.41	2.02	2.68	0.28	0.27
High School Graduate	0.21	0.27	1.32	1.39	0.16	0.21
Some College	0.33	0.30	1.47	1.27	0.26	0.25
College Graduate	0.26	0.25	1.15	1.16	0.20	0.20
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	0.16	0.16	0.83	0.76	0.13	0.14
Medicaid/CHIP <sup>5</sup>	0.57	0.53	2.06	1.88	0.30	0.38
Other <sup>6</sup>	0.26	0.30	1.49	1.49	0.13	0.20
No Coverage	0.42	0.44	2.74	2.63	0.36	0.36

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.38P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.2128		0.4306		0.1137	
<b>GEOGRAPHIC REGION</b>						
Northeast	0.6804		0.6982		0.9252	
Midwest	0.4639		0.5198		0.1324	
South	0.1937		0.9331		0.3557	
West	0.9879		0.2288		0.4318	
<b>COUNTY TYPE</b>						
Large Metro	0.0941		0.8929		0.1371	
Small Metro	0.9183		0.4070		0.6128	
250K – 1 Mil. Pop.	0.9791		0.1883		0.3899	
< 250K Pop.	0.8970		0.7126		0.6666	
Nonmetro	0.9673		0.3067		0.4993	
Urbanized	0.7709		0.5256		0.9108	
Less Urbanized	1.0000		0.5092		0.5043	
Completely Rural	0.6384		*		0.2681	
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	0.3261		0.3945		0.4223	
100-199%	0.3430		0.7080		0.3504	
200% or More	0.1801		0.4410		0.0966	
<b>EDUCATION</b>						
< High School	0.5077		0.2197		0.8873	
High School Graduate	0.0132		0.7280		0.0236	
Some College	0.4076		0.2509		0.8949	
College Graduate	0.6719		0.4917		0.3505	
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	0.6853		0.3386		0.5151	
Medicaid/CHIP <sup>5</sup>	0.9159		0.4634		0.1115	
Other <sup>6</sup>	0.0195		0.7357		0.0066	
No Coverage	0.6267		0.4801		0.7815	

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.39C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	298	318	219	244	191	203
<b>AGE</b>						
18-25	77	81	48	52	54	58
26-49	224	232	161	168	152	159
50 or Older	179	205	146	170	98	111
<b>GENDER</b>						
Male	158	178	122	126	103	125
Female	251	265	185	209	158	151
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	285	298	214	235	177	190
White	246	262	188	201	153	174
Black or African American	96	127	62	107	73	68
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	59	49	*	*	*	40
Two or More Races	*	27	*	*	14	20
Hispanic or Latino	85	107	53	80	69	69
<b>CURRENT EMPLOYMENT</b>						
Full-Time	185	190	127	133	126	133
Part-Time	114	125	87	104	76	68
Unemployed	83	86	55	61	62	59
Other <sup>3</sup>	178	206	152	168	97	117

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.39D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.66	0.63	1.16	1.18	0.74	0.73
<b>AGE</b>						
18-25	0.93	0.91	1.71	1.59	1.06	1.09
26-49	0.95	0.94	1.61	1.60	1.18	1.16
50 or Older	1.13	1.15	2.03	2.22	1.13	1.17
<b>GENDER</b>						
Male	0.95	0.98	2.00	1.98	0.97	1.06
Female	0.89	0.86	1.43	1.44	1.05	0.97
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.70	0.68	1.21	1.24	0.79	0.81
White	0.76	0.77	1.25	1.29	0.92	0.98
Black or African American	2.03	2.17	4.46	4.59	2.18	1.92
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.66	2.97	*	*	*	2.89
Two or More Races	*	3.61	*	*	3.29	4.48
Hispanic or Latino	1.73	1.70	4.11	4.32	1.92	1.62
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.99	0.98	1.82	1.86	1.08	1.09
Part-Time	1.59	1.69	2.87	3.37	1.81	1.61
Unemployed	2.31	2.34	4.15	4.15	2.70	2.66
Other <sup>3</sup>	1.13	1.15	1.94	1.84	1.17	1.35

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.39P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.8778		1.0000		0.8456	
<b>AGE</b>						
18-25	0.5819		0.5587		0.6487	
26-49	0.8635		0.5244		0.7726	
50 or Older	0.4447		0.5036		0.6364	
<b>GENDER</b>						
Male	0.9396		0.9340		0.9695	
Female	0.8068		0.9349		0.7465	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.9651		0.7384		0.7997	
White	0.9414		0.4489		0.4502	
Black or African American	0.2803		0.0615		0.3106	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5588		*		*	
Two or More Races	*		*		0.6119	
Hispanic or Latino	0.4489		0.3462		0.9840	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.9063		0.5659		0.6998	
Part-Time	0.7532		0.8555		0.9960	
Unemployed	0.7900		0.6040		0.8480	
Other <sup>3</sup>	0.6476		0.8728		0.3491	

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.40C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	298	318	219	244	191	203
<b>GEOGRAPHIC REGION</b>						
Northeast	104	123	80	98	61	78
Midwest	115	124	95	100	67	78
South	189	202	130	153	126	129
West	173	169	127	135	112	110
<b>COUNTY TYPE</b>						
Large Metro	213	238	155	180	140	155
Small Metro	171	176	123	132	109	120
250K – 1 Mil. Pop.	145	144	102	107	89	99
< 250K Pop.	96	107	66	81	62	66
Nonmetro	126	108	94	89	70	59
Urbanized	87	69	65	59	52	35
Less Urbanized	76	72	61	58	39	36
Completely Rural	28	*	*	*	*	*
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	155	149	115	126	101	82
100-199%	135	158	113	137	78	87
200% or More	217	221	155	153	136	161
<b>EDUCATION</b>						
< High School	113	137	77	118	78	73
High School Graduate	135	179	104	138	86	116
Some College	185	154	145	117	113	100
College Graduate	155	155	109	123	101	99
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	216	200	155	150	138	135
Medicaid/CHIP <sup>5</sup>	124	118	115	105	44	63
Other <sup>6</sup>	132	165	119	142	58	87
No Coverage	147	165	99	116	112	117

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.40D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
	2011	2012	Received		Not Received	
			2011	2012	2011	2012
<b>TOTAL</b>	0.66	0.63	1.16	1.18	0.74	0.73
<b>GEOGRAPHIC REGION</b>						
Northeast	1.40	1.41	2.38	2.50	1.57	1.62
Midwest	1.16	1.21	1.96	2.04	1.29	1.43
South	1.14	1.08	1.97	1.99	1.29	1.25
West	1.54	1.39	2.97	3.18	1.59	1.50
<b>COUNTY TYPE</b>						
Large Metro	0.94	0.94	1.73	1.84	1.06	1.04
Small Metro	1.13	1.07	1.86	1.86	1.32	1.33
250K – 1 Mil. Pop.	1.45	1.34	2.34	2.42	1.62	1.71
< 250K Pop.	1.93	1.71	3.11	2.90	2.22	2.07
Nonmetro	1.61	1.35	2.79	2.37	1.61	1.42
Urbanized	2.51	1.90	4.46	3.58	2.69	1.92
Less Urbanized	2.11	1.98	3.74	3.34	2.00	1.94
Completely Rural	4.06	*	*	*	*	*
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	1.57	1.31	2.63	2.41	1.84	1.33
100-199%	1.26	1.40	2.48	2.73	1.30	1.36
200% or More	0.86	0.85	1.48	1.48	0.95	1.06
<b>EDUCATION</b>						
< High School	1.56	1.65	2.94	3.60	1.74	1.46
High School Graduate	1.10	1.19	2.14	2.21	1.13	1.35
Some College	1.35	1.15	2.31	1.95	1.53	1.37
College Graduate	1.28	1.36	2.02	2.30	1.58	1.60
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	0.85	0.78	1.47	1.38	1.00	0.92
Medicaid/CHIP <sup>5</sup>	1.68	1.49	2.77	2.41	1.36	1.66
Other <sup>6</sup>	1.31	1.28	2.35	2.39	1.09	1.34
No Coverage	1.57	1.63	3.78	3.52	1.66	1.74

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.40P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.8778		1.0000		0.8456	
<b>GEOGRAPHIC REGION</b>						
Northeast	0.7112		0.4786		1.0000	
Midwest	0.8422		0.7275		0.5325	
South	0.5793		0.4777		0.9093	
West	0.4927		0.3885		0.9145	
<b>COUNTY TYPE</b>						
Large Metro	0.4227		0.2920		0.9404	
Small Metro	0.5750		0.4576		0.9912	
250K – 1 Mil. Pop.	0.7252		0.2871		0.5902	
< 250K Pop.	0.6181		0.8224		0.3863	
Nonmetro	0.7252		0.3271		0.7142	
Urbanized	0.4340		0.5318		0.4648	
Less Urbanized	0.8506		0.4424		0.5788	
Completely Rural	*		*		*	
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	0.0352		0.2435		0.0576	
100-199%	0.5246		0.2368		0.9517	
200% or More	0.3146		0.8956		0.1612	
<b>EDUCATION</b>						
< High School	0.9821		0.1392		0.2960	
High School Graduate	0.1639		0.8677		0.1160	
Some College	0.0891		0.0599		0.5879	
College Graduate	0.4176		0.4943		0.7375	
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	0.4900		0.7820		0.4436	
Medicaid/CHIP <sup>5</sup>	0.7345		0.5264		0.3008	
Other <sup>6</sup>	0.2603		0.5467		0.0966	
No Coverage	0.8916		0.3319		0.6892	

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Any mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.41C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	204	200	164	164	112	124
<b>AGE</b>						
18-25	50	42	36	33	29	28
26-49	148	153	115	124	86	99
50 or Older	124	132	108	112	*	*
<b>GENDER</b>						
Male	100	131	76	90	63	95
Female	178	154	144	137	94	79
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	199	186	161	154	106	114
White	173	166	144	135	89	105
Black or African American	59	74	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	46	80	*	*	*	47
<b>CURRENT EMPLOYMENT</b>						
Full-Time	118	124	84	89	77	86
Part-Time	69	62	63	53	28	33
Unemployed	62	63	*	*	*	*
Other <sup>3</sup>	139	146	125	131	*	67

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.41D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	1.72	1.69	2.18	2.19	2.83	2.88
<b>AGE</b>						
18-25	2.35	2.13	3.15	2.94	3.23	3.15
26-49	2.13	2.28	2.60	2.97	3.76	3.85
50 or Older	3.75	3.41	4.48	4.36	*	*
<b>GENDER</b>						
Male	2.72	3.01	3.63	3.71	3.98	4.81
Female	2.19	2.11	2.57	2.71	3.97	3.34
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	1.81	1.85	2.25	2.29	3.01	3.28
White	1.92	2.05	2.35	2.42	3.31	3.77
Black or African American	5.60	5.90	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	5.06	4.25	*	*	*	4.96
<b>CURRENT EMPLOYMENT</b>						
Full-Time	2.71	3.00	3.60	3.84	4.20	4.72
Part-Time	4.10	3.74	5.61	5.67	5.13	4.66
Unemployed	5.14	5.00	*	*	*	*
Other <sup>3</sup>	2.95	2.79	3.47	3.38	*	5.29

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.41P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	0.5241		0.5410		0.8412	
<b>AGE</b>						
18-25	0.0838		0.2183		0.2305	
26-49	0.7528		0.8365		0.4368	
50 or Older	0.4638		0.6237		*	
<b>GENDER</b>						
Male	0.7317		0.8245		0.4796	
Female	0.3231		0.6062		0.3702	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.7161		0.3720		0.5214	
White	0.7009		0.3270		0.4223	
Black or African American	0.7244		*		*	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	*		*		*	
Two or More Races	*		*		*	
Hispanic or Latino	0.9579		*		*	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.8876		0.6063		0.4822	
Part-Time	0.9890		0.9303		0.5405	
Unemployed	0.0392		*		*	
Other <sup>3</sup>	0.7478		0.9137		*	

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.42C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	204	200	164	164	112	124
<b>GEOGRAPHIC REGION</b>						
Northeast	67	63	54	55	*	*
Midwest	81	87	73	72	37	49
South	121	137	94	115	68	77
West	122	107	94	82	*	77
<b>COUNTY TYPE</b>						
Large Metro	141	146	104	110	93	95
Small Metro	116	119	96	101	56	72
250K – 1 Mil. Pop.	98	91	80	80	46	*
< 250K Pop.	64	81	55	*	*	*
Nonmetro	87	76	76	67	32	*
Urbanized	59	47	*	*	*	*
Less Urbanized	53	51	*	*	*	*
Completely Rural	*	*	*	*	*	*
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	123	105	106	87	60	55
100-199%	89	107	73	95	52	57
200% or More	140	135	108	105	81	93
<b>EDUCATION</b>						
< High School	79	88	61	70	*	*
High School Graduate	98	119	82	89	53	81
Some College	124	112	107	94	64	60
College Graduate	91	88	71	78	*	*
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	136	116	104	100	76	65
Medicaid/CHIP <sup>5</sup>	93	82	89	77	*	29
Other <sup>6</sup>	100	118	86	107	*	*
No Coverage	91	115	70	75	62	89

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.42D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2011	2012	2011	2012	2011	2012
<b>TOTAL</b>	1.72	1.69	2.18	2.19	2.83	2.88
<b>GEOGRAPHIC REGION</b>						
Northeast	3.88	3.57	5.09	4.42	*	*
Midwest	2.86	3.21	3.71	3.93	4.61	5.27
South	3.08	3.15	4.09	4.08	4.58	5.10
West	3.89	3.47	4.71	4.95	*	5.48
<b>COUNTY TYPE</b>						
Large Metro	2.69	2.36	3.33	3.15	4.47	3.94
Small Metro	2.81	3.14	3.33	3.80	4.64	5.16
250K – 1 Mil. Pop.	3.62	3.66	4.45	4.49	5.57	*
< 250K Pop.	4.57	6.00	5.29	*	*	*
Nonmetro	3.87	3.84	5.12	4.46	4.87	*
Urbanized	5.45	5.48	*	*	*	*
Less Urbanized	5.64	5.67	*	*	*	*
Completely Rural	*	*	*	*	*	*
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	3.59	3.23	4.57	4.23	5.44	4.76
100-199%	3.25	3.46	4.25	4.56	5.11	5.12
200% or More	2.57	2.47	3.11	3.06	4.26	4.37
<b>EDUCATION</b>						
< High School	3.95	4.24	5.33	5.28	*	*
High School Graduate	3.27	3.04	4.35	3.75	4.73	5.11
Some College	3.09	2.97	3.81	3.96	5.45	4.96
College Graduate	3.47	3.60	3.97	4.51	*	*
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	2.53	2.36	3.07	2.94	4.12	4.03
Medicaid/CHIP <sup>5</sup>	3.69	3.61	4.53	4.45	*	4.93
Other <sup>6</sup>	4.11	3.60	4.60	4.41	*	*
No Coverage	3.56	3.27	5.66	5.09	4.81	4.50

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.42P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Geographic/Socioeconomic Characteristic	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
	2011	2012	Received		Not Received	
			2011	2012	2011	2012
<b>TOTAL</b>	0.5241		0.5410		0.8412	
<b>GEOGRAPHIC REGION</b>						
Northeast	0.1557		0.2656		*	
Midwest	0.4519		0.9959		0.1448	
South	0.6022		0.7702		0.6998	
West	0.2164		0.5629		*	
<b>COUNTY TYPE</b>						
Large Metro	0.8268		0.9571		0.6297	
Small Metro	0.4651		0.4364		0.9675	
250K – 1 Mil. Pop.	0.3772		0.3590		*	
< 250K Pop.	0.9378		*		*	
Nonmetro	0.9666		0.7908		*	
Urbanized	0.5555		*		*	
Less Urbanized	0.7323		*		*	
Completely Rural	*		*		*	
<b>POVERTY LEVEL<sup>3</sup></b>						
Less Than 100%	0.1084		0.2214		0.3814	
100-199%	0.5293		0.4577		0.8874	
200% or More	0.8956		0.6346		0.7898	
<b>EDUCATION</b>						
< High School	0.5513		0.2565		*	
High School Graduate	0.7847		0.5021		0.6291	
Some College	0.7421		0.3928		0.4988	
College Graduate	0.9577		0.8753		*	
<b>HEALTH INSURANCE<sup>4</sup></b>						
Private	0.1929		0.2962		0.3256	
Medicaid/CHIP <sup>5</sup>	0.7654		0.8277		*	
Other <sup>6</sup>	0.5467		0.8730		*	
No Coverage	0.9742		0.4818		0.4049	

\*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>4</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>5</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>6</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.