

Table 1.46C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

| Age Category | Total (2011) | Total (2012) | Male (2011) | Male (2012) | Female (2011) | Female (2012) |
|---------------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------|--------------------------|
| TOTAL | 299 | 305 | 194 | 208 | 228 | 221 |
| 18 | 31 | 34 | 23 | 20 | 20 | 27 |
| 19 | 33 | 37 | 19 | 25 | 27 | 26 |
| 20 | 34 | 34 | 24 | 21 | 21 | 26 |
| 21 | 32 | 29 | 23 | 22 | 22 | 19 |
| 22 | 26 | 28 | 18 | 19 | 20 | 20 |
| 23 | 25 | 28 | 17 | 20 | 19 | 19 |
| 24 | 22 | 22 | 15 | 17 | 16 | 14 |
| 25 | 28 | 26 | 17 | 18 | 21 | 18 |
| 26-29 | 78 | 90 | 50 | 69 | 60 | 59 |
| 30-34 | 63 | 84 | 47 | 60 | 40 | 61 |
| 35-39 | 86 | 94 | 46 | 62 | 72 | 70 |
| 40-44 | 83 | 97 | 41 | 72 | 70 | 63 |
| 45-49 | 93 | 100 | 55 | 79 | 75 | 63 |
| 50-54 | 131 | 103 | 96 | 64 | 89 | 76 |
| 55-59 | 124 | 95 | 64 | 57 | 103 | 77 |
| 60-64 | 84 | 109 | 67 | 70 | 51 | 84 |
| 65 or Older | 106 | 123 | 78 | 78 | 72 | 94 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.46D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

| Age Category | Total (2011) | Total (2012) | Male (2011) | Male (2012) | Female (2011) | Female (2012) |
|--------------|-----------------|-----------------|----------------|----------------|------------------|------------------|
| TOTAL | 0.13 | 0.13 | 0.17 | 0.18 | 0.19 | 0.18 |
| 18 | 0.62 | 0.66 | 0.89 | 0.80 | 0.88 | 1.07 |
| 19 | 0.72 | 0.80 | 0.86 | 1.13 | 1.16 | 1.13 |
| 20 | 0.70 | 0.71 | 1.05 | 0.92 | 0.88 | 1.09 |
| 21 | 0.69 | 0.63 | 1.02 | 0.93 | 0.96 | 0.85 |
| 22 | 0.60 | 0.60 | 0.81 | 0.85 | 0.91 | 0.83 |
| 23 | 0.62 | 0.63 | 0.88 | 0.95 | 0.87 | 0.84 |
| 24 | 0.53 | 0.53 | 0.67 | 0.83 | 0.81 | 0.65 |
| 25 | 0.67 | 0.65 | 0.82 | 0.91 | 1.02 | 0.91 |
| 26-29 | 0.44 | 0.51 | 0.58 | 0.76 | 0.69 | 0.70 |
| 30-34 | 0.32 | 0.42 | 0.50 | 0.63 | 0.39 | 0.58 |
| 35-39 | 0.44 | 0.47 | 0.48 | 0.63 | 0.71 | 0.70 |
| 40-44 | 0.40 | 0.47 | 0.43 | 0.72 | 0.63 | 0.60 |
| 45-49 | 0.42 | 0.46 | 0.51 | 0.74 | 0.68 | 0.56 |
| 50-54 | 0.57 | 0.43 | 0.86 | 0.56 | 0.73 | 0.63 |
| 55-59 | 0.65 | 0.46 | 0.68 | 0.56 | 1.04 | 0.73 |
| 60-64 | 0.46 | 0.63 | 0.75 | 0.87 | 0.55 | 0.93 |
| 65 or Older | 0.27 | 0.29 | 0.45 | 0.43 | 0.32 | 0.40 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.46P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

| Age Category | Total (2011) | Total (2012) | Male (2011) | Male (2012) | Female (2011) | Female (2012) |
|---------------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------|--------------------------|
| TOTAL | 0.3544 | | 0.3718 | | 0.6609 | |
| 18 | 0.2123 | | 0.7234 | | 0.0438 | |
| 19 | 0.9842 | | 0.4490 | | 0.4943 | |
| 20 | 0.5318 | | 0.5030 | | 0.1232 | |
| 21 | 0.9518 | | 0.9617 | | 0.8872 | |
| 22 | 0.6774 | | 0.4587 | | 0.8434 | |
| 23 | 0.5267 | | 0.6884 | | 0.6120 | |
| 24 | 0.7631 | | 0.3637 | | 0.6150 | |
| 25 | 0.5451 | | 0.5791 | | 0.7499 | |
| 26-29 | 0.9109 | | 0.7469 | | 0.6433 | |
| 30-34 | 0.0258 | | 0.4225 | | 0.0154 | |
| 35-39 | 0.4916 | | 0.5021 | | 0.1619 | |
| 40-44 | 0.1653 | | 0.0093 | | 0.7862 | |
| 45-49 | 0.1612 | | 0.0514 | | 0.9942 | |
| 50-54 | 0.0363 | | 0.0572 | | 0.2922 | |
| 55-59 | 0.2562 | | 0.4364 | | 0.3815 | |
| 60-64 | 0.1855 | | 0.7512 | | 0.1331 | |
| 65 or Older | 0.4096 | | 0.7167 | | 0.1433 | |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.47C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2011 and 2012**

| Demographic Characteristic | Total (2011) | Total (2012) | Aged 18-25 (2011) | Aged 18-25 (2012) | Aged 26-49 (2011) | Aged 26-49 (2012) | Aged 50+ (2011) | Aged 50+ (2012) |
|--|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 299 | 305 | 85 | 79 | 169 | 208 | 229 | 214 |
| GENDER | | | | | | | | |
| Male | 194 | 208 | 54 | 54 | 105 | 150 | 152 | 135 |
| Female | 228 | 221 | 58 | 57 | 137 | 141 | 162 | 165 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 288 | 282 | 77 | 66 | 158 | 189 | 226 | 203 |
| White | 267 | 258 | 61 | 61 | 148 | 165 | 210 | 196 |
| Black or African American | 86 | 99 | 33 | 28 | 57 | 65 | 56 | 71 |
| American Indian or Alaska Native | 55 | 20 | 5 | 6 | 13 | 13 | * | * |
| Native Hawaiian or Other Pacific Islander | * | 6 | * | 3 | * | * | * | * |
| Asian | 69 | 79 | 28 | 21 | 40 | 58 | * | 50 |
| Two or More Races | 25 | 31 | 17 | 17 | 16 | 22 | 9 | 12 |
| Hispanic or Latino | 84 | 120 | 37 | 43 | 65 | 89 | 32 | 58 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 169 | 207 | 41 | 49 | 114 | 169 | 117 | 106 |
| Part-Time | 140 | 95 | 43 | 46 | 81 | 66 | 106 | 49 |
| Unemployed | 75 | 96 | 39 | 34 | 50 | 60 | 36 | 69 |
| Other ¹ | 196 | 195 | 46 | 42 | 99 | 96 | 158 | 171 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.47D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
Standard Errors of Percentages, 2011 and 2012**

| Demographic Characteristic | Total (2011) | Total (2012) | Aged 18-25 (2011) | Aged 18-25 (2012) | Aged 26-49 (2011) | Aged 26-49 (2012) | Aged 50+ (2011) | Aged 50+ (2012) |
|--|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 0.13 | 0.13 | 0.25 | 0.23 | 0.17 | 0.21 | 0.23 | 0.21 |
| GENDER | | | | | | | | |
| Male | 0.17 | 0.18 | 0.32 | 0.31 | 0.22 | 0.31 | 0.33 | 0.28 |
| Female | 0.19 | 0.18 | 0.34 | 0.33 | 0.28 | 0.28 | 0.30 | 0.30 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.15 | 0.14 | 0.28 | 0.24 | 0.20 | 0.24 | 0.25 | 0.22 |
| White | 0.17 | 0.16 | 0.29 | 0.29 | 0.24 | 0.27 | 0.27 | 0.25 |
| Black or African American | 0.32 | 0.36 | 0.66 | 0.54 | 0.47 | 0.52 | 0.56 | 0.69 |
| American Indian or Alaska Native | 3.72 | 1.50 | 2.02 | 2.41 | 2.62 | 2.41 | * | * |
| Native Hawaiian or Other Pacific Islander | * | 0.63 | * | 1.93 | * | * | * | * |
| Asian | 0.61 | 0.65 | 1.43 | 1.13 | 0.67 | 0.91 | * | 1.31 |
| Two or More Races | 0.78 | 0.90 | 2.15 | 2.03 | 1.29 | 1.65 | 0.67 | 0.88 |
| Hispanic or Latino | 0.25 | 0.35 | 0.53 | 0.60 | 0.36 | 0.49 | 0.36 | 0.62 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.15 | 0.17 | 0.32 | 0.34 | 0.17 | 0.25 | 0.31 | 0.28 |
| Part-Time | 0.42 | 0.29 | 0.43 | 0.46 | 0.69 | 0.56 | 0.91 | 0.41 |
| Unemployed | 0.55 | 0.68 | 0.83 | 0.74 | 0.82 | 0.97 | 1.11 | 1.92 |
| Other ¹ | 0.27 | 0.27 | 0.52 | 0.50 | 0.65 | 0.63 | 0.33 | 0.34 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.47P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

| Demographic Characteristic | Total (2011) | Total (2012) | Aged 18-25 (2011) | Aged 18-25 (2012) | Aged 26-49 (2011) | Aged 26-49 (2012) | Aged 50+ (2011) | Aged 50+ (2012) |
|--|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 0.3544 | | 0.2337 | | 0.0698 | | 0.5181 | |
| GENDER | | | | | | | | |
| Male | 0.3718 | | 0.4688 | | 0.0048 | | 0.1313 | |
| Female | 0.6609 | | 0.2999 | | 0.8532 | | 0.6579 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.8776 | | 0.7738 | | 0.1402 | | 0.3278 | |
| White | 0.9199 | | 0.1281 | | 0.2631 | | 0.2979 | |
| Black or African American | 0.6087 | | 0.2274 | | 0.5901 | | 0.4443 | |
| American Indian or Alaska Native | 0.0717 | | 0.7139 | | 0.6463 | | * | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | 0.6561 | | 0.1703 | | 0.2829 | | * | |
| Two or More Races | 0.3544 | | 0.8172 | | 0.3315 | | 0.8339 | |
| Hispanic or Latino | 0.0204 | | 0.0471 | | 0.2427 | | 0.1295 | |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.0109 | | 0.0197 | | 0.0009 | | 0.3281 | |
| Part-Time | 0.0362 | | 0.8603 | | 0.2783 | | 0.0600 | |
| Unemployed | 0.5462 | | 0.7431 | | 0.5992 | | 0.3669 | |
| Other ¹ | 0.9591 | | 0.4214 | | 0.3743 | | 0.6628 | |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.48C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Geographic/Socioeconomic Characteristic | Total (2011) | Total (2012) | Aged 18-25 (2011) | Aged 18-25 (2012) | Aged 26-49 (2011) | Aged 26-49 (2012) | Aged 50+ (2011) | Aged 50+ (2012) |
|---|--------------|--------------|-------------------|-------------------|-------------------|-------------------|-----------------|-----------------|
| TOTAL | 299 | 305 | 85 | 79 | 169 | 208 | 229 | 214 |
| GEOGRAPHIC REGION | | | | | | | | |
| Northeast | 125 | 127 | 30 | 30 | 70 | 96 | 92 | 82 |
| Midwest | 127 | 115 | 32 | 29 | 78 | 77 | 92 | 76 |
| South | 178 | 196 | 48 | 49 | 111 | 105 | 130 | 155 |
| West | 165 | 147 | 54 | 45 | 88 | 125 | 124 | 87 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 233 | 240 | 64 | 69 | 127 | 176 | 181 | 153 |
| Small Metro | 177 | 175 | 63 | 47 | 102 | 111 | 121 | 131 |
| 250K – 1 Mil. Pop. | 141 | 131 | 48 | 35 | 92 | 89 | 92 | 99 |
| < 250K Pop. | 111 | 118 | 43 | 31 | 50 | 64 | 79 | 86 |
| Nonmetro | 108 | 119 | 26 | 26 | 71 | 60 | 75 | 90 |
| Urbanized | 64 | 79 | 20 | 17 | 48 | 39 | 39 | 56 |
| Less Urbanized | 78 | 69 | 16 | 17 | 46 | 42 | 60 | 54 |
| Completely Rural | 42 | 50 | 10 | 11 | 31 | 22 | 20 | 44 |
| POVERTY LEVEL¹ | | | | | | | | |
| Less Than 100% | 159 | 133 | 58 | 49 | 98 | 102 | 99 | 80 |
| 100-199% | 135 | 175 | 45 | 39 | 83 | 111 | 93 | 122 |
| 200% or More | 226 | 223 | 49 | 55 | 125 | 153 | 182 | 158 |
| EDUCATION | | | | | | | | |
| < High School | 114 | 134 | 36 | 39 | 77 | 83 | 73 | 92 |
| High School Graduate | 158 | 163 | 48 | 50 | 84 | 103 | 125 | 122 |
| Some College | 174 | 173 | 60 | 50 | 101 | 115 | 120 | 116 |
| College Graduate | 156 | 159 | 26 | 28 | 97 | 114 | 127 | 106 |
| HEALTH INSURANCE² | | | | | | | | |
| Private | 221 | 210 | 71 | 65 | 124 | 152 | 164 | 138 |
| Medicaid/CHIP ³ | 125 | 122 | 33 | 35 | 78 | 78 | 91 | 87 |
| Other ⁴ | 152 | 185 | 20 | 27 | 58 | 74 | 139 | 167 |
| No Coverage | 139 | 156 | 43 | 44 | 94 | 110 | 89 | 100 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.48D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Geographic/Socioeconomic Characteristic | Total (2011) | Total (2012) | Aged 18-25 (2011) | Aged 18-25 (2012) | Aged 26-49 (2011) | Aged 26-49 (2012) | Aged 50+ (2011) | Aged 50+ (2012) |
|--|---------------------|---------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------|------------------------|
| TOTAL | 0.13 | 0.13 | 0.25 | 0.23 | 0.17 | 0.21 | 0.23 | 0.21 |
| GEOGRAPHIC REGION | | | | | | | | |
| Northeast | 0.30 | 0.30 | 0.49 | 0.49 | 0.40 | 0.55 | 0.49 | 0.43 |
| Midwest | 0.25 | 0.23 | 0.43 | 0.40 | 0.38 | 0.38 | 0.42 | 0.34 |
| South | 0.21 | 0.23 | 0.38 | 0.39 | 0.31 | 0.29 | 0.35 | 0.41 |
| West | 0.31 | 0.27 | 0.66 | 0.55 | 0.38 | 0.53 | 0.56 | 0.38 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 0.18 | 0.18 | 0.33 | 0.34 | 0.23 | 0.31 | 0.35 | 0.29 |
| Small Metro | 0.23 | 0.23 | 0.47 | 0.36 | 0.32 | 0.37 | 0.38 | 0.40 |
| 250K – 1 Mil. Pop. | 0.27 | 0.26 | 0.63 | 0.44 | 0.42 | 0.44 | 0.42 | 0.46 |
| < 250K Pop. | 0.43 | 0.46 | 0.74 | 0.67 | 0.51 | 0.67 | 0.79 | 0.79 |
| Nonmetro | 0.29 | 0.29 | 0.53 | 0.52 | 0.53 | 0.41 | 0.42 | 0.45 |
| Urbanized | 0.43 | 0.43 | 0.85 | 0.73 | 0.87 | 0.57 | 0.56 | 0.68 |
| Less Urbanized | 0.43 | 0.37 | 0.67 | 0.73 | 0.67 | 0.65 | 0.67 | 0.59 |
| Completely Rural | 1.05 | 1.09 | 2.06 | 2.37 | 2.19 | 1.58 | 0.95 | 1.73 |
| POVERTY LEVEL¹ | | | | | | | | |
| Less Than 100% | 0.46 | 0.35 | 0.55 | 0.47 | 0.65 | 0.61 | 1.11 | 0.70 |
| 100-199% | 0.28 | 0.37 | 0.50 | 0.45 | 0.40 | 0.56 | 0.50 | 0.68 |
| 200% or More | 0.15 | 0.14 | 0.31 | 0.34 | 0.19 | 0.24 | 0.25 | 0.21 |
| EDUCATION | | | | | | | | |
| < High School | 0.34 | 0.38 | 0.60 | 0.70 | 0.58 | 0.61 | 0.52 | 0.59 |
| High School Graduate | 0.23 | 0.23 | 0.39 | 0.39 | 0.33 | 0.40 | 0.38 | 0.37 |
| Some College | 0.27 | 0.27 | 0.45 | 0.36 | 0.38 | 0.44 | 0.50 | 0.46 |
| College Graduate | 0.22 | 0.23 | 0.52 | 0.53 | 0.28 | 0.33 | 0.42 | 0.35 |
| HEALTH INSURANCE² | | | | | | | | |
| Private | 0.14 | 0.14 | 0.34 | 0.30 | 0.19 | 0.24 | 0.23 | 0.20 |
| Medicaid/CHIP ³ | 0.52 | 0.52 | 0.58 | 0.63 | 0.73 | 0.78 | 1.18 | 1.06 |
| Other ⁴ | 0.27 | 0.31 | 0.87 | 0.99 | 0.88 | 1.02 | 0.30 | 0.33 |
| No Coverage | 0.35 | 0.39 | 0.47 | 0.54 | 0.43 | 0.50 | 1.13 | 1.15 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.48P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Geographic/Socioeconomic Characteristic | Total (2011) | Total (2012) | Aged 18-25 (2011) | Aged 18-25 (2012) | Aged 26-49 (2011) | Aged 26-49 (2012) | Aged 50+ (2011) | Aged 50+ (2012) |
|--|---------------------|---------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------|------------------------|
| TOTAL | 0.3544 | | 0.2337 | | 0.0698 | | 0.5181 | |
| GEOGRAPHIC REGION | | | | | | | | |
| Northeast | 0.4761 | | 0.2983 | | 0.2798 | | 0.7707 | |
| Midwest | 0.6489 | | 0.6678 | | 0.8541 | | 0.3376 | |
| South | 0.4009 | | 0.3598 | | 1.0000 | | 0.4438 | |
| West | 0.5604 | | 0.8703 | | 0.0284 | | 0.1634 | |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 0.0715 | | 0.1308 | | 0.0019 | | 0.3857 | |
| Small Metro | 0.7269 | | 0.7086 | | 0.8711 | | 0.9208 | |
| 250K – 1 Mil. Pop. | 0.6105 | | 0.6638 | | 0.6749 | | 0.9271 | |
| < 250K Pop. | 0.9395 | | 0.9762 | | 0.7253 | | 0.9408 | |
| Nonmetro | 0.5549 | | 0.4126 | | 0.1945 | | 0.8461 | |
| Urbanized | 0.4743 | | 0.3286 | | 0.1448 | | 0.7579 | |
| Less Urbanized | 0.8923 | | 0.9189 | | 0.8909 | | 0.9121 | |
| Completely Rural | 0.8730 | | 0.8267 | | 0.5920 | | 0.8038 | |
| POVERTY LEVEL¹ | | | | | | | | |
| Less Than 100% | 0.1480 | | 0.9366 | | 0.5541 | | 0.1848 | |
| 100-199% | 0.1143 | | 0.6336 | | 0.2586 | | 0.1536 | |
| 200% or More | 0.4592 | | 0.0445 | | 0.0495 | | 0.2137 | |
| EDUCATION | | | | | | | | |
| < High School | 0.8686 | | 0.6133 | | 0.7945 | | 0.8468 | |
| High School Graduate | 0.3669 | | 0.4273 | | 0.2161 | | 0.9117 | |
| Some College | 0.7214 | | 0.4128 | | 0.3026 | | 0.4767 | |
| College Graduate | 0.7920 | | 0.6412 | | 0.3751 | | 0.5758 | |
| HEALTH INSURANCE² | | | | | | | | |
| Private | 0.5320 | | 0.3248 | | 0.1694 | | 0.3544 | |
| Medicaid/CHIP ³ | 0.8336 | | 0.2037 | | 0.7629 | | 0.3649 | |
| Other ⁴ | 0.1853 | | 0.8522 | | 0.2541 | | 0.3637 | |
| No Coverage | 0.3782 | | 0.5266 | | 0.4032 | | 0.7372 | |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.49C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Demographic/Socioeconomic Characteristic | Had Serious Thoughts of Suicide (2011) | Had Serious Thoughts of Suicide (2012) | Made Any Suicide Plans (2011) | Made Any Suicide Plans (2012) | Attempted Suicide (2011) | Attempted Suicide (2012) |
|---|---|---|--------------------------------------|--------------------------------------|---------------------------------|---------------------------------|
| TOTAL | 299 | 305 | 157 | 156 | 110 | 103 |
| AGE | | | | | | |
| 18-25 | 85 | 79 | 44 | 47 | 35 | 41 |
| 26-49 | 169 | 208 | 102 | 120 | 64 | 75 |
| 50 or Older | 229 | 214 | 111 | 101 | 81 | 64 |
| GENDER | | | | | | |
| Male | 194 | 208 | 106 | 116 | 65 | 71 |
| Female | 228 | 221 | 115 | 106 | 88 | 72 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 288 | 282 | 149 | 146 | 104 | 90 |
| White | 267 | 258 | 126 | 131 | 79 | 78 |
| Black or African American | 86 | 99 | 43 | 50 | 31 | 35 |
| American Indian or Alaska Native | 55 | 20 | * | 10 | * | 9 |
| Native Hawaiian or Other Pacific Islander | * | 6 | 1 | 2 | 1 | 2 |
| Asian | 69 | 79 | 54 | 49 | 53 | 28 |
| Two or More Races | 25 | 31 | 14 | 15 | 8 | 11 |
| Hispanic or Latino | 84 | 120 | 52 | 64 | 36 | 50 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 221 | 210 | 95 | 102 | 53 | 69 |
| Medicaid/CHIP ² | 125 | 122 | 77 | 67 | 68 | 46 |
| Other ³ | 152 | 185 | 87 | 99 | 52 | 59 |
| No Coverage | 139 | 156 | 81 | 80 | 66 | 59 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 169 | 207 | 72 | 103 | 41 | 72 |
| Part-Time | 140 | 95 | 58 | 45 | 65 | 31 |
| Unemployed | 75 | 96 | 50 | 50 | 28 | 26 |
| Other ⁴ | 196 | 195 | 117 | 107 | 72 | 69 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.49D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Demographic/Socioeconomic Characteristic | Had Serious Thoughts of Suicide (2011) | Had Serious Thoughts of Suicide (2012) | Made Any Suicide Plans (2011) | Made Any Suicide Plans (2012) | Attempted Suicide (2011) | Attempted Suicide (2012) |
|---|---|---|--------------------------------------|--------------------------------------|---------------------------------|---------------------------------|
| TOTAL | 0.13 | 0.13 | 0.07 | 0.07 | 0.05 | 0.04 |
| AGE | | | | | | |
| 18-25 | 0.25 | 0.23 | 0.13 | 0.14 | 0.10 | 0.12 |
| 26-49 | 0.17 | 0.21 | 0.10 | 0.12 | 0.07 | 0.08 |
| 50 or Older | 0.23 | 0.21 | 0.11 | 0.10 | 0.08 | 0.06 |
| GENDER | | | | | | |
| Male | 0.17 | 0.18 | 0.09 | 0.10 | 0.06 | 0.06 |
| Female | 0.19 | 0.18 | 0.10 | 0.09 | 0.07 | 0.06 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.15 | 0.14 | 0.08 | 0.07 | 0.05 | 0.05 |
| White | 0.17 | 0.16 | 0.08 | 0.08 | 0.05 | 0.05 |
| Black or African American | 0.32 | 0.36 | 0.16 | 0.18 | 0.12 | 0.13 |
| American Indian or Alaska Native | 3.72 | 1.50 | * | 0.72 | * | 0.66 |
| Native Hawaiian or Other Pacific Islander | * | 0.63 | 0.16 | 0.22 | 0.16 | 0.21 |
| Asian | 0.61 | 0.65 | 0.48 | 0.42 | 0.48 | 0.24 |
| Two or More Races | 0.78 | 0.90 | 0.44 | 0.45 | 0.26 | 0.33 |
| Hispanic or Latino | 0.25 | 0.35 | 0.15 | 0.18 | 0.11 | 0.14 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.14 | 0.14 | 0.06 | 0.07 | 0.04 | 0.05 |
| Medicaid/CHIP ² | 0.52 | 0.52 | 0.33 | 0.29 | 0.29 | 0.20 |
| Other ³ | 0.27 | 0.31 | 0.16 | 0.17 | 0.09 | 0.10 |
| No Coverage | 0.35 | 0.39 | 0.21 | 0.21 | 0.17 | 0.16 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.15 | 0.17 | 0.06 | 0.09 | 0.04 | 0.06 |
| Part-Time | 0.42 | 0.29 | 0.18 | 0.14 | 0.20 | 0.10 |
| Unemployed | 0.55 | 0.68 | 0.37 | 0.37 | 0.21 | 0.20 |
| Other ⁴ | 0.27 | 0.27 | 0.16 | 0.15 | 0.10 | 0.10 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.49P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Demographic/Socioeconomic Characteristic | Had Serious Thoughts of Suicide (2011) | Had Serious Thoughts of Suicide (2012) | Made Any Suicide Plans (2011) | Made Any Suicide Plans (2012) | Attempted Suicide (2011) | Attempted Suicide (2012) |
|---|---|---|--------------------------------------|--------------------------------------|---------------------------------|---------------------------------|
| TOTAL | 0.3544 | | 0.2547 | | 0.3355 | |
| AGE | | | | | | |
| 18-25 | 0.2337 | | 0.0229 | | 0.0830 | |
| 26-49 | 0.0698 | | 0.1794 | | 0.5436 | |
| 50 or Older | 0.5181 | | 0.5778 | | 0.9605 | |
| GENDER | | | | | | |
| Male | 0.3718 | | 0.5612 | | 0.4643 | |
| Female | 0.6609 | | 0.3053 | | 0.5278 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.8776 | | 0.4661 | | 0.5616 | |
| White | 0.9199 | | 0.5120 | | 0.2810 | |
| Black or African American | 0.6087 | | 0.3248 | | 0.8390 | |
| American Indian or Alaska Native | 0.0717 | | * | | * | |
| Native Hawaiian or Other Pacific Islander | * | | 0.5800 | | 0.6297 | |
| Asian | 0.6561 | | 0.7105 | | 0.5125 | |
| Two or More Races | 0.3544 | | 0.9018 | | 0.9171 | |
| Hispanic or Latino | 0.0204 | | 0.2198 | | 0.2975 | |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.5320 | | 0.4079 | | 0.0340 | |
| Medicaid/CHIP ² | 0.8336 | | 0.4386 | | 0.1100 | |
| Other ³ | 0.1853 | | 0.3423 | | 0.4478 | |
| No Coverage | 0.3782 | | 0.2146 | | 0.5974 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.0109 | | 0.0169 | | 0.0036 | |
| Part-Time | 0.0362 | | 0.3654 | | 0.4295 | |
| Unemployed | 0.5462 | | 0.8063 | | 0.7468 | |
| Other ⁴ | 0.9591 | | 0.4426 | | 0.7982 | |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.50C Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Demographic/Health Characteristic | Attempted Suicide (2011) | Attempted Suicide (2012) | Got Medical Attention for Suicide Attempt (2011) | Got Medical Attention for Suicide Attempt (2012) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2012) |
|---|---------------------------------|---------------------------------|---|---|--|--|
| TOTAL | 110 | 103 | 92 | 75 | 83 | 64 |
| AGE | | | | | | |
| 18-25 | 35 | 41 | 25 | 27 | 15 | 19 |
| 26-49 | 64 | 75 | 48 | 55 | 40 | 48 |
| 50 or Older | 81 | 64 | 75 | 53 | 70 | 48 |
| GENDER | | | | | | |
| Male | 65 | 71 | 56 | 47 | 50 | 43 |
| Female | 88 | 72 | 74 | 58 | 66 | 48 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 104 | 90 | 90 | 69 | 81 | 62 |
| White | 79 | 78 | 64 | 61 | 56 | 56 |
| Black or African American | 31 | 35 | 25 | 24 | 15 | 16 |
| American Indian or Alaska Native | * | 9 | * | 8 | * | 8 |
| Native Hawaiian or Other Pacific Islander | 1 | 2 | * | 2 | * | 2 |
| Asian | 53 | 28 | 53 | 21 | 50 | 20 |
| Two or More Races | 8 | 11 | 6 | 10 | 6 | * |
| Hispanic or Latino | 36 | 50 | 23 | 31 | 19 | 17 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 53 | 69 | 37 | 52 | 34 | 45 |
| Medicaid/CHIP ² | 68 | 46 | 60 | 35 | 54 | 33 |
| Other ³ | 52 | 59 | 46 | 46 | 41 | 39 |
| No Coverage | 66 | 59 | 59 | 40 | 53 | 31 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 41 | 72 | 27 | 50 | 20 | 46 |
| Part-Time | 65 | 31 | 59 | 22 | 59 | 19 |
| Unemployed | 28 | 26 | 26 | 23 | 19 | 12 |
| Other ⁴ | 72 | 69 | 60 | 55 | 50 | 48 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.50D Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2011 and 2012

| Demographic/Health Characteristic | Attempted Suicide (2011) | Attempted Suicide (2012) | Got Medical Attention for Suicide Attempt (2011) | Got Medical Attention for Suicide Attempt (2012) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2012) |
|---|---------------------------------|---------------------------------|---|---|--|--|
| TOTAL | 0.05 | 0.04 | 0.04 | 0.03 | 0.04 | 0.03 |
| AGE | | | | | | |
| 18-25 | 0.10 | 0.12 | 0.07 | 0.08 | 0.04 | 0.06 |
| 26-49 | 0.07 | 0.08 | 0.05 | 0.06 | 0.04 | 0.05 |
| 50 or Older | 0.08 | 0.06 | 0.08 | 0.05 | 0.07 | 0.05 |
| GENDER | | | | | | |
| Male | 0.06 | 0.06 | 0.05 | 0.04 | 0.05 | 0.04 |
| Female | 0.07 | 0.06 | 0.06 | 0.05 | 0.05 | 0.04 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.05 | 0.05 | 0.05 | 0.03 | 0.04 | 0.03 |
| White | 0.05 | 0.05 | 0.04 | 0.04 | 0.04 | 0.04 |
| Black or African American | 0.12 | 0.13 | 0.09 | 0.09 | 0.06 | 0.06 |
| American Indian or Alaska Native | * | 0.66 | * | 0.60 | * | 0.60 |
| Native Hawaiian or Other Pacific Islander | 0.16 | 0.21 | * | 0.19 | * | 0.19 |
| Asian | 0.48 | 0.24 | 0.47 | 0.18 | 0.45 | 0.17 |
| Two or More Races | 0.26 | 0.33 | 0.20 | 0.28 | 0.19 | * |
| Hispanic or Latino | 0.11 | 0.14 | 0.07 | 0.09 | 0.06 | 0.05 |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.04 | 0.05 | 0.02 | 0.03 | 0.02 | 0.03 |
| Medicaid/CHIP ² | 0.29 | 0.20 | 0.26 | 0.15 | 0.23 | 0.14 |
| Other ³ | 0.09 | 0.10 | 0.08 | 0.08 | 0.07 | 0.07 |
| No Coverage | 0.17 | 0.16 | 0.16 | 0.11 | 0.14 | 0.08 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.04 | 0.06 | 0.02 | 0.04 | 0.02 | 0.04 |
| Part-Time | 0.20 | 0.10 | 0.18 | 0.07 | 0.18 | 0.06 |
| Unemployed | 0.21 | 0.20 | 0.19 | 0.17 | 0.14 | 0.09 |
| Other ⁴ | 0.10 | 0.10 | 0.08 | 0.08 | 0.07 | 0.07 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.50P Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Demographic/Health Characteristic | Attempted Suicide (2011) | Attempted Suicide (2012) | Got Medical Attention for Suicide Attempt (2011) | Got Medical Attention for Suicide Attempt (2012) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011) | Stayed Overnight or Longer in a Hospital for Suicide Attempt (2012) |
|---|---------------------------------|---------------------------------|---|---|--|--|
| TOTAL | 0.3355 | | 0.4471 | | 0.6142 | |
| AGE | | | | | | |
| 18-25 | 0.0830 | | 0.0529 | | 0.0856 | |
| 26-49 | 0.5436 | | 0.5043 | | 0.5435 | |
| 50 or Older | 0.9605 | | 0.7542 | | 0.7625 | |
| GENDER | | | | | | |
| Male | 0.4643 | | 0.7467 | | 0.7989 | |
| Female | 0.5278 | | 0.2212 | | 0.3940 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.5616 | | 0.7009 | | 0.6667 | |
| White | 0.2810 | | 0.4516 | | 0.2841 | |
| Black or African American | 0.8390 | | 0.2067 | | 0.3041 | |
| American Indian or Alaska Native | * | | * | | * | |
| Native Hawaiian or Other Pacific Islander | 0.6297 | | * | | * | |
| Asian | 0.5125 | | 0.3413 | | 0.4042 | |
| Two or More Races | 0.9171 | | 0.9715 | | * | |
| Hispanic or Latino | 0.2975 | | 0.2255 | | 0.7102 | |
| HEALTH INSURANCE¹ | | | | | | |
| Private | 0.0340 | | 0.0268 | | 0.0585 | |
| Medicaid/CHIP ² | 0.1100 | | 0.2392 | | 0.4509 | |
| Other ³ | 0.4478 | | 1.0000 | | 0.9012 | |
| No Coverage | 0.5974 | | 0.9637 | | 0.5778 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.0036 | | 0.0156 | | 0.0239 | |
| Part-Time | 0.4295 | | 0.5191 | | 0.4418 | |
| Unemployed | 0.7468 | | 0.6601 | | 0.6697 | |
| Other ⁴ | 0.7982 | | 0.7906 | | 0.9793 | |

*Low precision; no estimate reported.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.