

Table 1.64C Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2011 and 2012

Dependence or Abuse	Total¹ (2011)	Total¹ (2012)	MDE (2011)	MDE (2012)	No MDE (2011)	No MDE (2012)
DEPENDENCE						
Illicit Drugs ²	170	211	92	99	145	181
Marijuana	114	133	57	61	103	113
Illicit Drugs Other Than Marijuana ²	132	176	73	88	108	148
Alcohol	257	297	122	136	224	259
Both Illicit Drugs and Alcohol ²	96	120	64	62	68	94
Illicit Drugs or Alcohol ²	286	349	140	157	253	307
DEPENDENCE OR ABUSE						
Illicit Drugs ²	195	252	97	106	172	226
Marijuana	142	167	68	71	127	147
Illicit Drugs Other Than Marijuana ²	147	209	79	91	124	186
Alcohol	374	412	150	155	359	405
Both Illicit Drugs and Alcohol ²	120	158	68	72	99	135
Illicit Drugs or Alcohol ²	401	463	166	174	385	451

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

Respondents with unknown past year MDE data were excluded.

¹ Estimates in the Total column represent persons aged 18 or older, including those with unknown past year MDE information.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.64D Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2011 and 2012

Dependence or Abuse	Total ¹ (2011)	Total ¹ (2012)	MDE (2011)	MDE (2012)	No MDE (2011)	No MDE (2012)
DEPENDENCE						
Illicit Drugs ²	0.07	0.09	0.59	0.62	0.07	0.08
Marijuana	0.05	0.06	0.37	0.37	0.05	0.05
Illicit Drugs Other Than Marijuana ²	0.06	0.07	0.47	0.55	0.05	0.07
Alcohol	0.11	0.13	0.77	0.81	0.10	0.12
Both Illicit Drugs and Alcohol ²	0.04	0.05	0.42	0.38	0.03	0.04
Illicit Drugs or Alcohol ²	0.12	0.15	0.87	0.94	0.11	0.14
DEPENDENCE OR ABUSE						
Illicit Drugs ²	0.08	0.11	0.62	0.66	0.08	0.10
Marijuana	0.06	0.07	0.44	0.44	0.06	0.07
Illicit Drugs Other Than Marijuana ²	0.06	0.09	0.51	0.57	0.06	0.08
Alcohol	0.16	0.18	0.91	0.90	0.16	0.18
Both Illicit Drugs and Alcohol ²	0.05	0.07	0.44	0.44	0.05	0.06
Illicit Drugs or Alcohol ²	0.17	0.20	0.99	1.03	0.17	0.19

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

Respondents with unknown past year MDE data were excluded.

¹ Estimates in the Total column represent persons aged 18 or older, including those with unknown past year MDE information.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.64P Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE):
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Dependence or Abuse	Total¹ (2011)	Total¹ (2012)	MDE (2011)	MDE (2012)	No MDE (2011)	No MDE (2012)
DEPENDENCE						
Illicit Drugs ²	0.0289		0.7235		0.0228	
Marijuana	0.5636		0.7281		0.4453	
Illicit Drugs Other Than Marijuana ²	0.0190		0.2866		0.0396	
Alcohol	0.0409		0.3660		0.0607	
Both Illicit Drugs and Alcohol ²	0.4172		0.9365		0.3561	
Illicit Drugs or Alcohol ²	0.0050		0.3247		0.0076	
DEPENDENCE OR ABUSE						
Illicit Drugs ²	0.0059		0.5068		0.0073	
Marijuana	0.4241		0.8131		0.3476	
Illicit Drugs Other Than Marijuana ²	0.0021		0.1966		0.0063	
Alcohol	0.0824		0.6431		0.0925	
Both Illicit Drugs and Alcohol ²	0.1799		0.5272		0.2345	
Illicit Drugs or Alcohol ²	0.0099		0.5761		0.0115	

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

Respondents with unknown past year MDE data were excluded.

¹ Estimates in the Total column represent persons aged 18 or older, including those with unknown past year MDE information.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.