

**Table 1.67C Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category:
Standard Errors of Numbers in Thousands, 2011 and 2012**

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	341	385	227	251	251	287
18	34	37	20	22	27	30
19	35	34	19	21	29	25
20	32	34	23	20	24	28
21	32	33	21	24	24	21
22	27	25	15	17	23	18
23	24	30	16	21	18	21
24	28	30	21	21	19	19
25	26	26	17	17	20	20
26-29	105	111	67	86	80	69
30-34	84	108	60	70	55	81
35-39	93	105	50	78	78	72
40-44	93	101	62	76	68	67
45-49	110	111	73	79	80	73
50-54	151	123	109	82	115	91
55-59	116	155	61	105	96	114
60-64	108	129	83	86	69	97
65 or Older	128	177	99	87	80	149

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.67D Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category:
Standard Errors of Percentages, 2011 and 2012**

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	0.15	0.16	0.20	0.22	0.21	0.24
18	0.66	0.72	0.76	0.86	1.11	1.22
19	0.74	0.77	0.85	0.97	1.15	1.14
20	0.66	0.70	0.99	0.88	0.97	1.20
21	0.69	0.71	0.92	1.00	1.04	0.96
22	0.60	0.55	0.67	0.78	1.04	0.76
23	0.59	0.65	0.84	0.97	0.82	0.88
24	0.64	0.72	0.94	0.98	0.89	0.92
25	0.63	0.65	0.83	0.85	0.97	0.93
26-29	0.59	0.62	0.76	0.94	0.90	0.80
30-34	0.43	0.54	0.63	0.73	0.55	0.75
35-39	0.47	0.52	0.51	0.78	0.76	0.71
40-44	0.46	0.49	0.64	0.75	0.63	0.62
45-49	0.50	0.50	0.67	0.75	0.72	0.64
50-54	0.64	0.51	0.96	0.72	0.94	0.74
55-59	0.60	0.74	0.65	1.01	0.97	1.07
60-64	0.59	0.76	0.94	1.06	0.74	1.07
65 or Older	0.32	0.42	0.56	0.47	0.35	0.63

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

130904

**Table 1.67P Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Age Category	Total (2011)	Total (2012)	Male (2011)	Male (2012)	Female (2011)	Female (2012)
TOTAL	0.0155		0.1000		0.0639	
18	0.3384		0.5943		0.4422	
19	0.5015		0.5529		0.1805	
20	0.2708		0.7379		0.0885	
21	0.2153		0.3363		0.4253	
22	0.5095		0.1213		0.0358	
23	0.2099		0.5567		0.2178	
24	0.3605		0.5595		0.4609	
25	0.4482		0.2383		0.9964	
26-29	0.6416		0.7949		0.3659	
30-34	0.0454		0.8110		0.0130	
35-39	0.1416		0.0263		0.9841	
40-44	0.5249		0.4183		0.9406	
45-49	0.7770		0.8091		0.8349	
50-54	0.0885		0.2649		0.2097	
55-59	0.1907		0.1843		0.5393	
60-64	0.2858		0.5012		0.3967	
65 or Older	0.0114		0.7580		0.0023	

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.68C Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	341	385	80	84	215	229	245	298
GENDER								
Male	227	251	53	57	142	169	177	179
Female	251	287	61	59	162	154	173	229
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	309	338	68	70	194	198	221	259
White	267	300	61	65	173	174	197	224
Black or African American	114	180	33	36	78	87	71	147
American Indian or Alaska Native	36	38	5	7	14	18	*	*
Native Hawaiian or Other Pacific Islander	*	15	*	4	*	*	*	*
Asian	62	63	27	18	36	59	*	15
Two or More Races	45	27	10	13	31	15	32	18
Hispanic or Latino	139	178	40	42	82	116	105	131
HEALTH INSURANCE¹								
Private	211	227	60	62	132	142	151	172
Medicaid/CHIP ²	191	190	40	40	119	113	143	146
Other ³	197	246	19	25	80	95	181	225
No Coverage	160	189	48	45	117	138	97	119
CURRENT EMPLOYMENT								
Full-Time	187	210	48	45	141	159	122	133
Part-Time	121	118	42	48	82	75	81	70
Unemployed	97	124	36	38	56	89	69	75
Other ⁴	240	288	45	47	127	132	196	249

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.68D Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic/Health Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.15	0.16	0.23	0.24	0.22	0.23	0.24	0.29
GENDER								
Male	0.20	0.22	0.31	0.33	0.30	0.35	0.38	0.37
Female	0.21	0.24	0.36	0.34	0.32	0.31	0.32	0.42
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.16	0.17	0.25	0.26	0.24	0.25	0.24	0.28
White	0.17	0.18	0.28	0.30	0.28	0.28	0.26	0.28
Black or African American	0.41	0.63	0.62	0.65	0.62	0.68	0.71	1.35
American Indian or Alaska Native	2.61	2.73	2.32	2.77	2.89	3.24	*	*
Native Hawaiian or Other Pacific Islander	*	1.62	*	2.39	*	*	*	*
Asian	0.55	0.55	1.39	0.97	0.62	0.93	*	0.42
Two or More Races	1.35	0.82	1.36	1.67	2.37	1.18	2.39	1.35
Hispanic or Latino	0.41	0.51	0.57	0.59	0.45	0.63	1.18	1.40
HEALTH INSURANCE¹								
Private	0.14	0.15	0.28	0.29	0.20	0.22	0.21	0.24
Medicaid/CHIP ²	0.77	0.76	0.68	0.70	1.13	1.09	1.76	1.65
Other ³	0.35	0.41	0.81	0.91	1.20	1.26	0.38	0.45
No Coverage	0.42	0.47	0.53	0.54	0.53	0.62	1.23	1.37
CURRENT EMPLOYMENT								
Full-Time	0.16	0.17	0.36	0.32	0.21	0.24	0.32	0.34
Part-Time	0.37	0.35	0.42	0.49	0.70	0.64	0.70	0.58
Unemployed	0.68	0.88	0.76	0.84	0.92	1.42	2.04	2.05
Other ⁴	0.34	0.39	0.52	0.59	0.83	0.84	0.40	0.49

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.68P Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic/Health Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.0155		0.0919		0.1595		0.1052	
GENDER								
Male	0.1000		0.0588		0.1690		0.6716	
Female	0.0639		0.5556		0.5379		0.0644	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1835		0.0636		0.8744		0.2366	
White	0.4237		0.0374		0.9281		0.5972	
Black or African American	0.0475		0.4965		0.8552		0.0214	
American Indian or Alaska Native	0.3609		0.5475		0.4169		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.7015		0.3222		0.1817		*	
Two or More Races	0.0509		0.3986		0.0438		0.1864	
Hispanic or Latino	0.0049		0.7975		0.0044		0.1797	
HEALTH INSURANCE¹								
Private	0.1019		0.1327		0.5599		0.3061	
Medicaid/CHIP ²	0.8509		0.5740		0.7979		0.6954	
Other ³	0.0824		0.5561		0.9868		0.0893	
No Coverage	0.0957		0.2301		0.1012		0.6833	
CURRENT EMPLOYMENT								
Full-Time	0.1098		0.5613		0.1197		0.7635	
Part-Time	0.6965		0.2197		0.3946		0.7195	
Unemployed	0.0110		0.0759		0.0011		0.9690	
Other ⁴	0.1761		0.5606		0.3955		0.0486	

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.