

**Table 1.69C Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012**

<b>Demographic Characteristic</b>	<b>2008<sup>1</sup></b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	676	695	689	694	725
<b>AGE</b>					
18-25	112	108	119	126	122
26-49	420	432	410	417	434
50 or Older	540	509	527	530	561
<b>GENDER</b>					
Male	422	430	467	452	434
Female	518	521	507	513	537
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	632	647	640	641	660
White	655	671	657	650	679
Black or African American	249	254	254	232	291
American Indian or Alaska Native	30	30	35	68	59
Native Hawaiian or Other Pacific Islander	*	*	*	*	*
Asian	147	139	156	169	182
Two or More Races	89	91	83	105	74
Hispanic or Latino	242	232	245	259	271

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Respondents' AMI status for the 2008 NSDUH is determined based on responses to questions on distress (K6 scale) and impairment (World Health Organization Disability Assessment Schedule [WHODAS] for half the sample and Sheehan Disability Scale [SDS] for the other half). Respondents' AMI status for the 2009-2012 NSDUH are based solely on responses to the WHODAS questions because the SDS questions were dropped. For details, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.69D Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2012**

<b>Demographic Characteristic</b>	<b>2008<sup>1</sup></b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	0.30	0.31	0.30	0.30	0.31
<b>AGE</b>					
18-25	0.34	0.32	0.35	0.37	0.35
26-49	0.42	0.43	0.42	0.43	0.44
50 or Older	0.59	0.54	0.55	0.53	0.55
<b>GENDER</b>					
Male	0.39	0.39	0.42	0.40	0.38
Female	0.45	0.44	0.43	0.42	0.44
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.33	0.33	0.32	0.32	0.33
White	0.37	0.38	0.36	0.36	0.36
Black or African American	0.86	0.85	0.84	0.75	0.93
American Indian or Alaska Native	3.05	2.95	3.08	3.89	3.80
Native Hawaiian or Other Pacific Islander	*	*	*	*	*
Asian	1.37	1.28	1.43	1.38	1.36
Two or More Races	3.25	2.97	2.80	2.78	2.18
Hispanic or Latino	0.80	0.75	0.77	0.76	0.78

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Respondents' AMI status for the 2008 NSDUH is determined based on responses to questions on distress (K6 scale) and impairment (World Health Organization Disability Assessment Schedule [WHODAS] for half the sample and Sheehan Disability Scale [SDS] for the other half). Respondents' AMI status for the 2009-2012 NSDUH are based solely on responses to the WHODAS questions because the SDS questions were dropped. For details, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.69P Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2008-2011**

<b>Demographic Characteristic</b>	<b>2008<sup>1</sup></b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	0.0412	0.2992	0.2239	0.0584	
<b>AGE</b>					
18-25	0.0348	0.0010	0.0020	0.0357	
26-49	0.4380	0.5520	0.6623	0.1296	
50 or Older	0.0437	0.1080	0.4189	0.3578	
<b>GENDER</b>					
Male	0.0182	0.2246	0.9128	0.2108	
Female	0.4285	0.6930	0.1378	0.1334	
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.0288	0.3189	0.3217	0.3066	
White	0.0536	0.8270	0.6362	0.6152	
Black or African American	0.1500	0.0226	0.2062	0.0651	
American Indian or Alaska Native	0.0277	0.0738	0.0346	0.9070	
Native Hawaiian or Other Pacific Islander	*	*	*	*	
Asian	0.7465	0.5784	0.9355	0.6898	
Two or More Races	0.1498	0.0048	0.7159	0.1363	
Hispanic or Latino	0.8071	0.5487	0.3060	0.0082	

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates from 2008 to 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Respondents' AMI status for the 2008 NSDUH is determined based on responses to questions on distress (K6 scale) and impairment (World Health Organization Disability Assessment Schedule [WHODAS] for half the sample and Sheehan Disability Scale [SDS] for the other half). Respondents' AMI status for the 2009-2012 NSDUH are based solely on responses to the WHODAS questions because the SDS questions were dropped. For details, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.70C Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012**

<b>Geographic/Socioeconomic Characteristic</b>	<b>2008<sup>1</sup></b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	676	695	689	694	725
<b>GEOGRAPHIC REGION</b>					
Northeast	333	301	282	275	271
Midwest	268	277	276	271	274
South	428	422	442	404	462
West	318	354	361	405	379
<b>COUNTY TYPE</b>					
Large Metro	595	623	591	602	648
Small Metro	427	436	473	452	492
250K – 1 Mil. Pop.	342	361	394	373	379
< 250K Pop.	274	251	252	270	330
Nonmetro	317	311	324	313	328
Urbanized	200	213	231	206	208
Less Urbanized	238	210	217	223	228
Completely Rural	88	92	117	84	113
<b>POVERTY LEVEL<sup>2</sup></b>					
Less Than 100%	279	274	319	333	365
100-199%	359	352	364	339	367
200% or More	625	639	599	606	610
<b>EDUCATION</b>					
< High School	358	306	313	341	350
High School Graduate	414	425	428	374	423
Some College	350	397	380	390	394
College Graduate	370	406	397	418	395
<b>HEALTH INSURANCE<sup>3</sup></b>					
Private	602	609	580	585	594
Medicaid/CHIP <sup>4</sup>	265	255	310	296	299
Other <sup>5</sup>	416	416	454	415	482
No Coverage	293	283	310	317	333

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Respondents' AMI status for the 2008 NSDUH is determined based on responses to questions on distress (K6 scale) and impairment (World Health Organization Disability Assessment Schedule [WHODAS] for half the sample and Sheehan Disability Scale [SDS] for the other half). Respondents' AMI status for the 2009-2012 NSDUH are based solely on responses to the WHODAS questions because the SDS questions were dropped. For details, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.70D Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2008-2012**

<b>Geographic/Socioeconomic Characteristic</b>	<b>2008<sup>1</sup></b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	0.30	0.31	0.30	0.30	0.31
<b>GEOGRAPHIC REGION</b>					
Northeast	0.80	0.72	0.67	0.64	0.63
Midwest	0.54	0.56	0.55	0.54	0.54
South	0.52	0.51	0.53	0.47	0.53
West	0.61	0.68	0.68	0.75	0.69
<b>COUNTY TYPE</b>					
Large Metro	0.43	0.44	0.42	0.42	0.43
Small Metro	0.54	0.52	0.56	0.51	0.53
250K – 1 Mil. Pop.	0.65	0.62	0.72	0.62	0.63
< 250K Pop.	0.97	0.92	0.89	0.90	1.01
Nonmetro	0.70	0.69	0.71	0.69	0.69
Urbanized	0.98	1.06	1.13	1.08	0.95
Less Urbanized	1.12	1.00	0.99	0.94	1.06
Completely Rural	1.57	1.99	2.61	1.96	2.14
<b>POVERTY LEVEL<sup>2</sup></b>					
Less Than 100%	0.96	0.82	0.90	0.85	0.82
100-199%	0.77	0.73	0.68	0.64	0.69
200% or More	0.35	0.36	0.35	0.35	0.35
<b>EDUCATION</b>					
< High School	0.87	0.77	0.81	0.91	0.85
High School Graduate	0.55	0.55	0.56	0.50	0.53
Some College	0.56	0.60	0.58	0.57	0.57
College Graduate	0.53	0.53	0.54	0.54	0.51
<b>HEALTH INSURANCE<sup>3</sup></b>					
Private	0.35	0.34	0.35	0.34	0.34
Medicaid/CHIP <sup>4</sup>	1.20	1.06	1.19	1.07	1.11
Other <sup>5</sup>	0.74	0.70	0.76	0.67	0.71
No Coverage	0.76	0.69	0.69	0.73	0.71

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Respondents' AMI status for the 2008 NSDUH is determined based on responses to questions on distress (K6 scale) and impairment (World Health Organization Disability Assessment Schedule [WHODAS] for half the sample and Sheehan Disability Scale [SDS] for the other half). Respondents' AMI status for the 2009-2012 NSDUH are based solely on responses to the WHODAS questions because the SDS questions were dropped. For details, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.70P Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2008-2011**

<b>Geographic/Socioeconomic Characteristic</b>	<b>2008<sup>1</sup></b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	0.0412	0.2992	0.2239	0.0584	
<b>GEOGRAPHIC REGION</b>					
Northeast	0.4079	0.9640	0.4671	0.0669	
Midwest	0.7941	0.7381	0.4574	0.7835	
South	0.0215	0.1393	0.1052	0.2316	
West	0.0350	0.6002	0.1709	0.4942	
<b>COUNTY TYPE</b>					
Large Metro	0.1867	0.6520	0.3895	0.0495	
Small Metro	0.1207	0.2465	0.2952	0.2543	
250K – 1 Mil. Pop.	0.6802	0.7150	0.6327	0.7909	
< 250K Pop.	0.0430	0.0189	0.0093	0.1500	
Nonmetro	0.5381	0.7499	1.0000	0.6771	
Urbanized	0.5361	0.3960	0.8826	0.4945	
Less Urbanized	0.4521	0.8438	0.6559	0.8529	
Completely Rural	0.3924	0.9581	0.6292	0.7333	
<b>POVERTY LEVEL<sup>2</sup></b>					
Less Than 100%	0.2162	0.1396	0.0907	0.3951	
100-199%	0.8292	0.1337	0.1810	0.1778	
200% or More	0.7973	0.1838	0.4071	0.4199	
<b>EDUCATION</b>					
< High School	0.2198	0.0079	0.0040	0.1177	
High School Graduate	0.0274	0.1406	0.4083	0.0197	
Some College	0.6613	0.3539	0.7253	0.6023	
College Graduate	0.7251	0.5632	0.2751	0.5677	
<b>HEALTH INSURANCE<sup>3</sup></b>					
Private	0.6809	0.1493	0.5933	0.2218	
Medicaid/CHIP <sup>4</sup>	0.2705	0.6930	0.2891	0.2291	
Other <sup>5</sup>	0.0007	0.0019	0.1960	0.0370	
No Coverage	0.6586	0.0725	0.0479	0.3314	

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Any mental illness estimates from 2008 to 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Respondents' AMI status for the 2008 NSDUH is determined based on responses to questions on distress (K6 scale) and impairment (World Health Organization Disability Assessment Schedule [WHODAS] for half the sample and Sheehan Disability Scale [SDS] for the other half). Respondents' AMI status for the 2009-2012 NSDUH are based solely on responses to the WHODAS questions because the SDS questions were dropped. For details, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.71C Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012**

<b>Demographic Characteristic</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	308	322	362	325	341
<b>AGE</b>					
18-25	54	51	59	59	59
26-49	208	219	224	213	228
50 or Older	224	218	263	224	254
<b>GENDER</b>					
Male	185	184	220	190	211
Female	248	265	267	261	258
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	288	310	330	309	300
White	280	296	296	284	284
Black or African American	78	89	98	84	104
American Indian or Alaska Native	8	13	28	45	35
Native Hawaiian or Other Pacific Islander	5	*	*	*	7
Asian	68	44	60	60	59
Two or More Races	32	40	69	36	26
Hispanic or Latino	100	103	126	99	155

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.71D Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2012**

<b>Demographic Characteristic</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	0.14	0.14	0.16	0.14	0.14
<b>AGE</b>					
18-25	0.16	0.15	0.17	0.17	0.17
26-49	0.21	0.22	0.23	0.22	0.23
50 or Older	0.24	0.23	0.27	0.22	0.25
<b>GENDER</b>					
Male	0.17	0.17	0.20	0.17	0.19
Female	0.21	0.23	0.23	0.22	0.21
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.15	0.16	0.17	0.16	0.15
White	0.17	0.18	0.19	0.18	0.17
Black or African American	0.30	0.32	0.36	0.31	0.37
American Indian or Alaska Native	0.89	1.21	2.51	3.34	2.52
Native Hawaiian or Other Pacific Islander	0.58	*	*	*	0.76
Asian	0.68	0.43	0.59	0.52	0.50
Two or More Races	1.25	1.58	2.47	1.08	0.79
Hispanic or Latino	0.33	0.33	0.39	0.29	0.44

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.71P Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2008-2011**

<b>Demographic Characteristic</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	0.0569	0.0651	0.9963	0.3361	
<b>AGE</b>					
18-25	0.1307	0.0011	0.4268	0.1673	
26-49	0.1801	0.3783	0.9150	0.7013	
50 or Older	0.1688	0.1810	0.9213	0.4759	
<b>GENDER</b>					
Male	0.0197	0.0158	0.5079	0.2021	
Female	0.5408	0.5884	0.5626	0.7894	
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.5236	0.3725	0.3879	0.6576	
White	0.9063	0.5333	0.7446	0.4137	
Black or African American	0.0700	0.1635	0.3952	0.1974	
American Indian or Alaska Native	0.0383	0.1832	0.9003	0.7696	
Native Hawaiian or Other Pacific Islander	0.5161	*	*	*	
Asian	0.7832	0.5829	0.7679	0.8945	
Two or More Races	0.6140	0.0627	0.2129	0.7590	
Hispanic or Latino	0.0009	0.0059	0.0502	0.0004	

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates from 2008 to 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.72C Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012**

<b>Geographic/Socioeconomic Characteristic</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	308	322	362	325	341
<b>GEOGRAPHIC REGION</b>					
Northeast	132	123	131	126	136
Midwest	124	133	153	127	119
South	185	209	213	188	227
West	164	151	187	184	174
<b>COUNTY TYPE</b>					
Large Metro	233	256	266	239	266
Small Metro	174	161	174	191	208
250K – 1 Mil. Pop.	141	129	153	157	142
< 250K Pop.	107	92	81	103	151
Nonmetro	120	130	172	125	125
Urbanized	90	93	117	81	68
Less Urbanized	74	81	95	85	98
Completely Rural	26	46	84	29	46
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	112	142	165	182	185
100-199%	156	140	158	148	163
200% or More	241	256	262	231	243
<b>EDUCATION</b>					
< High School	107	120	104	132	149
High School Graduate	174	190	226	156	190
Some College	164	157	174	186	181
College Graduate	152	165	164	171	168
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	246	215	254	217	209
Medicaid/CHIP <sup>3</sup>	123	134	153	159	160
Other <sup>4</sup>	157	184	184	160	231
No Coverage	119	123	148	143	162

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>4</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.72D Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2008-2012**

<b>Geographic/Socioeconomic Characteristic</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
<b>TOTAL</b>	0.14	0.14	0.16	0.14	0.14
<b>GEOGRAPHIC REGION</b>					
Northeast	0.32	0.29	0.31	0.30	0.32
Midwest	0.25	0.27	0.30	0.25	0.23
South	0.23	0.25	0.25	0.22	0.26
West	0.32	0.29	0.35	0.34	0.32
<b>COUNTY TYPE</b>					
Large Metro	0.19	0.21	0.21	0.19	0.20
Small Metro	0.25	0.23	0.24	0.25	0.28
250K – 1 Mil. Pop.	0.30	0.28	0.33	0.30	0.29
< 250K Pop.	0.45	0.39	0.33	0.41	0.59
Nonmetro	0.31	0.34	0.45	0.33	0.31
Urbanized	0.56	0.54	0.72	0.52	0.39
Less Urbanized	0.40	0.46	0.52	0.46	0.54
Completely Rural	0.66	1.15	2.24	0.74	0.98
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	0.43	0.50	0.53	0.53	0.47
100-199%	0.37	0.32	0.33	0.31	0.35
200% or More	0.15	0.16	0.17	0.15	0.16
<b>EDUCATION</b>					
< High School	0.30	0.33	0.30	0.39	0.42
High School Graduate	0.25	0.27	0.32	0.22	0.26
Some College	0.28	0.27	0.29	0.29	0.28
College Graduate	0.24	0.25	0.25	0.24	0.24
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	0.15	0.14	0.17	0.14	0.14
Medicaid/CHIP <sup>3</sup>	0.65	0.67	0.69	0.65	0.66
Other <sup>4</sup>	0.30	0.34	0.34	0.29	0.38
No Coverage	0.34	0.33	0.38	0.37	0.41

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates from 2008 to 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>4</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

**Table 1.72P Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2008-2011**

Geographic/Socioeconomic Characteristic	2008	2009	2010	2011	2012
<b>TOTAL</b>	0.0569	0.0651	0.9963	0.3361	
<b>GEOGRAPHIC REGION</b>					
Northeast	0.6003	0.7440	0.5835	0.5127	
Midwest	0.8748	0.2695	0.1016	0.4336	
South	0.0339	0.0561	0.2697	0.1444	
West	0.1273	0.0652	0.7586	0.8317	
<b>COUNTY TYPE</b>					
Large Metro	0.3637	0.2593	0.9783	0.0931	
Small Metro	0.1524	0.0257	0.5284	0.9911	
250K – 1 Mil. Pop.	0.5388	0.1568	0.4857	0.8731	
< 250K Pop.	0.1086	0.0623	0.0520	0.8793	
Nonmetro	0.3203	0.6459	0.3562	0.4794	
Urbanized	0.4695	0.5017	0.1224	0.1415	
Less Urbanized	0.1494	0.8960	0.5495	1.0000	
Completely Rural	0.0758	0.7029	0.4134	0.5094	
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	0.0312	0.2786	0.7391	0.6173	
100-199%	0.6857	0.1883	0.3430	0.2363	
200% or More	0.7577	0.9216	0.1526	0.5596	
<b>EDUCATION</b>					
< High School	0.0047	0.0865	0.0083	0.8727	
High School Graduate	0.1452	0.0767	0.5260	0.0044	
Some College	0.5940	0.6819	0.6555	0.4805	
College Graduate	0.5760	0.9055	0.4497	0.7021	
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	0.3271	0.8541	0.0325	0.6938	
Medicaid/CHIP <sup>3</sup>	0.4789	0.7940	0.6449	0.7660	
Other <sup>4</sup>	0.0258	0.0614	0.5597	0.0646	
No Coverage	0.0326	0.0115	0.0397	0.1185	

\*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in serious functional impairment. Serious mental illness estimates from 2008 to 2011 used in the comparisons may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>4</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.