

**Table 1.73C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2002-2012**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	570	561	554	573	578	605	646	603	616	594	653
AGE											
18-25	78	89	85	88	93	90	92	90	93	101	102
26-49	361	354	338	338	373	348	340	359	361	356	374
50 or Older	424	425	423	449	421	473	523	489	506	471	523
GENDER											
Male	318	319	327	344	335	361	374	366	379	364	384
Female	474	448	443	435	452	448	503	466	480	456	518
HISPANIC ORIGIN AND RACE											
Not Hispanic or Latino	554	527	552	541	550	568	616	563	584	565	614
White	555	580	559	555	575	584	658	620	606	619	676
Black or African American	153	169	175	178	171	144	204	181	195	167	199
American Indian or Alaska Native	40	32	35	37	25	29	32	*	29	55	45
Native Hawaiian or Other Pacific Islander	10	*	*	*	25	*	*	*	*	9	18
Asian	124	94	83	67	102	73	96	71	113	136	92
Two or More Races	60	65	52	59	93	56	96	72	98	87	58
Hispanic or Latino	153	163	156	170	161	185	167	190	193	195	187

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

**Table 1.73D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Percentages, 2002-2012**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	0.27	0.26	0.26	0.26	0.26	0.27	0.29	0.27	0.27	0.26	0.28
AGE											
18-25	0.25	0.28	0.26	0.27	0.28	0.28	0.28	0.27	0.27	0.30	0.29
26-49	0.36	0.35	0.34	0.34	0.37	0.35	0.34	0.36	0.37	0.36	0.38
50 or Older	0.54	0.53	0.51	0.53	0.48	0.53	0.57	0.52	0.52	0.47	0.51
GENDER											
Male	0.32	0.31	0.32	0.33	0.32	0.34	0.35	0.34	0.34	0.33	0.34
Female	0.43	0.41	0.40	0.39	0.40	0.39	0.43	0.40	0.41	0.38	0.43
HISPANIC ORIGIN AND RACE											
Not Hispanic or Latino	0.30	0.28	0.29	0.29	0.29	0.30	0.32	0.29	0.30	0.28	0.31
White	0.35	0.33	0.33	0.33	0.33	0.35	0.37	0.34	0.34	0.34	0.37
Black or African American	0.59	0.64	0.69	0.67	0.64	0.54	0.73	0.63	0.68	0.59	0.69
American Indian or Alaska Native	3.12	3.02	2.96	3.05	2.52	2.62	3.11	*	2.65	3.64	3.23
Native Hawaiian or Other Pacific Islander	1.49	*	*	*	2.99	*	*	*	*	1.09	1.89
Asian	1.47	1.02	0.92	0.74	1.07	0.77	0.94	0.71	1.05	1.15	0.77
Two or More Races	2.65	2.74	2.29	2.42	3.62	2.25	3.42	2.57	3.21	2.44	1.79
Hispanic or Latino	0.61	0.64	0.58	0.62	0.56	0.63	0.55	0.62	0.61	0.58	0.54

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

**Table 1.73P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	0.0001	0.0004	0.0000	0.0000	0.0000	0.0012	0.0065	0.0034	0.0449	0.0124	
AGE											
18-25	0.0003	0.0383	0.0035	0.0550	0.0073	0.0001	0.0193	0.0506	0.0154	0.1886	
26-49	0.2129	0.2252	0.1215	0.0138	0.0332	0.1114	0.0418	0.3157	0.6001	0.5773	
50 or Older	0.0001	0.0006	0.0000	0.0019	0.0008	0.0264	0.1230	0.0070	0.0906	0.0173	
GENDER											
Male	0.0013	0.0003	0.0017	0.0044	0.0068	0.0341	0.0752	0.0418	0.1526	0.5073	
Female	0.0065	0.0681	0.0006	0.0019	0.0011	0.0128	0.0350	0.0252	0.1732	0.0091	
HISPANIC ORIGIN AND RACE											
Not Hispanic or Latino	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0025	0.0005	0.0089	0.0067	
White	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	0.0011	0.0006	0.0036	0.0125	
Black or African American	0.0540	0.0748	0.0787	0.1857	0.0016	0.0002	0.1289	0.0099	0.1681	0.0056	
American Indian or Alaska Native	0.6091	0.5237	0.5288	1.0000	0.3856	0.3835	0.6184	*	0.6471	0.8444	
Native Hawaiian or Other Pacific Islander	0.5635	*	*	*	0.6367	*	*	*	*	0.2010	
Asian	0.0169	0.7016	0.7520	0.7558	0.3315	0.7601	0.8973	0.4559	0.5014	0.1256	
Two or More Races	0.4579	0.3226	0.5866	0.9480	0.0719	0.5849	0.2050	0.1131	0.2686	0.5018	
Hispanic or Latino	0.2020	0.3826	0.7098	0.3791	0.9502	0.7897	0.6974	0.7967	0.3457	0.8467	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.