

Table 1.76C Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2012

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	408	385	406	406	413	436	414	436
AGE								
18-25	83	76	78	81	82	85	84	93
26-49	268	290	255	263	255	262	271	265
50 or Older	273	255	301	319	300	332	298	347
GENDER								
Male	231	241	255	241	248	277	245	266
Female	321	294	313	332	332	328	333	334
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	375	367	383	381	390	406	387	393
White	335	344	358	370	385	374	372	368
Black or African American	153	142	132	128	129	124	128	148
American Indian or Alaska Native	20	25	36	13	17	27	35	35
Native Hawaiian or Other Pacific Islander	17	15	*	*	*	*	15	*
Asian	59	56	55	76	60	74	79	64
Two or More Races	36	58	54	49	45	73	43	41
Hispanic or Latino	150	115	146	149	145	164	144	182

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2012.

Table 1.76D Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2012

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	0.19	0.18	0.18	0.18	0.18	0.19	0.18	0.19
AGE								
18-25	0.26	0.23	0.24	0.25	0.24	0.25	0.25	0.27
26-49	0.27	0.29	0.26	0.27	0.26	0.27	0.28	0.27
50 or Older	0.32	0.29	0.34	0.35	0.32	0.35	0.30	0.34
GENDER								
Male	0.22	0.23	0.24	0.22	0.23	0.25	0.22	0.24
Female	0.29	0.26	0.27	0.29	0.28	0.28	0.28	0.28
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.19	0.20	0.20	0.20	0.21	0.20	0.20
White	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.22
Black or African American	0.58	0.53	0.50	0.48	0.46	0.47	0.48	0.52
American Indian or Alaska Native	1.84	2.41	3.13	1.35	1.58	2.47	2.66	2.53
Native Hawaiian or Other Pacific Islander	2.68	1.89	*	*	*	*	1.78	*
Asian	0.67	0.60	0.59	0.77	0.61	0.72	0.72	0.54
Two or More Races	1.67	2.46	2.23	1.97	1.75	2.57	1.33	1.23
Hispanic or Latino	0.55	0.40	0.50	0.50	0.47	0.52	0.43	0.53

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2012.

Table 1.76P Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2005-2011

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	0.2503	0.1419	0.5856	0.1359	0.2789	0.9035	0.2562	
AGE								
18-25	0.7504	0.0236	0.0169	0.1733	0.0169	0.0968	0.0998	
26-49	0.9884	0.7267	0.8479	0.7179	0.8426	0.8679	0.6683	
50 or Older	0.0400	0.0265	0.5481	0.1231	0.2185	0.7948	0.1463	
GENDER								
Male	0.0844	0.1919	0.1774	0.0625	0.2612	0.7616	0.1783	
Female	0.8720	0.4163	0.6700	0.6664	0.6240	0.8844	0.6730	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4848	0.7624	0.8018	0.5333	0.5854	0.5368	0.8222	
White	0.4436	0.8520	0.5521	0.7518	0.8253	0.4757	0.5339	
Black or African American	0.7002	0.4909	0.2120	0.1680	0.2743	0.5437	0.3333	
American Indian or Alaska Native	0.6958	0.7965	0.7431	0.1501	0.2467	0.5356	0.4741	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	
Asian	0.9482	0.5153	0.5249	0.9168	0.9821	0.5232	0.3970	
Two or More Races	0.3225	0.0669	0.0986	0.1433	0.1958	0.2674	0.7376	
Hispanic or Latino	0.1820	0.0009	0.0374	0.0180	0.0993	0.0712	0.0004	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2012.