

Table 1.77C Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2012

| Demographic Characteristic | 2008 | 2009 | 2010 | 2011 | 2012 |
|---|-------------|-------------|-------------|-------------|-------------|
| TOTAL | 347 | 324 | 363 | 341 | 385 |
| AGE | | | | | |
| 18-25 | 76 | 75 | 84 | 80 | 84 |
| 26-49 | 212 | 212 | 217 | 215 | 229 |
| 50 or Older | 245 | 230 | 272 | 245 | 298 |
| GENDER | | | | | |
| Male | 234 | 194 | 235 | 227 | 251 |
| Female | 251 | 259 | 280 | 251 | 287 |
| HISPANIC ORIGIN AND RACE | | | | | |
| Not Hispanic or Latino | 319 | 306 | 320 | 309 | 338 |
| White | 286 | 293 | 288 | 267 | 300 |
| Black or African American | 122 | 105 | 137 | 114 | 180 |
| American Indian or Alaska Native | 10 | 8 | 11 | 36 | 38 |
| Native Hawaiian or Other Pacific Islander | * | 14 | 21 | * | 15 |
| Asian | 74 | 35 | 53 | 62 | 63 |
| Two or More Races | 51 | 33 | 69 | 45 | 27 |
| Hispanic or Latino | 140 | 130 | 163 | 139 | 178 |

*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

Table 1.77D Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2012

| Demographic Characteristic | 2008 | 2009 | 2010 | 2011 | 2012 |
|---|-------------|-------------|-------------|-------------|-------------|
| TOTAL | 0.15 | 0.14 | 0.16 | 0.15 | 0.16 |
| AGE | | | | | |
| 18-25 | 0.23 | 0.22 | 0.25 | 0.23 | 0.24 |
| 26-49 | 0.21 | 0.21 | 0.22 | 0.22 | 0.23 |
| 50 or Older | 0.27 | 0.24 | 0.28 | 0.24 | 0.29 |
| GENDER | | | | | |
| Male | 0.22 | 0.18 | 0.21 | 0.20 | 0.22 |
| Female | 0.22 | 0.22 | 0.24 | 0.21 | 0.24 |
| HISPANIC ORIGIN AND RACE | | | | | |
| Not Hispanic or Latino | 0.16 | 0.16 | 0.16 | 0.16 | 0.17 |
| White | 0.18 | 0.18 | 0.18 | 0.17 | 0.18 |
| Black or African American | 0.45 | 0.38 | 0.48 | 0.41 | 0.63 |
| American Indian or Alaska Native | 1.12 | 0.79 | 1.07 | 2.61 | 2.73 |
| Native Hawaiian or Other Pacific Islander | * | 1.98 | 3.13 | * | 1.62 |
| Asian | 0.74 | 0.35 | 0.50 | 0.55 | 0.55 |
| Two or More Races | 1.94 | 1.32 | 2.46 | 1.35 | 0.82 |
| Hispanic or Latino | 0.46 | 0.42 | 0.51 | 0.41 | 0.51 |

*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.

Table 1.77P Serious Psychological Distress (SPD) in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2008-2011

| Demographic Characteristic | 2008 | 2009 | 2010 | 2011 | 2012 |
|---|-------------|-------------|-------------|-------------|-------------|
| TOTAL | 0.0030 | 0.0076 | 0.0795 | 0.0155 | |
| AGE | | | | | |
| 18-25 | 0.0581 | 0.0777 | 0.3045 | 0.0919 | |
| 26-49 | 0.0950 | 0.2720 | 0.0943 | 0.1595 | |
| 50 or Older | 0.0162 | 0.0138 | 0.3718 | 0.1052 | |
| GENDER | | | | | |
| Male | 0.0630 | 0.0041 | 0.0607 | 0.1000 | |
| Female | 0.0162 | 0.2758 | 0.5034 | 0.0639 | |
| HISPANIC ORIGIN AND RACE | | | | | |
| Not Hispanic or Latino | 0.0129 | 0.0467 | 0.1029 | 0.1835 | |
| White | 0.0847 | 0.7061 | 0.3607 | 0.4237 | |
| Black or African American | 0.0201 | 0.0014 | 0.0824 | 0.0475 | |
| American Indian or Alaska Native | 0.0211 | 0.0094 | 0.0138 | 0.3609 | |
| Native Hawaiian or Other Pacific Islander | * | 0.9655 | 0.3456 | * | |
| Asian | 0.9152 | 0.0815 | 0.4342 | 0.7015 | |
| Two or More Races | 0.1280 | 0.1826 | 0.2430 | 0.0509 | |
| Hispanic or Latino | 0.1073 | 0.0498 | 0.5581 | 0.0049 | |

*Low precision; no estimate reported.

NOTE: Some 2008 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2012.