

Table 1.78C Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2012

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	481	474	469	500	483	489	519	542
AGE								
18-25	104	118	111	106	110	120	117	122
26-49	326	334	314	317	334	322	336	344
50 or Older	318	321	330	377	315	339	344	389
GENDER								
Male	279	309	306	309	297	303	323	340
Female	384	352	366	381	379	378	387	402
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	427	440	431	472	451	447	474	486
White	392	417	410	473	438	420	411	451
Black or African American	194	167	179	165	165	179	156	223
American Indian or Alaska Native	48	72	36	17	24	31	50	55
Native Hawaiian or Other Pacific Islander	*	30	15	*	26	*	*	*
Asian	87	107	83	117	75	84	130	119
Two or More Races	51	93	47	62	49	79	81	49
Hispanic or Latino	191	192	195	180	169	199	201	225

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2012.

Table 1.78D Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2012

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	0.22	0.22	0.21	0.22	0.21	0.21	0.22	0.23
AGE								
18-25	0.32	0.36	0.34	0.32	0.33	0.35	0.34	0.35
26-49	0.33	0.33	0.31	0.32	0.34	0.33	0.34	0.35
50 or Older	0.37	0.37	0.37	0.41	0.33	0.35	0.34	0.38
GENDER								
Male	0.27	0.29	0.29	0.28	0.27	0.27	0.29	0.30
Female	0.34	0.31	0.32	0.33	0.32	0.32	0.32	0.33
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.22	0.23	0.22	0.24	0.23	0.23	0.24	0.24
White	0.25	0.25	0.25	0.28	0.27	0.25	0.26	0.27
Black or African American	0.70	0.59	0.66	0.59	0.57	0.61	0.54	0.74
American Indian or Alaska Native	3.80	4.72	3.07	1.79	2.27	2.68	3.50	3.63
Native Hawaiian or Other Pacific Islander	*	3.56	2.48	*	3.56	*	*	*
Asian	0.94	1.12	0.86	1.13	0.74	0.83	1.09	0.97
Two or More Races	2.21	3.57	1.99	2.34	1.91	2.67	2.28	1.51
Hispanic or Latino	0.69	0.66	0.66	0.59	0.54	0.63	0.59	0.65

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2012.

Table 1.78P Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2005-2011

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011	2012
TOTAL	0.6123	0.9904	0.1193	0.2120	0.0913	0.1248	0.0434	
AGE								
18-25	0.3770	0.0181	0.0409	0.3452	0.0266	0.0993	0.0297	
26-49	0.4583	0.4087	0.2721	0.2016	0.8599	0.3979	0.4007	
50 or Older	0.3679	0.2853	0.1837	0.3950	0.0317	0.2022	0.1062	
GENDER								
Male	0.0229	0.4495	0.0332	0.0226	0.0110	0.0899	0.0982	
Female	0.2406	0.5277	0.8257	0.8009	0.9279	0.5775	0.1677	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6922	0.6460	0.3509	0.5459	0.3634	0.2643	0.4249	
White	0.7537	0.4137	0.7963	0.5811	0.4583	0.9807	0.9952	
Black or African American	0.1740	0.0930	0.0589	0.0166	0.0067	0.0520	0.0028	
American Indian or Alaska Native	0.7981	0.5660	0.0767	0.0024	0.0266	0.0420	0.2492	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	
Asian	0.4812	0.9402	0.2885	0.9075	0.0749	0.2896	0.6878	
Two or More Races	0.2145	0.0048	0.3523	0.5180	0.3903	0.4358	0.0634	
Hispanic or Latino	0.8147	0.3506	0.0991	0.0809	0.0202	0.2170	0.0010	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2012.