

Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	121,078 ^b	124,808	38,287 ^b	41,479	22,454 ^a	23,863
Marijuana and Hashish	107,842 ^a	111,239	29,739 ^a	31,513	18,071	18,855
Cocaine	36,921	37,688	3,857 ^b	4,671	1,369	1,650
Crack	8,214	9,015	625 ^a	921	228 ^a	443
Heroin	4,162	4,565	620	669	281	335
Hallucinogens	36,362	37,908	4,069	4,306	972	1,134
LSD	23,000	23,735	880	1,057	152	184
PCP	6,103	6,552	119	172	26	32
Ecstasy	14,570 ^b	16,162	2,422	2,610	544	628
Inhalants	20,523	21,095	1,861	1,693	624	493
Nonmedical Use of Psychotherapeutics ^{2,3}	51,243 ^b	54,389	14,657 ^b	16,666	6,119 ^a	6,831
Pain Relievers	34,247 ^b	37,045	11,143 ^b	12,489	4,471	4,862
OxyContin [®]	5,917 ^a	6,579	1,623	1,477	434	358
Tranquilizers	21,655 ^b	23,639	5,109 ^b	6,073	1,840	2,139
Stimulants ³	20,379	21,498	2,700 ^b	3,317	970	1,171
Methamphetamine ³	11,928	12,259	1,033	1,155	439	440
Sedatives	7,515	7,939	526	590	231	270
ILLCIT DRUGS OTHER THAN MARIJUANA¹	75,447 ^a	78,034	18,959 ^b	21,267	8,020 ^a	8,883

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	47.0	48.0	14.9 ^b	16.0	8.7	9.2
Marijuana and Hashish	41.9	42.8	11.5 ^a	12.1	7.0	7.3
Cocaine	14.3	14.5	1.5 ^b	1.8	0.5	0.6
Crack	3.2	3.5	0.2 ^a	0.4	0.1 ^a	0.2
Heroin	1.6	1.8	0.2	0.3	0.1	0.1
Hallucinogens	14.1	14.6	1.6	1.7	0.4	0.4
LSD	8.9	9.1	0.3	0.4	0.1	0.1
PCP	2.4	2.5	0.0	0.1	0.0	0.0
Ecstasy	5.7 ^b	6.2	0.9	1.0	0.2	0.2
Inhalants	8.0	8.1	0.7	0.7	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	19.9 ^a	20.9	5.7 ^b	6.4	2.4	2.6
Pain Relievers	13.3 ^b	14.2	4.3 ^b	4.8	1.7	1.9
OxyContin [®]	2.3	2.5	0.6	0.6	0.2	0.1
Tranquilizers	8.4 ^a	9.1	2.0 ^b	2.3	0.7	0.8
Stimulants ³	7.9	8.3	1.0 ^b	1.3	0.4	0.5
Methamphetamine ³	4.6	4.7	0.4	0.4	0.2	0.2
Sedatives	2.9	3.1	0.2	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	29.3	30.0	7.4 ^b	8.2	3.1 ^a	3.4

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	925	845	558	559	263	283
Marijuana and Hashish	261	261	205	209	104	93
Cocaine	16	11	10	10	1	1
Crack	1	1	1	*	*	*
Heroin	8	2	6	2	*	*
Hallucinogens	60	49	22	33	8 ^a	19
LSD	10	10	4	4	1	2
PCP	4	5	4	3	*	2
Ecstasy	30	14	12	8	4	4
Inhalants	510 ^b	394	241 ^a	177	83	74
Nonmedical Use of Psychotherapeutics ^{2,3}	375	383	234	269	104	136
Pain Relievers	311	332	203	232	89	118
OxyContin [®]	23	15	13	11	5	7
Tranquilizers	47	45	29	23	12	7
Stimulants ³	70 ^b	34	38 ^a	18	15	6
Methamphetamine ³	34 ^a	11	17	5	4	2
Sedatives	35	33	18	13	3	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	793	688	438	420	182	212

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	11.7	10.5	7.1	6.9	3.3	3.5
Marijuana and Hashish	3.3	3.2	2.6	2.6	1.3	1.2
Cocaine	0.2	0.1	0.1	0.1	0.0	0.0
Crack	0.0	0.0	0.0	*	*	*
Heroin	0.1	0.0	0.1	0.0	*	*
Hallucinogens	0.8	0.6	0.3	0.4	0.1 ^a	0.2
LSD	0.1	0.1	0.1	0.0	0.0	0.0
PCP	0.1	0.1	0.0	0.0	*	0.0
Ecstasy	0.4	0.2	0.1	0.1	0.1	0.1
Inhalants	6.4 ^b	4.9	3.0 ^a	2.2	1.0	0.9
Nonmedical Use of Psychotherapeutics ^{2,3}	4.7	4.8	3.0	3.3	1.3	1.7
Pain Relievers	3.9	4.1	2.6	2.9	1.1	1.5
OxyContin [®]	0.3	0.2	0.2	0.1	0.1	0.1
Tranquilizers	0.6	0.6	0.4	0.3	0.1	0.1
Stimulants ³	0.9 ^b	0.4	0.5 ^a	0.2	0.2	0.1
Methamphetamine ³	0.4 ^a	0.1	0.2	0.1	0.0	0.0
Sedatives	0.4	0.4	0.2	0.2	0.0	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	10.0 ^a	8.5	5.5	5.2	2.3	2.6

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	2,098	1,936	1,586 ^b	1,368	783	684
Marijuana and Hashish	1,336	1,225	1,129 ^a	968	570	515
Cocaine	98	58	63 ^a	33	21	9
Crack	33	10	7	4	2	*
Heroin	22	26	21	17	7	*
Hallucinogens	246	216	184	149	69	42
LSD	62	61	49	37	14	9
PCP	23 ^a	47	18	26	1	2
Ecstasy	145	111	102 ^a	66	29	20
Inhalants	699	640	326 ^a	250	76	56
Nonmedical Use of Psychotherapeutics ^{2,3}	782	773	569	500	224	213
Pain Relievers	656	629	466	409	191	181
OxyContin [®]	84	87	65	49	14	17
Tranquilizers	200	203	143	130	35	33
Stimulants ³	146	146	98	100	30	34
Methamphetamine ³	43	45	32	26	14	15
Sedatives	60	65	38	29	13	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,363	1,233	888 ^b	732	347 ^a	271

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	24.7	23.1	18.7 ^b	16.3	9.2	8.2
Marijuana and Hashish	15.7	14.6	13.3 ^a	11.5	6.7	6.1
Cocaine	1.2	0.7	0.7 ^a	0.4	0.3	0.1
Crack	0.4	0.1	0.1	0.1	0.0	*
Heroin	0.3	0.3	0.2	0.2	0.1	*
Hallucinogens	2.9	2.6	2.2	1.8	0.8	0.5
LSD	0.7	0.7	0.6	0.4	0.2	0.1
PCP	0.3 ^a	0.6	0.2	0.3	0.0	0.0
Ecstasy	1.7	1.3	1.2 ^a	0.8	0.3	0.2
Inhalants	8.2	7.6	3.8 ^a	3.0	0.9	0.7
Nonmedical Use of Psychotherapeutics ^{2,3}	9.2	9.2	6.7	6.0	2.6	2.5
Pain Relievers	7.7	7.5	5.5	4.9	2.3	2.2
OxyContin [®]	1.0	1.0	0.8	0.6	0.2	0.2
Tranquilizers	2.4	2.4	1.7	1.6	0.4	0.4
Stimulants ³	1.7	1.7	1.2	1.2	0.4	0.4
Methamphetamine ³	0.5	0.5	0.4	0.3	0.2	0.2
Sedatives	0.7	0.8	0.4	0.3	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	16.1	14.7	10.5 ^b	8.7	4.1 ^a	3.2

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	3,350	3,263	2,591	2,542	1,476	1,409
Marijuana and Hashish	2,781	2,745	2,219	2,187	1,294	1,192
Cocaine	223	196	156	137	45 ^a	20
Crack	34	24	21	14	1	1
Heroin	40	32	27	12	8	*
Hallucinogens	624	559	441	372	139	99
LSD	157	178	106	112	19	15
PCP	49	43	17	19	3	1
Ecstasy	431	364	305 ^b	214	75	49
Inhalants	669	579	253	220	64	58
Nonmedical Use of Psychotherapeutics ^{2,3}	1,365	1,325	946	873	360	343
Pain Relievers	1,183	1,108	815 ^a	691	282	259
OxyContin [®]	262	220	141	127	32	25
Tranquilizers	452	455	302	299	115	100
Stimulants ³	293	315	162	207	53	77
Methamphetamine ³	107	89	56	51	19	14
Sedatives	49 ^a	77	28	39	8	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,851	1,770	1,239	1,145	497	436

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	39.0	38.5	30.2	30.0	17.2	16.6
Marijuana and Hashish	32.4	32.4	25.8	25.8	15.1	14.0
Cocaine	2.6	2.3	1.8	1.6	0.5 ^a	0.2
Crack	0.4	0.3	0.2	0.2	0.0	0.0
Heroin	0.5	0.4	0.3	0.1	0.1	*
Hallucinogens	7.3	6.6	5.1	4.4	1.6	1.2
LSD	1.8	2.1	1.2	1.3	0.2	0.2
PCP	0.6	0.5	0.2	0.2	0.0	0.0
Ecstasy	5.0	4.3	3.6 ^b	2.5	0.9	0.6
Inhalants	7.8	6.8	2.9	2.6	0.7	0.7
Nonmedical Use of Psychotherapeutics ^{2,3}	15.9	15.6	11.0	10.3	4.2	4.0
Pain Relievers	13.8	13.1	9.5 ^a	8.2	3.3	3.1
OxyContin [®]	3.1	2.6	1.6	1.5	0.4	0.3
Tranquilizers	5.3	5.4	3.5	3.5	1.3	1.2
Stimulants ³	3.4	3.7	1.9	2.4	0.6	0.9
Methamphetamine ³	1.2	1.0	0.7	0.6	0.2	0.2
Sedatives	0.6 ^a	0.9	0.3	0.5	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.5	20.9	14.4	13.5	5.8	5.1

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	7,092	7,055	5,239	5,258	3,213	3,174
Marijuana and Hashish	6,453	6,304	4,709	4,684	2,929	2,847
Cocaine	1,119	1,082	608	594	208 ^a	140
Crack	153	154	42	65	12	14
Heroin	130	161	91	89	41	47
Hallucinogens	1,871	1,858	1,079	1,090	255	320
LSD	582	647	256	322	44	58
PCP	101	113	23	40	4	8
Ecstasy	1,324	1,376	679	689	134	192
Inhalants	1,040	996	278	239	76	60
Nonmedical Use of Psychotherapeutics ^{2,3}	3,088	3,240	1,779	1,892	694	694
Pain Relievers	2,543	2,622	1,374	1,437	491	509
OxyContin [®]	660	581	253	212	41	41
Tranquilizers	1,281	1,359	646	679	235	174
Stimulants ³	870	964	458	522	142	142
Methamphetamine ³	271	313	97	151	26	32
Sedatives	122	136	49	56	17	17
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,008	4,034	2,479	2,506	1,002	982

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	52.4	53.2	38.7	39.6	23.8	23.9
Marijuana and Hashish	47.7	47.5	34.8	35.3	21.7	21.4
Cocaine	8.3	8.1	4.5	4.5	1.5 ^a	1.1
Crack	1.1	1.2	0.3	0.5	0.1	0.1
Heroin	1.0	1.2	0.7	0.7	0.3	0.4
Hallucinogens	13.8	14.0	8.0	8.2	1.9	2.4
LSD	4.3	4.9	1.9	2.4	0.3	0.4
PCP	0.7	0.9	0.2	0.3	0.0	0.1
Ecstasy	9.8	10.4	5.0	5.2	1.0	1.4
Inhalants	7.7	7.5	2.1	1.8	0.6	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}	22.8	24.4	13.2	14.3	5.1	5.2
Pain Relievers	18.8	19.8	10.2	10.8	3.6	3.8
OxyContin [®]	4.9	4.4	1.9	1.6	0.3	0.3
Tranquilizers	9.5	10.2	4.8	5.1	1.7	1.3
Stimulants ³	6.4	7.3	3.4	3.9	1.0	1.1
Methamphetamine ³	2.0	2.4	0.7	1.1	0.2	0.2
Sedatives	0.9	1.0	0.4	0.4	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	29.6	30.4	18.3	18.9	7.4	7.4

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.6A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	12,442	12,922	6,828 ^a	7,292	4,139	4,207
Marijuana and Hashish	11,343	11,748	5,845	6,204	3,596	3,638
Cocaine	3,133	3,186	956	1,006	256	257
Crack	561	500	64	76	9	23
Heroin	464	503	139	183	66	92
Hallucinogens	4,158	4,244	1,244	1,147	302	280
LSD	1,473	1,409	330	300	48	60
PCP	250	231	39	17	8	4
Ecstasy	2,898	3,076	733	723	181	169
Inhalants	2,066	1,923	222	233	68	63
Nonmedical Use of Psychotherapeutics ^{2,3}	6,284	6,470	2,586	2,837	1,017	1,139
Pain Relievers	5,057	5,137	1,979	2,070	730	802
OxyContin [®]	1,418	1,430	376	356	117	104
Tranquilizers	2,950	3,061	909	1,039	311	364
Stimulants ³	2,302	2,410	608 ^b	839	202	257
Methamphetamine ³	879	776	128	190	53	65
Sedatives	350	285	78	62	25	34
ILLICIT DRUGS OTHER THAN MARIJUANA¹	7,852	8,182	3,494	3,711	1,383	1,453

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.6B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	59.9	60.6	32.9	34.2	19.9	19.7
Marijuana and Hashish	54.6	55.1	28.1	29.1	17.3	17.1
Cocaine	15.1	14.9	4.6	4.7	1.2	1.2
Crack	2.7	2.3	0.3	0.4	0.0	0.1
Heroin	2.2	2.4	0.7	0.9	0.3	0.4
Hallucinogens	20.0	19.9	6.0	5.4	1.5	1.3
LSD	7.1	6.6	1.6	1.4	0.2	0.3
PCP	1.2	1.1	0.2	0.1	0.0	0.0
Ecstasy	13.9	14.4	3.5	3.4	0.9	0.8
Inhalants	9.9	9.0	1.1	1.1	0.3	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	30.2	30.3	12.4	13.3	4.9	5.3
Pain Relievers	24.3	24.1	9.5	9.7	3.5	3.8
OxyContin [®]	6.8	6.7	1.8	1.7	0.6	0.5
Tranquilizers	14.2	14.4	4.4	4.9	1.5	1.7
Stimulants ³	11.1	11.3	2.9 ^b	3.9	1.0	1.2
Methamphetamine ³	4.2	3.6	0.6	0.9	0.3	0.3
Sedatives	1.7	1.3	0.4	0.3	0.1	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	37.8	38.4	16.8	17.4	6.7	6.8

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.7A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	21,682	22,440	7,799 ^b	8,778	4,680	5,111
Marijuana and Hashish	19,505	20,367	6,040 ^a	6,706	3,721	4,171
Cocaine	6,361 ^a	7,060	841 ^a	1,159	282	425
Crack	1,502 ^a	1,909	80 ^a	208	19	93
Heroin	877	965	157	219	88	111
Hallucinogens	7,884	8,487	641	896	146	196
LSD	4,533	4,648	74 ^a	157	9	16
PCP	663	851	13	46	7	11
Ecstasy	5,169 ^a	5,907	381	585	97	107
Inhalants	4,005 ^a	4,626	194	187	88	58
Nonmedical Use of Psychotherapeutics ^{2,3}	10,393 ^b	11,464	3,256 ^a	3,758	1,437	1,503
Pain Relievers	7,911 ^a	8,835	2,535	2,747	1,085	1,111
OxyContin [®]	1,601 ^b	2,112	397	352	96	150
Tranquilizers	4,719 ^b	5,518	1,156 ^a	1,563	398	504
Stimulants ³	4,017 ^a	4,655	548 ^b	914	233	336
Methamphetamine ³	2,375	2,704	261	370	108	153
Sedatives	485	577	66	137	17	29
ILLICIT DRUGS OTHER THAN MARIJUANA¹	14,038 ^b	15,346	3,990 ^b	4,727	1,743	1,891

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.7B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	59.5	60.8	21.4 ^a	23.8	12.9	13.8
Marijuana and Hashish	53.6	55.2	16.6	18.2	10.2	11.3
Cocaine	17.5	19.1	2.3 ^a	3.1	0.8	1.2
Crack	4.1 ^a	5.2	0.2 ^a	0.6	0.1	0.3
Heroin	2.4	2.6	0.4	0.6	0.2	0.3
Hallucinogens	21.7	23.0	1.8	2.4	0.4	0.5
LSD	12.5	12.6	0.2 ^a	0.4	0.0	0.0
PCP	1.8	2.3	0.0	0.1	0.0	0.0
Ecstasy	14.2 ^a	16.0	1.0	1.6	0.3	0.3
Inhalants	11.0 ^a	12.5	0.5	0.5	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	28.5 ^a	31.1	8.9	10.2	3.9	4.1
Pain Relievers	21.7 ^a	23.9	7.0	7.4	3.0	3.0
OxyContin [®]	4.4 ^b	5.7	1.1	1.0	0.3	0.4
Tranquilizers	13.0 ^a	14.9	3.2 ^a	4.2	1.1	1.4
Stimulants ³	11.0 ^a	12.6	1.5 ^b	2.5	0.6	0.9
Methamphetamine ³	6.5	7.3	0.7	1.0	0.3	0.4
Sedatives	1.3	1.6	0.2	0.4	0.0	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	38.6 ^b	41.6	11.0 ^a	12.8	4.8	5.1

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.8A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	73,488 ^a	76,347	13,685 ^b	15,683	7,900 ^a	8,994
Marijuana and Hashish	66,162	68,588	9,592	10,557	5,857	6,399
Cocaine	25,970	26,096	1,223 ^a	1,731	556	798
Crack	5,930	6,418	410	554	186	312
Heroin	2,622	2,877	178	147	71	85
Hallucinogens	21,519	22,496	457	620	54 ^a	178
LSD	16,183	16,782	61	125	17	24
PCP	5,012	5,260	*	21	*	*
Ecstasy	4,574 ^a	5,315	209	325	23	87
Inhalants	11,536	11,938	346	386	169	125
Nonmedical Use of Psychotherapeutics ^{2,3}	28,954	30,734	5,286 ^b	6,538	2,283	2,802
Pain Relievers	16,585 ^a	18,383	3,771 ^b	4,903	1,603	1,882
OxyContin [®]	1,868	2,134	379	371	129 ^b	15
Tranquilizers	12,006	12,998	1,924	2,340	735	958
Stimulants ³	12,683	12,974	788	718	296	318
Methamphetamine ³	8,218	8,321	442	362	215	159
Sedatives	6,414	6,766	248	253	148	163
ILLCIT DRUGS OTHER THAN MARIJUANA¹	45,542	46,781	6,432 ^b	8,026	2,867 ^a	3,640

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.8B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	45.4	46.7	8.5 ^b	9.6	4.9	5.5
Marijuana and Hashish	40.9	41.9	5.9	6.5	3.6	3.9
Cocaine	16.0	15.9	0.8 ^a	1.1	0.3	0.5
Crack	3.7	3.9	0.3	0.3	0.1	0.2
Heroin	1.6	1.8	0.1	0.1	0.0	0.1
Hallucinogens	13.3	13.7	0.3	0.4	0.0 ^a	0.1
LSD	10.0	10.3	0.0	0.1	0.0	0.0
PCP	3.1	3.2	*	0.0	*	*
Ecstasy	2.8	3.2	0.1	0.2	0.0	0.1
Inhalants	7.1	7.3	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	17.9	18.8	3.3 ^b	4.0	1.4	1.7
Pain Relievers	10.2 ^a	11.2	2.3 ^b	3.0	1.0	1.2
OxyContin [®]	1.2	1.3	0.2	0.2	0.1 ^b	0.0
Tranquilizers	7.4	7.9	1.2	1.4	0.5	0.6
Stimulants ³	7.8	7.9	0.5	0.4	0.2	0.2
Methamphetamine ³	5.1	5.1	0.3	0.2	0.1	0.1
Sedatives	4.0	4.1	0.2	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	28.1	28.6	4.0 ^b	4.9	1.8 ^a	2.2

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.9A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	64,049 ^b	66,653	22,001 ^b	23,794	13,798	14,612
Marijuana and Hashish	58,079 ^a	60,056	17,913 ^a	19,193	11,612	12,085
Cocaine	22,175	22,757	2,555 ^b	3,298	891 ^a	1,231
Crack	5,641	6,214	427 ^a	699	141 ^a	329
Heroin	2,664 ^a	3,221	403	478	154	256
Hallucinogens	21,972	22,941	2,554	2,792	620	715
LSD	14,626	15,230	573 ^a	747	103	111
PCP	4,077	4,483	76	117	19	24
Ecstasy	8,174 ^b	9,478	1,382	1,628	316	366
Inhalants	13,214	13,953	1,146	1,052	418	335
Nonmedical Use of Psychotherapeutics ^{2,3}	27,317 ^a	29,080	7,676 ^b	8,663	3,229	3,565
Pain Relievers	19,338 ^a	20,826	6,037 ^a	6,851	2,530	2,646
OxyContin [®]	3,694	4,107	1,004	938	298	258
Tranquilizers	11,280	12,208	2,402 ^b	2,980	813	1,054
Stimulants ³	11,496	11,962	1,527	1,782	554	639
Methamphetamine ³	7,382	7,534	682	718	252	242
Sedatives	4,114	4,653	183	202	61	133
ILLICIT DRUGS OTHER THAN MARIJUANA¹	41,427 ^a	43,438	10,478 ^b	11,826	4,513	5,060

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.9B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	51.4 ^a	52.9	17.7 ^a	18.9	11.1	11.6
Marijuana and Hashish	46.6	47.7	14.4	15.2	9.3	9.6
Cocaine	17.8	18.1	2.0 ^b	2.6	0.7 ^a	1.0
Crack	4.5	4.9	0.3 ^a	0.6	0.1 ^a	0.3
Heroin	2.1	2.6	0.3	0.4	0.1	0.2
Hallucinogens	17.6	18.2	2.0	2.2	0.5	0.6
LSD	11.7	12.1	0.5 ^a	0.6	0.1	0.1
PCP	3.3	3.6	0.1	0.1	0.0	0.0
Ecstasy	6.6 ^b	7.5	1.1	1.3	0.3	0.3
Inhalants	10.6	11.1	0.9	0.8	0.3	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	21.9	23.1	6.2 ^a	6.9	2.6	2.8
Pain Relievers	15.5 ^a	16.5	4.8 ^a	5.4	2.0	2.1
OxyContin [®]	3.0	3.3	0.8	0.7	0.2	0.2
Tranquilizers	9.1	9.7	1.9 ^a	2.4	0.7	0.8
Stimulants ³	9.2	9.5	1.2	1.4	0.4	0.5
Methamphetamine ³	5.9	6.0	0.5	0.6	0.2	0.2
Sedatives	3.3	3.7	0.1	0.2	0.0	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	33.2	34.5	8.4 ^b	9.4	3.6	4.0

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.10A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	57,029	58,155	16,286 ^b	17,685	8,656	9,251
Marijuana and Hashish	49,762	51,183	11,827	12,320	6,459	6,770
Cocaine	14,746	14,931	1,302	1,372	478	419
Crack	2,573	2,801	198	222	87	115
Heroin	1,498	1,344	217	191	127	79
Hallucinogens	14,390	14,967	1,515	1,514	353	419
LSD	8,373	8,505	307	310	48	73
PCP	2,026	2,070	44	56	*	8
Ecstasy	6,396	6,683	1,040	981	228	261
Inhalants	7,309	7,142	715	641	206	157
Nonmedical Use of Psychotherapeutics ^{2,3}	23,926 ^a	25,309	6,981 ^b	8,003	2,891	3,266
Pain Relievers	14,908 ^a	16,219	5,106	5,638	1,940	2,216
OxyContin [®]	2,223	2,472	619	538	136	100
Tranquilizers	10,375 ^a	11,430	2,708	3,093	1,028	1,085
Stimulants ³	8,883	9,536	1,173 ^b	1,534	416	532
Methamphetamine ³	4,545	4,725	351	437	187	197
Sedatives	3,401	3,286	343	388	170	137
ILLCIT DRUGS OTHER THAN MARIJUANA¹	34,020	34,596	8,482 ^a	9,441	3,507	3,823

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.10B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	42.9	43.3	12.2 ^a	13.2	6.5	6.9
Marijuana and Hashish	37.4	38.1	8.9	9.2	4.9	5.0
Cocaine	11.1	11.1	1.0	1.0	0.4	0.3
Crack	1.9	2.1	0.1	0.2	0.1	0.1
Heroin	1.1	1.0	0.2	0.1	0.1	0.1
Hallucinogens	10.8	11.2	1.1	1.1	0.3	0.3
LSD	6.3	6.3	0.2	0.2	0.0	0.1
PCP	1.5	1.5	0.0	0.0	*	0.0
Ecstasy	4.8	5.0	0.8	0.7	0.2	0.2
Inhalants	5.5	5.3	0.5	0.5	0.2	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	18.0	18.9	5.2 ^b	6.0	2.2	2.4
Pain Relievers	11.2 ^a	12.1	3.8	4.2	1.5	1.7
OxyContin [®]	1.7	1.8	0.5	0.4	0.1	0.1
Tranquilizers	7.8 ^a	8.5	2.0	2.3	0.8	0.8
Stimulants ³	6.7	7.1	0.9 ^b	1.1	0.3	0.4
Methamphetamine ³	3.4	3.5	0.3	0.3	0.1	0.1
Sedatives	2.6	2.4	0.3	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	25.6	25.8	6.4 ^a	7.0	2.6	2.8

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.