

Table 1.49A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	51,243 ^b	54,389	14,657 ^b	16,666	6,119 ^a	6,831
AGE						
12-17	2,522	2,482	1,749	1,642	688	693
18-25	9,373	9,709	4,366 ^a	4,729	1,711	1,832
26 or Older	39,348 ^b	42,198	8,542 ^b	10,296	3,720	4,306
GENDER						
Male	27,317 ^a	29,080	7,676 ^b	8,663	3,229	3,565
Female	23,926 ^a	25,309	6,981 ^b	8,003	2,891	3,266
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	45,349	46,859	12,503 ^b	13,970	5,255	5,845
White	38,737	39,534	10,506	11,296	4,399	4,790
Black or African American	4,168	4,497	1,273 ^b	1,810	498 ^a	720
American Indian or Alaska Native	366	419	161	158	85	67
Native Hawaiian or Other Pacific Islander	*	204	47	44	35	14
Asian	880	1,219	251	376	111	154
Two or More Races	978	987	266	286	127	99
Hispanic or Latino	5,894 ^b	7,530	2,154 ^a	2,696	864	985

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.49B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	19.9 ^a	20.9	5.7 ^b	6.4	2.4	2.6
AGE						
12-17	10.1	10.0	7.0	6.6	2.8	2.8
18-25	27.3	28.1	12.7 ^a	13.7	5.0	5.3
26 or Older	19.8 ^a	21.0	4.3 ^b	5.1	1.9	2.1
GENDER						
Male	21.9	23.1	6.2 ^a	6.9	2.6	2.8
Female	18.0	18.9	5.2 ^b	6.0	2.2	2.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20.8	21.3	5.7 ^b	6.4	2.4	2.7
White	22.9	23.3	6.2	6.7	2.6	2.8
Black or African American	13.8	14.6	4.2 ^b	5.9	1.6 ^a	2.3
American Indian or Alaska Native	25.6	29.0	11.3	10.9	6.0	4.7
Native Hawaiian or Other Pacific Islander	*	18.9	5.0	4.1	3.7	1.3
Asian	7.1	9.5	2.0	2.9	0.9	1.2
Two or More Races	24.5	23.8	6.7	6.9	3.2	2.4
Hispanic or Latino	15.0 ^b	18.7	5.5 ^a	6.7	2.2	2.4

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.50A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	2,522	2,482	1,749	1,642	688	693
GENDER						
Male	1,215	1,209	829	777	302	308
Female	1,307	1,273	920	865	386	385
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,972	1,938	1,387	1,315	554	558
White	1,425	1,390	1,036	965	405	406
Black or African American	356	362	223	240	89	104
American Indian or Alaska Native	23	19	20	11	10	7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	58	49	33	24	14	12
Two or More Races	98	97	72	68	35	28
Hispanic or Latino	551	544	362	327	134	135
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	705	669	500	451	185	186
Female, White, Not Hispanic	720	722	535	514	220	220
Male, Black, Not Hispanic	168	178	109	111	33	34
Female, Black, Not Hispanic	188	184	114	129	56	70
Male, Hispanic	257	265	167	166	54	66
Female, Hispanic	294	279	195	161	79	69

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.50B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	10.1	10.0	7.0	6.6	2.8	2.8
GENDER						
Male	9.5	9.5	6.5	6.1	2.4	2.4
Female	10.7	10.4	7.5	7.1	3.2	3.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.1	10.0	7.1	6.8	2.8	2.9
White	10.3	10.1	7.5	7.0	2.9	3.0
Black or African American	10.1	10.3	6.3	6.8	2.5	3.0
American Indian or Alaska Native	16.9	12.8	14.3	7.4	7.6	4.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4.8	4.2	2.7	2.0	1.1	1.0
Two or More Races	13.7	13.2	10.1	9.3	4.9	3.8
Hispanic or Latino	10.2	9.9	6.7	5.9	2.5	2.5
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	9.9	9.5	7.0	6.4	2.6	2.6
Female, White, Not Hispanic	10.7	10.8	7.9	7.7	3.3	3.3
Male, Black, Not Hispanic	9.5	10.0	6.2	6.2	1.9	1.9
Female, Black, Not Hispanic	10.6	10.6	6.4	7.4	3.2	4.0
Male, Hispanic	9.3	9.4	6.0	5.9	2.0	2.4
Female, Hispanic	11.1	10.4	7.4	6.0	3.0	2.6

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.51A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	9,373	9,709	4,366 ^a	4,729	1,711	1,832
GENDER						
Male	4,996	5,093	2,442	2,517	945	917
Female	4,377	4,616	1,924 ^b	2,212	766 ^a	915
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	7,852	8,083	3,686 ^a	4,013	1,494	1,548
White	6,470	6,541	3,054	3,195	1,236	1,241
Black or African American	814	884	387	475	148	186
American Indian or Alaska Native	85	*	34	*	9	12
Native Hawaiian or Other Pacific Islander	*	*	*	14	*	7
Asian	245	242	91	127	37	58
Two or More Races	193 ^a	282	102	131	50	43
Hispanic or Latino	1,520	1,626	680	716	217	285
EDUCATION						
< High School	1,614	1,603	766	803	351	325
High School Graduate	3,111	3,194	1,540	1,622	603	693
Some College	3,410	3,493	1,590	1,703	602	644
College Graduate	1,237 ^a	1,419	471 ^a	600	154	171
CURRENT EMPLOYMENT						
Full-Time	3,680 ^b	4,106	1,565 ^a	1,796	544 ^b	729
Part-Time	2,553	2,622	1,228	1,281	497	457
Unemployed	1,340	1,282	674	726	317	328
Other ¹	1,799	1,699	899	926	353	318

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.51B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	27.3	28.1	12.7 ^a	13.7	5.0	5.3
GENDER						
Male	29.1	29.4	14.2	14.5	5.5	5.3
Female	25.6	26.8	11.2 ^b	12.8	4.5 ^a	5.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	28.8	29.4	13.5 ^a	14.6	5.5	5.6
White	33.0	33.5	15.6	16.3	6.3	6.4
Black or African American	17.3	18.0	8.2	9.7	3.1	3.8
American Indian or Alaska Native	39.7	*	15.9	*	4.4	4.5
Native Hawaiian or Other Pacific Islander	*	*	*	7.4	*	3.9
Asian	13.0	13.6	4.8	7.1	2.0	3.2
Two or More Races	27.2 ^b	37.1	14.4	17.2	7.1	5.7
Hispanic or Latino	21.6	22.8	9.6	10.0	3.1	4.0
EDUCATION						
< High School	28.1	30.1	13.3	15.1	6.1	6.1
High School Graduate	26.6	27.1	13.2	13.8	5.2	5.9
Some College	28.5	28.3	13.3	13.8	5.0	5.2
College Graduate	25.2	27.7	9.6 ^a	11.7	3.1	3.3
CURRENT EMPLOYMENT						
Full-Time	29.5	30.5	12.5	13.3	4.4 ^a	5.4
Part-Time	27.3	27.9	13.1	13.6	5.3	4.9
Unemployed	29.9	31.2	15.0 ^a	17.7	7.1	8.0
Other ¹	22.6	22.3	11.3	12.2	4.4	4.2

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.52A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	39,348 ^b	42,198	8,542 ^b	10,296	3,720	4,306
GENDER						
Male	21,106 ^a	22,778	4,406 ^b	5,369	1,981	2,340
Female	18,241	19,420	4,136 ^a	4,927	1,739	1,966
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	35,525	36,839	7,431 ^b	8,642	3,207	3,740
White	30,843	31,602	6,416	7,136	2,758	3,143
Black or African American	2,999	3,250	663 ^a	1,095	261 ^a	430
American Indian or Alaska Native	257	303	107	76	65	48
Native Hawaiian or Other Pacific Islander	*	*	*	23	*	6
Asian	577 ^a	928	127	225	60	85
Two or More Races	687	608	91	87	42	28
Hispanic or Latino	3,823 ^b	5,360	1,111 ^b	1,654	513	566
EDUCATION						
< High School	4,521 ^a	5,419	1,356	1,650	743	647
High School Graduate	10,478	11,204	2,449	2,907	1,150	1,295
Some College	11,816	12,103	2,383 ^a	3,076	1,023	1,143
College Graduate	12,533	13,473	2,355	2,662	805 ^a	1,220
CURRENT EMPLOYMENT						
Full-Time	23,094 ^b	25,595	4,789 ^b	6,039	2,035	2,410
Part-Time	4,957	5,090	1,234	1,250	483	611
Unemployed	2,522	2,765	779	864	338	478
Other ¹	8,775	8,748	1,740	2,143	864	807

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.52B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	19.8 ^a	21.0	4.3 ^b	5.1	1.9	2.1
GENDER						
Male	22.3	23.8	4.7 ^a	5.6	2.1	2.4
Female	17.6	18.5	4.0 ^a	4.7	1.7	1.9
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20.7	21.3	4.3 ^a	5.0	1.9	2.2
White	22.7	23.2	4.7	5.2	2.0	2.3
Black or African American	13.6	14.6	3.0 ^a	4.9	1.2 ^a	1.9
American Indian or Alaska Native	23.9	29.4	10.0	7.4	6.1	4.7
Native Hawaiian or Other Pacific Islander	*	*	*	2.9	*	0.8
Asian	6.2	9.4	1.4	2.3	0.6	0.9
Two or More Races	26.7	22.9	3.6	3.3	1.6	1.1
Hispanic or Latino	14.2 ^b	19.4	4.1 ^a	6.0	1.9	2.0
EDUCATION						
< High School	16.6	18.7	5.0	5.7	2.7	2.2
High School Graduate	18.1	19.3	4.2	5.0	2.0	2.2
Some College	23.8	24.1	4.8 ^a	6.1	2.1	2.3
College Graduate	19.8	21.2	3.7	4.2	1.3 ^a	1.9
CURRENT EMPLOYMENT						
Full-Time	22.4 ^b	24.6	4.6 ^b	5.8	2.0	2.3
Part-Time	21.5	21.8	5.4	5.3	2.1	2.6
Unemployed	27.7	29.2	8.5	9.1	3.7	5.0
Other ¹	14.0	13.8	2.8	3.4	1.4	1.3

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.53A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	48,721 ^b	51,908	12,908 ^b	15,025	5,431 ^a	6,138
GENDER						
Male	26,102 ^a	27,872	6,848 ^b	7,886	2,926	3,257
Female	22,618 ^a	24,036	6,060 ^b	7,139	2,505	2,881
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	43,377	44,922	11,116 ^b	12,655	4,701	5,288
White	37,313	38,144	9,470	10,331	3,993	4,384
Black or African American	3,813	4,134	1,050 ^b	1,569	409 ^a	616
American Indian or Alaska Native	343	400	142	147	75	60
Native Hawaiian or Other Pacific Islander	*	*	43	37	34	13
Asian	822 ^a	1,169	218	352	98	142
Two or More Races	881	890	194	218	92	72
Hispanic or Latino	5,344 ^b	6,986	1,791 ^b	2,370	730	850
EDUCATION						
< High School	6,135 ^a	7,022	2,122	2,454	1,094	972
High School Graduate	13,589	14,398	3,988	4,530	1,753	1,988
Some College	15,226	15,596	3,972 ^b	4,779	1,625	1,787
College Graduate	13,770	14,892	2,825	3,262	959 ^a	1,391
CURRENT EMPLOYMENT						
Full-Time	26,774 ^b	29,701	6,354 ^b	7,834	2,580 ^a	3,140
Part-Time	7,510	7,712	2,462	2,531	980	1,067
Unemployed	3,862	4,047	1,452	1,590	655	806
Other ¹	10,574	10,447	2,639	3,069	1,217	1,125

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.53B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	20.9 ^a	22.1	5.5 ^b	6.4	2.3	2.6
GENDER						
Male	23.3	24.6	6.1 ^a	7.0	2.6	2.9
Female	18.7	19.7	5.0 ^b	5.9	2.1	2.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.8	22.4	5.6 ^b	6.3	2.4	2.6
White	24.0	24.5	6.1	6.6	2.6	2.8
Black or African American	14.3	15.2	3.9 ^b	5.8	1.5 ^a	2.3
American Indian or Alaska Native	26.6	30.9	11.0	11.3	5.8	4.7
Native Hawaiian or Other Pacific Islander	*	*	5.0	3.7	3.9	1.4
Asian	7.3	10.1	1.9	3.0	0.9	1.2
Two or More Races	26.9	26.0	5.9	6.4	2.8	2.1
Hispanic or Latino	15.7 ^b	20.1	5.3 ^a	6.8	2.1	2.4
EDUCATION						
< High School	18.6	20.5	6.4	7.2	3.3	2.8
High School Graduate	19.5	20.7	5.7	6.5	2.5	2.9
Some College	24.7	24.9	6.4 ^a	7.6	2.6	2.9
College Graduate	20.2	21.7	4.1	4.8	1.4 ^a	2.0
CURRENT EMPLOYMENT						
Full-Time	23.1 ^b	25.2	5.5 ^b	6.7	2.2 ^a	2.7
Part-Time	23.2	23.5	7.6	7.7	3.0	3.3
Unemployed	28.4	29.8	10.7	11.7	4.8	5.9
Other ¹	14.9	14.7	3.7	4.3	1.7	1.6

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.